

95

Use this product

- ✓ To relieve heavy chesty coughs, to help to clear mucus from your chest more easily
- ✓ To clear a blocked or runny nose

Do NOT use

- ✗ If you are allergic to any of the ingredients
- ✗ If you have a broken or bleeding nose
- ✗ If you have a severe asthma attack

Ask your doctor before use

- ✓ If you have high blood pressure
- ✓ If you are taking anti-depressants
- ✓ If you have heart problems
- ✓ If you are pregnant
- ✓ If you are taking any other medicines to treat cough and cold

Who can use

- ✓ Adults and Children **OVER 6 years**
- ✓ Suitable for diabetics

Age	How much
6 to 12 yrs	5mL
Over 12 yrs	10mL

How often

1 dose every 4 hours as necessary
No more than 6 doses in 24 hrs

Caution: If you are taking any other medicines, check with your doctor or pharmacist before taking this medicine.

PHARMACY MEDICINE
KEEP OUT OF REACH OF CHILDREN
Benadryl®

MUCUS RELIEF PLUS DECONGESTANT

100 mL

This product also contains

Saccharin, benzoates, sorbitol (21g/100mL)

Does NOT contain sugar and colour

Tighten cap after use to engage child-resistant closure. Store below 30°C

For further information Please call our toll free info line: 1800 559 979 (Australia)
0800 046 547 (New Zealand)
Or visit our website: www.benadryl.com.au
www.benadryl.co.nz 05338546


Each 5 mL of oral liquid contains:
Clemastine 4mg
Phenylephrine Hydrochloride 5mg


Batch & Expiry area printed vertical on label

PHARMACODE 1385

ATTACHMENT.....1.....PAGE.....1.....
s22 OF...2...
 Date...16/9/16...
 Delegate of the Secretary
 SUB ID: 0M-2010-0250-3

s47G








169

WORK APPROVAL	Australia	Date	Affiliate	Date
PROJECT MANAGER				
PACKAGING ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				



s22

28/3/08

ATTACHMENT **PAGE**
OF
Date 28/3/08
Delegate of the Secretary
SUB ID: 0M-2007-...#771:ff.....

Job Name: Benadryl PE Chesty Cough and Nasal Congestion Carton 100mL
Country: Australia/New Zealand
Date: 27/03/08
Time: 10:42
Component No.: A2860 / 0530540
Size: 48.5 x 48.5 x 119.5 mm
CC No.: 0708025

Colours

 Black	PMS 9060
 Process Yellow	Knife
 PMS 1807 (Benadryl Red)	
 PMS 293	

Answert Checker: All changes to artwork are required to be initialed and dated. This is to help traceability. Thank You!

ARTWORK APPROVAL	Australia	Date	Affiliate	Date
PRODUCT MANAGER				
PACKAGING ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				

167

s22

28/3/08

PHARMACY MEDICINE
Benadryl[®] PE
 Chesty Cough & Nasal Congestion
 100 mL

Use to relieve:
 ✓ chesty coughs,
 ✓ nasal congestion, and
 ✓ a blocked or runny nose

Do NOT use:
 • if you are taking anti-depressants
 • if you have heart problems
 • if you are pregnant

Who can use:
 ✓ Adults and Children over 2 years

Age	How much
2 to 5 yrs	2.5 mL
6 to 12 yrs	5 mL
Over 12 yrs	10 mL

How often:
 1 dose every 4 hours as necessary
 No more than 6 doses in 24 hours

Caution: Phenylephrine may cause drowsiness in some people. Do not drink or eat if you have a sensitive effect or cause drowsiness.

This product also contains:
 Saccharin, benzoic acid, sorbitol (71 g/100 mL)

Store below 30°C
For further information:
 Please call our toll free info line:
 1800 778 540 (Australia)
 0800 438 953 (New Zealand)
 Or visit our web site:
 www.benadryl.com.au
 P5754 / 053053-0

Barcode: 5 053053 053053

Batch & Expiry area printed vertically on label

ATTACHMENT1..... PAGE2.....
 OF
 Date28/3/08.....
 Delegate of the Secretary
 SUB ID: OM-2007-7777-41

Johnson-Johnson Pacific

Job Name: Benadryl PE Chesty Cough & Nasal Congestion 100mL
 Country: Australia/New Zealand
 Date: 26/03/08
 Time: 16:15
 Component No.: F5754 / 053053-0
 Size: 130 x 47mm
 CC No.: 0708027

Colours

Black ☐ Knife
 PMS 1807 (Benadryl Red)
 PMS 293

Artwork Changes: All changes to artwork are required to be initialed and dated. This is to help traceability. Thank You



ARTWORK APPROVAL	Australia	Date	Affiliate	Date
PRODUCT MANAGER				
PACKAGING ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				

159

PHARMACY MEDICINE
KEEP OUT OF REACH OF CHILDREN

Benadryl[®] PE
FOR THE FAMILY

**Dry Cough
& Nasal Congestion**

Dry, Raspy Coughs, Non-Drowsy
EACH 5 mL OF ORAL LIQUID CONTAINS:
DIPHTHERIA/PERTUSSIS HYPERSENSITIS 200 mL
15 mg. Each 5 mL contains 15 mg. Diphenhydramine HCl.
PHENYLEPHRINE REPLACES PSEUDOEPHEDRINE

Use to relieve
✓ dry coughs,
✓ nasal congestion, and
✓ a blocked or runny nose

Do NOT use
✗ if cap seal is broken or missing
✗ for Children under 2 years

Ask your Doctor before
? using if you have high blood pressure
? using if you are taking anti-depressants

Who can use
✓ Adults and Children OVER 2 years

Age	How much
2 to 5 yrs	2.5 mL
6 to 12 yrs	5 mL
Over 12 yrs	10 mL

How often
1 dose every 4 hours as necessary.
No more than 6 doses in 24 hours.

Caution: Phenylephrine may cause sleeplessness in some people. Sorbitol may have a laxative effect or cause diarrhoea.

This product also contains
Saccharin, benzoates, sorbitol (26.25 g/60 mL)

Store below 30° C

For further information
Please call our toll free info-line:
1800 778 640 (Australia)
0800 408 583 (New Zealand)
Or visit our web site:
www.benadryl.com.au
www.benadryl.co.nz
F5757 / 053052-0

MADE IN AUSTRALIA Johnson & Johnson Pacific, AUSTRALIA - 1111 NEW ZEALAND
45 James St, Upper Level 2002, AUSTRALIA and Auckland New Zealand (Singapore) Indonesia

Batch & Expiry area printed vertical on label

PHARMACODE 921

s22

26/2/08

ATTACHMENT1..... PAGE 3.....
OF 4.....
Date 3/3/08
Delegate of the Secretary
SUB ID: 0M-200 3-4448.....

Johnson & Johnson Pacific

Job Name: Benadryl PE Dry Cough & Nasal Congestion 200mL
Country: Australia/New Zealand
Date: 25/02/08
Time: 11:41
Component No.: F5757 / 053052-0
Size: 130 x 47mm
CC No.: 0708029

Colours

☒ Black ☐ Knife
☒ PMS 1807 (Benadryl Red)
☒ PMS 3288

Artwork Changes: All changes to artwork are required to be initialled and dated. This is to help traceability. Thank You

158

ARTWORK APPROVAL	Australia	Date	Affiliate	Date
PROJECT MANAGER				
PACKAGING ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				



026 300298984

Dry, Raspy Coughs, Non-Drowsy

Dry Cough & Nasal Congestion

Benadryl[®] PE

FOR THE FAMILY

A2863 053051-0

Benadryl[®] PE
FOR THE FAMILY

Dry Cough & Nasal Congestion
Non-Drowsy

Use this product

- ✓ to relieve dry coughs,
- ✓ to relieve nasal congestion, and
- ✓ to relieve a blocked or runny nose

Do NOT use this product

- ✗ if cap seal is broken or missing
- ✗ for Children under 2 years

Ask your doctor before use

- ⚠ if you have high blood pressure
- ⚠ if you are taking anti-depressants

Who can use this product

- ✓ Adults and Children over 2 years

Age	How much	How often
2 to 5 years	2.5 mL	1 dose every 4 hours as necessary.
6 to 12 years	5 mL	No more than 6 doses in 24 hours.
Over 12 years	10 mL	

Caution Phenylephrine may cause sleeplessness in some people. Sorbitol may have a laxative effect or cause diarrhoea.

This product contains:
Dextromethorphan Hydrobromide 10 mg and Phenylephrine Hydrochloride 5 mg in each 5 mL dose.
Also contains saccharin, benzoates, sorbitol (26.25 g/100 mL).
Store below 30°C. Expiry on base.

For Further Information
Please call our toll free info-line: 1800 778 640 (Australia), 0800 408 553 (New Zealand). Or visit our web site: www.benadryl.co.nz

PHARMACY MEDICINE
KEEP OUT OF REACH OF CHILDREN

Benadryl[®] PE
FOR THE FAMILY

Dry Cough & Nasal Congestion

Dry, Raspy Coughs, Non-Drowsy



GREAT BERRY FLAVOUR
Sorbitol, Saccharin & Menthol

200 mL

Benadryl[®] PE
FOR THE FAMILY

Dry Cough & Nasal Congestion

Dry, Raspy Coughs, Non-Drowsy

New Formula



GREAT BERRY FLAVOUR
Sorbitol, Saccharin & Menthol

200 mL

Benadryl[®] PE
FOR THE FAMILY

Dry Cough & Nasal Congestion

Dry, Raspy Coughs, Non-Drowsy



GREAT BERRY FLAVOUR
Sorbitol, Saccharin & Menthol

200 mL

Johnson & Johnson Pacific
AUSTRALIA: 10-11 TOWER ROAD, 45 JESSIE STREET, URBAN 2000 2007.
NEW ZEALAND: 10-11 TOWER ROAD, 45 JESSIE STREET, URBAN 2000 2007.
© Registered trademarks

PHENYLEPHRINE REPLACES PSEUDOEPHEDRINE

Benadryl[®] PE
FOR THE FAMILY

Dry Cough & Nasal Congestion

Dry, Raspy Coughs, Non-Drowsy



GREAT BERRY FLAVOUR
Sorbitol, Saccharin & Menthol

200 mL



9 300607 360035

ATTACHMENT **PAGE** 4

OF 4

Date 3/3/08

Delegate of the Secretary

SUB ID: 0M-200 3-4448-11

BATCH & EXPIRY AREA



PHARMACODE 920

s22

26/2/08

Johnson & Johnson Pacific

Job Name: Benadryl PE Dry Cough and Nasal Congestion Carton 200mL

Country: Australia/New Zealand

Date: 21/02/08

Time: 13:07

Component No.: A2863 / 053051-0

Size: 60.5 x 60.5 x 147 mm

CC No.: 0708031

Colours

 Black	PMS 9060
 Process Yellow	☐ Knife
 PMS 1807 (Benadryl Red)	
 PMS 3288	

Artwork Changes: All changes to artwork are required to be initialled and dated. This is to help traceability. Thank You

[illegible]

ARTWORK APPROVAL	Australia	Date	Affiliate	Date
PRODUCT MANAGER				
PRODUCTION ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				

143



Johnen-Johnen Pacific

Job Name:	Bendaryl PE Dry Cough & Nasal Congestion 200mL
Country:	Australia/New Zealand
Date:	25/02/08
Time:	11:41
Component No.	F5757 / 053052-0
Size:	130 x 47mm
CC No.	0708029


Colours


Colours

Black	Knife
PMS 1807 (Benadryl Red)	
PMS 3288	

Artwork Changes: All changes to artwork are required to be initialed and dated. This is to help traceability. Thank You







Attachment 3



WHITE THUMBNAIL

Please specify what the dimensions should be if they are incorrect

CONCEPT ARTWORK



CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND


CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

® TM Trade Mark. 2735988

ATTACHMENT	1	PAGE	1
		OF	2
			
DM-2010-00846-3		Date 26/10/2011	

CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

CodralRelief™ 6 SIGNS™ Cold & Flu

PARACETAMOL 500MG, GUAIPHENESIN 100MG,
PHENYLEPHRINE HYDROCHLORIDE 6.1MG
Johnson & Johnson Pacific AUSTRALIA • FIJI • NEW ZEALAND

® TM Trade Mark. 2735988

M-2010-00846-3

T94545BR +

9 300607 180145

Each capsule contains
Paracetamol 500mg,
Guaiphenesin 100mg,
Phenylephrine
hydrochloride 6.1mg.

How to store
Store below 25°C.
serious liver damage.

Information Centre Australia 131176, New Zealand 0800 764 765 or go to a
hospital straight away even if you feel well because of the risk of delayed.

Warning: Phenylephrine may cause sleeplessness in some people. Keep to
the recommended dose. If an overdose is taken or suspected, ring the Poisons
Information Centre Australia 131176, New Zealand 0800 764 765 or go to a
hospital straight away even if you feel well because of the risk of delayed.

Caution: If symptoms persist, see your doctor.

When to stop
This medicine should not be used
for longer than a few days in adults,
8 capsules
in a day
Maximum
How often
Once every
4-6 hours
as necessary
in 24 hours
or 48 hours in children except
on medical advice

Use this CODRAL® product for
✓ headaches
✓ body aches and pains
✓ blocked or runny nose
✓ sore throat
✓ chesty cough
Do not use
✗ for children under 12 years
✗ if you have taken paracetamol
if carton seal is broken or missing
or if capsule foil is broken
Ask your doctor before use
if you are pregnant
if you have high blood pressure
if you have heart problems
if you are taking anti-depressants
if you are taking any other medicines
to treat cough and cold

Who can use this CODRAL®
product
✓ Adults,
✓ Children 12 years
and over
How many
2 capsules
How often
Once every
4-6 hours
as necessary
in 24 hours
or 48 hours in children except
on medical advice

FOR A WIDER RANGE OF CODRAL® PRODUCTS PLEASE VISIT YOUR PHARMACY

Codral® Relief™
6 SIGNS™
Cold & Flu
16 CAPSULES

Do not use if
carton seal is
broken or missing
or if capsule foil is
broken

2736310

NEW
Codral® Relief™
6 SIGNS™
Cold & Flu
16 CAPSULES

• HEADACHES
• FEVER
• BODY ACHES & PAIN
• BLOCKED & RUNNY NOSE
• SORE THROAT
• CHESTY COUGH

Each capsule contains Paracetamol 500mg, Guaiphenesin
100mg, Phenylephrine hydrochloride 6.1mg.

For more information call Toll Free:
1800 029 979 Australia, 0800 446 147 New Zealand
or visit www.codral.com.au or www.codral.co.nz

Johnson & Johnson Pacific
AUSTRALIA • FIJI • NEW ZEALAND
45 Jones Street, Ultimo NSW 2007,
AUSTRALIA and Auckland, NEW ZEALAND
®™ Trade Mark
Made in the United Kingdom from
imported and local components

ATTACHMENT.....1..... PAGE.....2.....
OF.....2.....
om-2010-00846-3 Date 26.10.2011

NEW

Relief™
MAX
strength

6 SIGNS™
Cold & Flu

Hot Drink
LEMON FLAVOURED SACHET
5g Oral powder

Each sachet contains Paracetamol 1000mg, Guaiphenesin 200mg, Phenylephrine hydrochloride 12.2mg.

• HEADACHES
• FEVER
• BODY ACHES & PAIN
• BLOCKED & RUNNY NOSE
• SORE THROAT
• CHESTY COUGH

NEW

Codral® Relief™
MAX
strength

6 SIGNS™
Cold & Flu

DOSE:
Pour the contents of one sachet into a mug. Fill with hot (not boiling) water. Stir until dissolved and drink.
Adults and children 12 years and over: One sachet every 4 to 6 hours as necessary. Maximum 4 sachets in 24 hours.
When to stop: This medicine should not be taken for longer than a few days in adults, or 48 hours in children, except on medical advice.
WARNINGS:
Do not use: for children under 12 years; if you have taken paracetamol, are taking anti-depressants, have heart problems, are pregnant or if you are taking any other medicines to treat cough and cold. Phenylephrine may cause sleeplessness in some people. Keep to the recommended dose.
If an overdose is taken or suspected, ring the Poisons information Centre (Australia 13 11 26, New Zealand 0800 764 766) or go to a hospital straight away even if you feel well because of the risk of delayed serious liver damage.
CONTAINS:
This product contains aspartame (E951) and about 2.0g sucrose (sugar) per sachet. Also contains 468mg of sodium per 20g (maximum recommended daily dose).
PHENYLEPHRINE – CONTAINS PHENYLALANINE
Store below 25°C.
Do not use if sachet seal is broken or damaged.
Johnson & Johnson Pacific
AUSTRALIA • FIJI • NEW ZEALAND
45 Jones Street, Ultimo NSW 2007
AUSTRALIA and Auckland, NEW ZEALAND
Made in the United Kingdom from imported and local components

2735689

ATTACHMENT 1

Revis

01-2010-00747-3 Date 26.10.2011

PAGE 1

OF 2

NEW

Relief™
MAX
strength

6 SIGNS™
Cold & Flu

Hot Drink
10 LEMON FLAVOURED SACHETS
5g Oral powder

Each sachet contains Paracetamol 1000mg, Guaiphenesin 200mg, Phenylephrine hydrochloride 12.2mg.

• HEADACHES
• FEVER
• BODY ACHES & PAIN
• BLOCKED & RUNNY NOSE
• SORE THROAT
• CHESTY COUGH

NEW

Codral® Relief™
MAX
strength

6 SIGNS™
Cold & Flu

Who can use this CODRAL® product
✓ Adults
✓ Children 12 years and over

Directions for use
Pour the contents of one sachet into a mug. Fill with hot (not boiling) water. Stir until dissolved and drink.

How often
One sachet every 4-6 hours as necessary.

Maximum
4 sachets in 24 hours.

Use this CODRAL® product for
✓ headaches
✓ fever
✓ body aches and pain
✓ blocked or runny nose
✓ sore throat
✓ chesty cough

Do not use
• for children under 12 years
• if you have taken paracetamol

Ask your doctor before use if you
• have high blood pressure
• are taking anti-depressants
• have heart problems
• are pregnant
• are taking any other medicines to treat cough and cold

When to stop
This medicine should not be used for longer than a few days in adults, or 48 hours in children except on medical advice.

Caution: If symptoms persist, see your doctor.

Warning: Phenylephrine may cause sleeplessness in some people. Keep to recommended dose. If an overdose is taken or suspected, ring the Poisons Information Centre (Australia 13 11 26, New Zealand 0800 764 766) or go to a hospital straight away even if you feel well because of the risk of delayed serious liver damage.

Store below 25°C.

Each sachet of powder contains
Paracetamol 1000mg, Guaiphenesin 200mg, Phenylephrine hydrochloride 12.2mg.

This product also contains aspartame (E951) and about 2.0g sucrose (sugar) per sachet. Also contains 468mg of sodium per 20g (maximum recommended daily dose).

PHENYLEPHRINE – CONTAINS PHENYLALANINE
DO NOT USE IF SACHET SEAL IS BROKEN OR DAMAGED

9 300607 180114


ATTACHMENT 1

Revis

01-2010-00747-3 Date 26.10.2011

PAGE 2

OF 2




Knife: Internal-CG-057383-Rev1

CONCEPT ARTWORK


s47G

Varnish Thumbnail @25%



CONCEPT ARTWORK

[REDACTED]



211

NIGHT

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

NIGHT

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

NIGHT

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

NIGHT

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

NIGHT

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

NIGHT

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

Codral Cold & Flu+Cough

NEW FORMULA

AFTERNOON	MIDDAY	MORNING
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg

Codral Cold & Flu+Cough

NEW FORMULA

AFTERNOON	MIDDAY	MORNING
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg
PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg	PARALFAMOL 500mg PARALFAMOL 500mg PARALFAMOL 500mg

MORNING

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

MORNING

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

MORNING

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

MORNING

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

MORNING

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

MORNING

PARALFAMOL 500mg
PARALFAMOL 500mg
PARALFAMOL 500mg

Pfizer

Job Name: Codral PE Cold & Flu + Cough foil Back

Country: Australia

Date: 07/07/05

Time: 08:47

Component No.: FL171

Size: 128 x 96mm

CC No.: WRCHC

Pharmacode 50581

s22

TRAIN 218017 Date 5/12/05

Colours


PM5 032

PM5 293


Opaque White

Knife


Artwork Changes: All changes to artwork are required to be initialed and dated. This is to help traceability. Thank You








s47G



s47G

100% Barcode
Magnification



5mm x 5mm

ATTACHMENT 1 PAGE 1 OF 2
Ravi
 Delegate of the Secretary Date 9/3/2011
 SUB ID: OM-2010-01488-3

Use this product

- ✓ to relieve heavy chesty coughs, by helping to clear mucus from your chest more easily
- ✓ to clear a blocked or runny nose

Do NOT use

- ✗ if cap seal is broken or missing
- ✗ for children under 12 years

Ask your doctor before use

- ? if you have high blood pressure
- ? if you are taking anti-depressants
- ? if you have heart problems
- ? if you are pregnant
- ? if you are taking any other medicines to treat cough and cold

Who can use

- ✓ Adults and Children **OVER 12 years**
- ✓ Suitable for diabetics

Age	How much
Over 12 yrs	10mL

How often

1 dose every 4 hours as necessary. No more than 6 doses in 24 hrs.

Caution: If coughing persists consult your doctor. Phenylephrine may cause sleeplessness in some people. Sorbitol may have a laxative effect or cause diarrhoea.

Codral Relief

Mucus Cough & Cold

EACH 5mL OF ORAL LIQUID CONTAINS
 Guaiphenesin 100mg,
 Phenylephrine hydrochloride 5mg

200 mL

This product also contains

Saccharin, benzoates, sorbitol (21g/60mL).

Does NOT contain sugar and colour.

Tighten cap after use to engage child-resistant closure. Store below 30°C

For further information Please call our toll free info-line: 1800 029 979 (Australia), 0800 446 147 (New Zealand) Or visit our website: www.codral.com.au, www.codral.co.nz 000000-0

MADE IN AUSTRALIA. Johnson & Johnson Pacific, Australia, New Zealand, 45 Jones Street, Ultimo NSW 2007, AUSTRALIA and Auckland, NEW ZEALAND. Registered Trademark

Batch & Expiry area printed vertical on label

PHARMACODE 0000

ATTACHMENT 1 PAGE 2 OF 2
Ravi
 Delegate of the Secretary Date 9/3/2011
 SUB ID: OM-2010-01488-3

Codral Relief

Mucus Cough & Cold

Non Drowsy

Use this product

- ✓ to relieve heavy chesty coughs, by helping to clear mucus from your chest more easily
- ✓ to clear a blocked or runny nose

Do NOT use this product

- ✗ if cap seal is broken or missing
- ✗ for children under 12 years

Ask your doctor before use

- ? if you have high blood pressure
- ? if you are taking anti-depressants
- ? if you have heart problems
- ? if you are pregnant
- ? if you are taking any other medicines to treat cough and cold

Who can use this product

- ✓ Adults and Children **OVER 12 years**
- ✓ Suitable for diabetics

Age	How much	How often
Over 12 years	10mL	1 dose every 4 hours as necessary. No more than 6 doses in 24 hrs.

Caution: If coughing persists consult your doctor. Phenylephrine may cause sleeplessness in some people. Sorbitol may have a laxative effect or cause diarrhoea.

This product also contains

Saccharin, benzoates, sorbitol (21g/60mL).

Does NOT contain sugar and colour.

Tighten cap after use to engage child-resistant closure. Store below 30°C Expiry on base

For Further Information

Please call our toll free info-line: 1800 029 979 (Australia), 0800 446 147 (New Zealand). Or visit our website: www.codral.com.au, www.codral.co.nz

Codral Relief

Mucus Cough & Cold

200ml

Johnson & Johnson Pacific AUSTRALIA, NEW ZEALAND 45 Jones Street, Ultimo NSW 2007, AUSTRALIA and Auckland, NEW ZEALAND.

Codral Relief

Mucus Cough & Cold

200ml

Each 5mL of oral liquid contains: Guaiphenesin 100mg, Phenylephrine hydrochloride 5mg, AUST R XXXX

Codral Relief

Mucus Cough & Cold

200ml

MADE IN AUSTRALIA © Registered Trade Mark


0 000000 000000

NETWORK APPROVAL	Australia	Date	Affiliate	Date
REG. NAGEL				
REG. ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				

This is a replacement
labelling. s22

197

ATTACHMENT 1 PAGE 1
OF 3
Date 21/4/05
TGAIN 233.34... SUB ID: OM-200 5-15.301





Job Name: Codral PE) Nighttime Cold & Flu 24 Table Contour
Country: Australia
Date: 18/11/05
Time: 09:30
Component No.: CN1435/002C464
Size: 109.5 x 59 x 17.5mm
CE No.: 0507067

Colours

Cyan	PMS 072	Varist
Magenta	PMS 1373	Dyeline
Yellow	PMS 877	
Black		

Artwork Changes: All changes to artwork are required to be initialed and dated. This is to help traceability. Thank You





ARTWORK APPROVAL	Australia	Date	Affiliate	Date
PROJECT MANAGER				
PACKAGING ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				



Job Name: Sudafed PE Sinus + Allergy & Pain Relief carton white top
Country: Australia/New Zealand
Date: 16/06/05
Time: 11:30
Component No. CNXXX
Size: mm
CC No. 0409015

Colours

PMS 1805	Magenta	Varnish
Yellow	Black	Dyeline
PMS 285	PMS 2587	
Cyan		

Artwork Changes: All changes to artwork are required to be initialled and dated. This is to help traceability. Thank You

217

ATTACHMENT 1 PAGE 1 OF 4
 Date: 25/08/2017
 222
 SUB ID: 0M-2007...4.8.5.3...1

Both, Expiry
& Vision are

PROPOSED LABELLING

Direction

819

back & reply area

4. *even*

_____ both & expiry own


s22

s47G

Colours

PMS 185

ARTWORK APPROVAL	Australia	Date	Affiliate	Date
PRODUCT MANAGER				
PACKAGING ENGINEER				
REGULATORY AFFAIRS				
QUALITY ASSURANCE				
REGULATORY COMPLIANCE				



Job Name: Sudafed PE Sinus + Pain Relief carton white top
Country: Australia/New Zealand
Date: 16/06/05
Time: 11:35
Component No.: CNXXX
Size: mm
CC No.: 0409017

Colours

PMS 1805	Magenta	Varnish
Yellow	Black	
PMS 285	PMS 327	
Cyan	Dyeline	

Artwork Changes: All changes to artwork are required to be initialled and dated. This is to help traceability. Thank You

911

Batch, Expiry area

Sudafed[®] PE
sinus day + night relief

Who can use this Sudafed[®] PE
Adults
Children 12 years and over

Use this Sudafed[®] PE for
✓ 24 hour sinus pain relief
✓ non drowsy day tablets
✓ night tablets for bedtime

Do not use
✓ if you have taken pseudoephedrine
✓ if you have taken anti-depressants
✓ if you need to drive a car
✓ if you need to operate machinery

Ask your doctor before use if you
✓ have heart problems
✓ have taken anti-depressants
✓ have high blood pressure
✓ have taken blood thinners

Take pregnant
Take breastfeeding

How to store
Store below 30°C. Keep in a dry, dark place
Keep away from heat and moisture
Keep away from children

Each day tablet contains
Pseudoephedrine Hydrochloride 50mg
Each night tablet ALSO contains
Chlorpheniramine Maleate 2mg

Each night tablet ALSO contains
Chlorpheniramine Maleate 2mg

Caution: If symptoms persist, see your doctor
Warning: Pseudoephedrine may cause sleeplessness in some
people. Chlorpheniramine may cause drowsiness. Avoid alcohol.
Keep to recommended dose. If an overdose is taken or
suspected, ring the Poisons Information Centre
(Australia 131 125, New Zealand 0800 764 764) or go to a
hospital straight away even if you feel well because of the risk
of delayed serious liver damage.

Where you see the PE logo on the product,
it means you are getting a genuine product.

Pharmcode 120

Sudafed[®] PE
sinus day + night relief

Do not use if
carton is torn or
if tablets are
missing or broken

0020413

PHARMACY MEDICINE
KEEP OUT OF REACH OF CHILDREN

Sudafed[®] PE
sinus
day + night relief[†]
PHENYLEPHRINE

DAY
24 TABLETS
Pseudoephedrine Hydrochloride 50mg
non drowsy

NIGHT
24 TABLETS
Pseudoephedrine Hydrochloride 50mg
Chlorpheniramine Maleate 2mg
allows rest

PSEUDOEPHEDRINE FREE
sinus day + night relief

Sudafed[®] PE
sinus day + night relief

Pharmcode 120

For further enquiries call
1800 555 555
Visit our website
www.sudafed.co.nz
The product has been
developed and
manufactured to the
highest standards
under licence from
Pfizer Inc. a subsidiary of
Pfizer Inc. New Zealand Company Ltd
PO Box 229, Auckland
AUCKLAND, NEW ZEALAND

070555906900013 6

[illegible]