



**Australian Government**

**Department of Health, Disability and Ageing**  
Therapeutic Goods Administration

**TGA REFERENCE ANTIGEN**

**Influenza Virus Haemagglutinin – A/Tasmania/787/2025 (CVR-388)**

**Lot: 2026/159B (DOM: Feb 2026)**

**1. Introduction**

Influenza antigen reagent TGA Lot 2026/159B is prepared for use in a single radial immunodiffusion assay (SRID) of A/Tasmania/787/2025 (CVR-388) (A/Darwin/1415/2025-like virus) cell-derived antigens using an appropriate antiserum reagent.

**2. Unitage**

Assigned potency of Lot 2026/159B:

**103 µg (microgram) of HA per mL**, after reconstitution of the lyophilized reagent in 1 mL of distilled water.

Lot 2026/159B was calibrated using sheep antiserum Lot AS469 raised against egg-derived A/Darwin/1454/2025-like haemagglutinin.

For further information please contact: [influenza.reagents@health.gov.au](mailto:influenza.reagents@health.gov.au)

**3. Contents**

**Country of origin of biological material:** United States

Lot 2026/159B was produced in cultured Madin-Darby canine kidney (MDCK) cells. The material was inactivated with beta-propiolactone (βPL), and prior to lyophilisation, was diluted with an equal volume of 1% w/v sucrose (in 0.8% w/v sodium chloride). It was thoroughly mixed and dispensed for freeze-drying in 1.0 mL volumes as described by Campbell, PJ, Journal of Biological Standardization, 1974, 2, 249–267.

The mean weight of tested vials was 0.996 g with a coefficient of variation of 1.25%.

**4. Caution**

**THIS PREPARATION IS NOT FOR ADMINISTRATION TO HUMANS.**

The preparation does not contain material of human origin.

As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures probably will include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

## 5. Use of material

For all practical purposes each vial contains the same quantity of the substance listed above. Reconstitute the total contents of one vial of reagent with 1 mL of distilled water. Allow to stand for a minimum of 5 minutes before use to allow for complete solubilisation of freeze-dried material. Lot 2026/159B should be used according to the method described by Wood, JM, Schild, GC, Newman, RW, and Seagroatt, VA, Journal of Biological Standardization, 1977, 5, 237–247, with the following modification.

It is recommended that Lot 2026/159B and test virus antigens be treated with Zwittergent 3-14 detergent (Calbiochem-Behring, La Jolla, CA, USA) before the SRID assay. Suitable incubation conditions are as follows: add 50 microlitres of 10% (w/v) Zwittergent 3-14 to 450 microlitres of antigen and incubate for 30 minutes at room temperature (20–25°C). Dilutions of Zwittergent 3-14 treated antigens are then added to wells in the SRID plates and incubated at 20–25°C.

Lot 2026/159B should be used to assay antigens using a suitable antiserum reagent.

No attempt should be made to weigh out any portion of the freeze-dried material. Unopened vials should be stored at below –20°C but storage of reconstituted reagent is not recommended. To remove the reconstituted material from the vial, it is necessary to use some form of transfer pipette rather than a volumetric pipette. The contents of the vials should not be assumed to be sterile.

## 6. Stability

It is the policy of WHO not to assign an expiry date to their international reference materials which remain valid with the assigned potency and status until withdrawn or amended. TGA follows the policy of WHO with respect to its reference materials. Reference materials should be stored as indicated on the label. In addition, once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use.

## 7. Citation

In all publications (or data sheets for immunoassay kits) in which this preparation is used as an assay calibrant, it is important that the title of the preparation, vial code and the name and address of TGA are cited correctly.

## 8. Product liability

Information emanating from TGA is given after the exercise of all reasonable care and skill in its compilation, preparation and issue, but is provided without liability in its application and use.

This product is intended for use as a standard or reference material in laboratory work in relation to biological research, manufacturing or quality control testing of biological products or in the field of *in vitro* diagnostics. It is the responsibility of the user to ensure that they have the necessary technical skills to determine the appropriateness of this product for the proposed application. Results obtained from this product are likely to be dependent on conditions of use and the variability of materials beyond the control of TGA.

TGA accepts no liability whatsoever for any loss or damage arising from the use of this product, whether loss of profits, or indirect or consequential loss or otherwise, including, but not limited to, personal injury other than as caused by the negligence of TGA. In particular, TGA accepts no liability whatsoever for:

- (i) results obtained from this product; and/or
- (ii) non-delivery of goods or for damages in transit.

In the event of any replacement of goods following loss or damage a customer accepts as a condition of receipt of a replacement product, acceptance of the fact that the replacement is not to be construed as an admission of liability on TGA's behalf.

## 9. Material Safety Sheet

<b>Physical properties (at room temperature)</b>	
Physical appearance:	White powder
Fire hazard:	None
<b>Chemical properties</b>	
Stable: Yes	Corrosive: No
Hygroscopic: No	Oxidising: No
Flammable: No	Irritant: No
Other (specify):	Contains inactivated human influenza virus
Handling:	See caution, section 4
<b>Toxicological properties</b>	
Effects of inhalation:	No adverse effects have been reported
Effects of ingestion:	No adverse effects have been reported
Effects of skin absorption:	No adverse effects have been reported
<b>Suggested First Aid</b>	
Inhalation:	Seek medical advice
Ingestion:	Seek medical advice
Contact with eyes:	Wash with copious amounts of water. Seek medical advice
Contact with skin:	Wash thoroughly with water
<b>Action on Spillage and Method of Disposal</b>	
Spillage of vial contents should be taken up with absorbent material wetted with a virucidal agent. Rinse area with a virucidal agent followed by water.	
Absorbent materials used to treat spillage should be treated as biologically hazardous waste.	

## 10. Further information

For further information regarding this product please email: [influenza.reagents@health.gov.au](mailto:influenza.reagents@health.gov.au)

*Version 2.0*

*Issue Date: May 2026*