

**From:** [REDACTED]  
**To:** [REDACTED]  
**Subject:** RE: 2 week report for Swivelock SP (RC-2017-RN-00463-1) [SEC=UNCLASSIFIED]  
**Date:** Thursday, 11 May 2017 12:13:07 PM

---

Dear [REDACTED]

Thank you for the 2 week report for the SwiveLock SP Suture Anchor recall action.

Please note that the 6 week report is due on the 30<sup>th</sup> of May 2017.

I apologise for the delay in responding to your email.

Kind regards,

**Recalls and Case Management Section  
Manufacturing Quality Branch**

[REDACTED]  
[REDACTED]  
Email: [recalls@health.gov.au](mailto:recalls@health.gov.au)

Therapeutic Goods Administration  
Department of Health  
PO Box 100  
Woden ACT 2606  
[www.tga.gov.au](http://www.tga.gov.au)



---

**From:** [REDACTED]@device.com.au]  
**Sent:** Thursday, 4 May 2017 2:44 PM  
**To:** Recalls  
**Subject:** 2 week report for Swivelock SP (RC-2017-RN-00463-1) [SEC=No Protective Marking]

Dear TGA Recalls Coordinator,

Please find attached 2 week report for Medical Device Recall TGA ref: RC-2017-RN-00463-1.

Please let me know if you have any further questions.

Kind Regards,

[REDACTED]  
[REDACTED]  
  
[REDACTED] | | F +61 2 9975 5711

[REDACTED] [device.com.au](http://device.com.au) | [W www.device.com.au](http://www.device.com.au)  
A 1 Garigal Rd, Belrose, NSW 2085



*Please consider the environment before printing this e-mail.*

---

**From:** [REDACTED]  
**Sent:** Thursday, 20 April 2017 4:43 PM  
**To:** 'Recalls' <[Recalls@health.gov.au](mailto:Recalls@health.gov.au)>  
**Cc:** [REDACTED] [@device.com.au>  
\*\*Subject:\*\* RE: Copy of customer letter for Swivelock SP \(RC-2017-RN-00463-1\)  
\[SEC=UNCLASSIFIED\]](mailto:[REDACTED]@device.com.au)

Dear TGA Recalls Coordinator,

Please find attached final version of the letter we mailed out to the customers on 6 Apr 2017 in the interest of patient safety. We waited for TGA's response until 6 Apr 2017 as communicated in the initial notification (see attached). We would have been able to incorporate TGA's comments if we had received them earlier, however it is fortunate that the most important messages in the letter are agreed.

All of the affected customers have been informed and we have started collecting affected units back to our warehouse.

Please let me know if you have any further questions.

Kind Regards,

[REDACTED]  
  
[REDACTED] | | F +61 2 9975 5711  
[device.com.au](http://device.com.au) | [W www.device.com.au](http://www.device.com.au)  
A 1 Garigal Rd, Belrose, NSW 2085



*Please consider the environment before printing this e-mail.*

---

**From:** [REDACTED] **On Behalf Of** Recalls  
**Sent:** Thursday, 20 April 2017 10:17 AM  
**To:** [REDACTED] [@device.com.au>  
\*\*Subject:\*\* Copy of customer letter for Swivelock SP \(RC-2017-RN-00463-1\) \[SEC=UNCLASSIFIED\]](mailto:[REDACTED]@device.com.au)

Dear [REDACTED]

The approval letter email indicated that we required a copy of the final customer letter incorporating the TGA changes by 12:00pm, 21<sup>st</sup> of April.

This was my mistake, can you please provide us with this letter by 12:00pm today.

Kind regards,

**Recalls and Case Management Section  
Manufacturing Quality Branch**



Email: [recalls@health.gov.au](mailto:recalls@health.gov.au)

Therapeutic Goods Administration  
Department of Health  
PO Box 100  
Woden ACT 2606  
[www.tga.gov.au](http://www.tga.gov.au)



---

"Important: This transmission is intended only for the use of the addressee and may contain confidential or legally privileged information. If you are not the intended recipient, you are notified that any use or dissemination of this communication is strictly prohibited. If you receive this transmission in error please notify the author immediately and delete all copies of this transmission."

\*\*\*\*\*  
This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.  
\*\*\*\*\*