

NOTE FOR FILE

File No.

TO BE USED FOR RECORDING (BRIEFLY) DISCUSSIONS OR OTHER EVENTS WHICH WOULD BE OF INTEREST TO THE READER OF THE FILE

From

TEL. 266 3945

To

Subject

MORPHINE SULPHATE INJECTORS

S/L Rant referred to previous action on this matter as a result of which a DOOS Permit was issued to ~~cover~~ ^{import} a quantity of morphine sulphate auto injectors 20mg from Cambridge Self Care Diagnostics. A complication has arisen in that Cambridge is shifting its manufacturing facility for the morphine product to California and it will be some months before their product is available. S/L Rant now wished to obtain from Holland a further supply of 1200 morphine sulphate auto injectors 10 mg to cover the present emergency. The supplier will be

PHILIPS DUPHAR MEDICAL DEVICES B.V. DIV.

DRENTHERSTRAAT 11

1063 HK AMSTERDAM


HOLLAND

CONTACT PERSON is Mr RENS REINHOUT

FAX NO IS 0011 31 20 429 679

and the importer will be

Medical and Dental Supply Co
Guilford Logistics Battalion
Guilford WA 6055

 wished, however, to retain the previous DOOS Permit. He asked that this request be actioned quickly as

Date / /

NOTE FOR FILE

File No.

TO BE USED FOR RECORDING (BRIEFLY) DISCUSSIONS OR OTHER EVENTS WHICH WOULD BE OF INTEREST TO THE READER OF THE FILE

From

To

Subject

They wished the permit to be in Holland by tomorrow and would propose that they send a courier to collect the permit.

I discussed this with [REDACTED] of DODS and, in the absence of both [REDACTED] and [REDACTED] we agreed that if one permit had been issued, which should not be acted upon, there would be no problem with the issue of a second permit, under the same conditions i.e. not for distribution in Australia and, as no data had been presented to the Department for evaluation, no guarantee could be given of quality, safety and efficacy.

Subsequently the courier, a RAAMC sergeant, arrived with the attached letter. I copied same and directed him to DODS to collect the permit.

Signature

Date 18 AUG 1990