

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
180679	15/11/2002	Male	3	Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (273 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Ataxia ; Tremor
182403	5/02/2003	Male	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Sabin Vaccine (Poliovirus) - Suspect (-); Trade Name Not Specified (Product not Coded) - Suspect (-)	Apnoea
190941	29/09/2003	Unknown	69	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
196601	19/04/2004	Unknown	44	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction ; Lymphadenitis
196603	19/04/2004	Unknown	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction
198923	14/07/2004	Male	<1	Infanrix-Hep B (Diphtheria toxoid ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (3 days); Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (3 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Sabin Vaccine (Poliovirus) - Suspect (3 days)	Death ; Upper respiratory tract infection
200338	27/08/2004	Female	<1	DTPa Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Tetanus toxoid) - Concomitant (51 days); Hepatitis B Vaccine (Hepatitis B	Crying ; Diarrhoea ; Medication error ; Pain ; Pyrexia ; Restlessness

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				surface antigen recombinant) - Concomitant (51 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Poliomyelitis Virus Vaccine Oral (Poliovirus) - Concomitant (51 days)	
201255	24/09/2004	Unknown	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Irritability ; Lethargy ; Pyrexia
203367	8/12/2004	Male	-	Fluvax (Influenza virus haemagglutinin) - Suspect (130 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (130 days)	Confusional state ; Cough ; C-reactive protein increased ; Pneumonia viral
204586	25/01/2005	Female	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-)	Urticaria
209236	29/06/2005	Male	1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction ; Irritability ; Rash
209265	29/06/2005	Male	19	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction ; Neutrophil count increased ; Pyrexia ; Vomiting ; White blood cell count increased
211802	21/09/2005	Male	1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction ; Irritability ; Rash
211803	21/09/2005	Female	<1	Infanrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Concomitant (30 days); Poliomyelitis Virus Vaccine Oral (Poliovirus) - Concomitant (30 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Rash
216285	6/03/2006	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar	Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				(Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	
219329	20/06/2006	Male	<1	Infanrix-Hep B (Diphtheria toxoid ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (0 days); Liquid Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Poliomyelitis Virus Vaccine Oral (Poliovirus) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Decreased appetite ; Pyrexia ; Rash
219364	21/06/2006	Female	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Cardio-respiratory arrest
220676	9/08/2006	Female	45	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Compartment syndrome
221987	27/09/2006	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Sudden infant death syndrome
222199	5/10/2006	Female	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer	Injection site reaction ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				membrane protein complex) - Suspect (0 days); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	
225189	30/01/2007	Male	<1	Infanrix Penta (Diphtheria toxoid ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Irritability ; Rash papular ; Weight gain poor
225957	20/02/2007	Female	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Eye movement disorder ; Hypotonia ; Hypotonic-hyporesponsive episode ; Pallor
227248	3/04/2007	Female	<1	Infanrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Somnolence
227398	5/04/2007	Female	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Dyspnoea ; Influenza like illness ; Injection site infection ; Injection site reaction
229386	5/06/2007	Female	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ;	Decreased appetite ; Screaming ;

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Somnolence
229850	18/06/2007	Male	26	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Abdominal pain ; Dysuria ; Headache ; Influenza like illness ; Malaise ; Pyrexia
231677	8/08/2007	Male	65	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Localised oedema ; Periorbital oedema
231680	8/08/2007	Male	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (-); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-)	Emotional distress ; Irritability ; Rash erythematous
231766	10/08/2007	Male	65	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (2 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Injection site oedema ; Neck pain ; Pain in extremity ; Rash macular
232044	15/08/2007	Female	<1	Infanrix Penta (Diphtheria toxoid ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days);	Diarrhoea ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	
232959	4/09/2007	Male	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Injection site cellulitis ; Injection site reaction
234064	3/10/2007	Male	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (-); DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Urticaria
234134	8/10/2007	Male	<1	Infanrix Penta (Diphtheria toxoid ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (60 days); Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Concomitant (60 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (60 days); Rotarix (Rotavirus) - Suspect (60 days)	Intussusception
234367	15/10/2007	Female	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (14 days); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (14 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (14 days); Rotateq (Rotavirus G1	Diarrhoea ; Intussusception ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (14 days)	
235067	7/11/2007	Male	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Cold sweat ; Hypotonic-hyporesponsive episode ; Pallor ; Rash ; Somnolence ; Unresponsive to stimuli
235119	8/11/2007	Male	<1	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Hypotonic-hyporesponsive episode ; Rash
235327	15/11/2007	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Apnoea ; Bradycardia ; Oxygen saturation decreased
236417	19/12/2007	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Bradycardia ; Hypoxia ; Pallor
236646	4/01/2008	Female	4	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1158 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1249	Pneumococcal bacteraemia ; Vaccination failure

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days)	
236727	7/01/2008	Unknown	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Hypotonia ; Pallor
237686	7/02/2008	Male	10	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site swelling
237814	12/02/2008	Male	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (1 days); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Pyrexia ; Rash
237965	15/02/2008	Male	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (0 days)	Extensive swelling of vaccinated limb ; Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
239211	25/03/2008	Male	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Concomitant (3 days); DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (3 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (3 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (3 days)	Nephrolithiasis ; Vomiting
239237	26/03/2008	Female	5	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Injection site reaction ; Pyrexia
239613	4/04/2008	Female	65	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Panadol (Paracetamol) - Concomitant (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction ; Malaise ; Pyrexia
240082	16/04/2008	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
240630	6/05/2008	Female	50	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Eye pruritus ; Injection site reaction ; Lymphadenopathy ; Oedema
240697	7/05/2008	Female	68	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Extensive swelling of vaccinated limb ; Injection site reaction
241294	28/05/2008	Male	79	Fluvax (Influenza virus haemagglutinin) - Concomitant (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Arthralgia ; Erythema ; Headache ; Oedema ; Palpitations ; Vomiting
242262	25/06/2008	Male	1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (400 days)	Periorbital cellulitis ; Pneumococcal bacteraemia
242376	30/06/2008	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Rash
242578	4/07/2008	Male	72	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Cellulitis ; Extensive swelling of vaccinated limb ; Injection site reaction ; Pyrexia
243272	29/07/2008	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar	Chills ; Hypotonic-hyporesponsive episode ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				(Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
244287	2/09/2008	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Pyrexia ; Urticaria
244742	19/09/2008	Female	<1	Haemophilus Influenzae Type B Vaccine (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Infanrix Penta (Diphtheria toxoid ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Apnoeic attack ; Bradycardia
245032	1/10/2008	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular	Diarrhoea ; Hypotonic-hyporesponsive episode ; Lethargy

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
245056	2/10/2008	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode ; Irritability
245316	9/10/2008	Female	26	DTPa-HIB Vaccine (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Extensive swelling of vaccinated limb ; Injection site reaction ; Skin exfoliation
245763	23/10/2008	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Bradycardia ; Oxygen saturation decreased ; Pyrexia
248103	29/01/2009	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Apnoea ; Hypotonic-

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	hyporesponsive episode ; Pyrexia
248319	5/02/2009	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode
250392	22/04/2009	Female	77	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Headache ; Injection site reaction ; Nausea ; Pyrexia ; Thirst
253244	8/07/2009	Male	46	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1037 days)	Bacteraemia
253249	8/07/2009	Female	2	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (453 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (988 days)	Bacteraemia
254462	25/07/2009	Male	<1	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) -	Death

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Trade Name Not Specified (Product not Coded) - Suspect (-)	
255021	6/08/2009	Male	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Cyanosis ; Hypotonic-hyporesponsive episode ; Respiratory arrest ; Tachycardia
257310	29/09/2009	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotarix (Rotavirus) - Suspect (1 days)	Irritability ; Sleep disorder ; Urticaria
257730	8/10/2009	Female	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Hypotonic-hyporesponsive episode ; Screaming
258079	13/10/2009	Male	3	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (3 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (3 days)	Extensive swelling of vaccinated limb ; Pyrexia
258575	21/10/2009	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Erythema

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	
258576	21/10/2009	Female	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (-)	Injection site mass
258972	28/10/2009	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (8 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (8 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (8 days)	Diarrhoea ; Haematochezia
260569	1/12/2009	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Erythema ; Oedema peripheral

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
261083	15/12/2009	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Apnoea ; Bradycardia ; Hypotonic-hyporesponsive episode
261388	23/12/2009	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Apnoea ; Bradycardia ; Hypotonic-hyporesponsive episode
261677	7/01/2010	Male	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Cold sweat ; Cyanosis
262073	21/01/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0	Dry skin ; Injection site reaction ; Irritability ; Pyrexia ; Screaming

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days)	
262100	21/01/2010	Unknown	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Cyanosis ; Peripheral coldness ; Unresponsive to stimuli
263992	19/03/2010	Male	72	Panvax H1N1 influenza vaccine (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction ; Nausea
264295	25/03/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Crying ; Pyrexia ; Screaming ; Tachycardia
265124	20/04/2010	Female	48	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Extensive swelling of vaccinated limb ; Injection site reaction
266970	11/05/2010	Female	71	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb
268163	27/05/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ;	Apnoea ; Sudden infant death syndrome

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
269147	15/06/2010	Male	<1	Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Rotarix (Rotavirus) - Suspect (3 days)	Cardiac arrest neonatal
269510	21/06/2010	Female	73	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Cellulitis
269768	24/06/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (2 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (2 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (2 days)	Intussusception
269887	28/06/2010	Female	80	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site cellulitis ; Pyrexia
270371	7/07/2010	Male	-	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site erythema ; Injection site swelling
270377	7/07/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Confusional state ; Hypotonia ;

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Pallor
271976	10/08/2010	Male	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Abdominal discomfort ; Diarrhoea ; Vomiting
272553	23/08/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (3 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Rotarix (Rotavirus) - Suspect (3 days)	Brain injury ; Cardiac arrest
272815	31/08/2010	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Vaccination error

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (-); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (-)	
273400	15/09/2010	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode
273506	20/09/2010	Male	5	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1378 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1866 days)	Bacteraemia ; Pneumonia streptococcal ; Vaccination failure
274827	25/10/2010	Male	2	Hepatitis A Vaccine (Hepatitis a virus antigen) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Varilrix (live varicella vaccine) - Suspect (0 days)	Cough ; Urticaria
275295	5/11/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Death

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	
276921	20/12/2010	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (2 days)	Abnormal behaviour ; Crying
278483	9/02/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0	Eye movement disorder ; Floppy infant ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days)	
278881	18/02/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Crying
279018	22/02/2011	Female	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Stevens-Johnson syndrome
279198	25/02/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Angioedema ; Hypotonic-hyporesponsive episode ; Rash ; Vomiting
279349	1/03/2011	Female	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Blister ; Conjunctivitis ; Eating disorder ; Erythema ; Eye swelling ; Increased upper airway

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	secretion ; Irritability ; Lethargy ; Measles ; Mucosal inflammation ; Rash ; Skin exfoliation ; Stevens-Johnson syndrome ; Tachypnoea
279529	7/03/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Constipation ; Crying ; Diarrhoea ; Hypophagia ; Insomnia ; Malaise ; Vomiting projectile
280046	18/03/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Lip swelling
280218	23/03/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Hypotonic-hyporesponsive episode ; Irritability ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	
280224	23/03/2011	Female	85	Fluvax (Influenza virus haemagglutinin) - Concomitant (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site abscess
280283	24/03/2011	Female	70	Fluvax (Influenza virus haemagglutinin) - Concomitant (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Arthralgia ; Injection site joint warmth ; Injection site swelling ; Pyrexia
280397	28/03/2011	Female	34	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Chills ; Circulatory collapse ; Lymph node palpable ; Pain ; Pyrexia
280405	28/03/2011	Female	55	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Cellulitis ; Swelling
280446	25/03/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Hypotonia ; Seizure ; Vomiting
280652	31/03/2011	Male	74	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Vaxigrip (Influenza virus haemagglutinin) - Concomitant (0 days)	Contusion ; Extensive swelling of vaccinated limb

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
280692	31/03/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (5 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (5 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (5 days)	Coordination abnormal ; Diarrhoea
280700	31/03/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Decreased appetite ; Injection site reaction ; Urticaria
280785	4/04/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine	Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (1 days)	
280788	4/04/2011	Male	71	Fluvax (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Extensive swelling of vaccinated limb ; Injection site cellulitis
280840	4/04/2011	Male	80	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Vaxigrip (Influenza virus haemagglutinin) - Concomitant (0 days)	Cellulitis
280842	4/04/2011	Female	73	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Vaxigrip (Influenza virus haemagglutinin) - Concomitant (0 days)	Erythema ; Fatigue ; Injection site reaction ; Malaise ; Nausea ; Pain
280883	5/04/2011	Female	-	Fluvax (Influenza virus haemagglutinin) - Concomitant (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Concomitant (1814 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Injection site cellulitis
281008	7/04/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Crying ; Floppy infant
281152	11/04/2011	Female	-	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Joint effusion ; Musculoskeletal pain

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
281280	12/04/2011	Female	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Carpal tunnel syndrome ; Paraesthesia ; Peripheral swelling ; Pruritus
281314	13/04/2011	Male	60	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Erythema ; Pyrexia ; Swelling
281486	14/04/2011	Female	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Paraesthesia
281556	18/04/2011	Female	65	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Hepatitis B Vaccine (Hepatitis B surface antigen recombinant) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Cellulitis ; Local reaction ; Lymphoedema ; Malaise ; Nausea ; Pain ; Pallor ; Paraesthesia ; Pyrexia ; Rash erythematous ; Swelling
281635	18/04/2011	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Arthralgia ; Diarrhoea ; Erythema ; Myalgia ; Nausea ; Swelling
281803	21/04/2011	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Injection site reaction
282050	29/04/2011	Female	67	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Influenza like illness ; Injection site pain ; Injection site reaction ; Injection site swelling
282057	29/04/2011	Male	73	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Vaxigrip (Influenza virus haemagglutinin) - Suspect (-)	Anaphylactic reaction
282223	3/05/2011	Female	52	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction ; Injection site swelling
282374	5/05/2011	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
282403	5/05/2011	Female	73	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injected limb mobility decreased ; Injection site pain
282464	6/05/2011	Female	69	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Chills ; Myalgia ; Oedema peripheral ; Pyrexia
282499	9/05/2011	Female	44	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site pain ; Injection site swelling
282557	10/05/2011	Male	71	Fluvax (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Injection site cellulitis ; Injection site swelling ; Malaise
282762	13/05/2011	Female	45	Fluvax (Influenza virus haemagglutinin) - Concomitant (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Injection site pain ; Injection site reaction ; Injection site swelling
282895	17/05/2011	Male	70	Fluvax (Influenza virus haemagglutinin) - Concomitant (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Injection site reaction
283063	20/05/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode
283268	25/05/2011	Female	72	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site pain ; Injection site reaction ; Injection site swelling
283424	30/05/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Seizure ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	
283461	30/05/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Seizure
283537	31/05/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Muscle twitching
283646	1/06/2011	Female	71	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) -	Injection site reaction ; Injection

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Suspect (1 days)	site swelling
285401	4/07/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (6 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (6 days); Trade Name Not Specified (Product not Coded) - Suspect (6 days)	Fluid intake reduced ; Haematochezia ; Intussusception ; Lethargy ; Malaise ; Vomiting
285520	6/07/2011	Female	<1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Trade Name Not Specified (Product not Coded) - Suspect (0 days)	Hypophagia ; Irritability ; Lethargy ; Pyrexia
285586	8/07/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Pyrexia
286066	18/07/2011	Female	67	Lipitor (Atorvastatin calcium) - Concomitant (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Trade Name Not Specified (enalapril maleate) - Concomitant (-)	Injection site reaction ; Injection site swelling ; Malaise ; Palpitations ; Pyrexia
286424	26/07/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Diarrhoea ; Irritability ; Rash macular ; Screaming ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
286515	27/07/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotarix (Rotavirus) - Suspect (-)	Death
286533	27/07/2011	Female	66	Fluarix (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Extensive swelling of vaccinated limb ; Influenza like illness ; Injection site reaction
286888	3/08/2011	Female	1	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Anaphylactic reaction
287352	12/08/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0	Crying ; Irritability

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days)	
287393	15/08/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Decreased appetite ; Pyrexia ; Vomiting
287648	19/08/2011	Male	<1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (-); Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Trade Name Not Specified (Product not Coded) - Suspect (-)	Apnoea ; Bradycardia
288358	5/09/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ;	Pyrexia ; Tremor ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	
288582	8/09/2011	Male	4	DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Measles Mumps Rubella Vaccine (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Presyncope
288726	9/09/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotarix (Rotavirus) - Suspect (1 days)	Rash erythematous
289653	28/09/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (6 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (6 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (6 days)	Death
289908	4/10/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Injection site mass ; Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (-)	
290363	13/10/2011	Female	2	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Pyrexia ; Seizure ; Vomiting
292158	21/11/2011	Male	1	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
292592	30/11/2011	Female	10	Hepatitis B Vaccine (Hepatitis B surface antigen recombinant) - Concomitant (-); Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Hypotonic-hypo-responsive episode
292786	5/12/2011	Female	2	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Cold sweat ; Muscle twitching ; Nasopharyngitis
293045	8/12/2011	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Febrile convulsion
293290	14/12/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	
293304	14/12/2011	Female	1	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (34 days); Trade Name Not Specified (live varicella vaccine) - Suspect (34 days)	Viral rash
293792	22/12/2011	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (3 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Trade Name Not Specified (Product not Coded) - Suspect (3 days)	Sudden infant death syndrome
294054	3/01/2012	Male	3	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Febrile convulsion
294490	12/01/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Hypotonic-hypo-responsive episode
294557	13/01/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar 13	Seizure

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				(Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (2 days)	
294667	17/01/2012	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Crying ; Hypotonic-hyporesponsive episode
294731	18/01/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode
294847	23/01/2012	Female	2	Havrix Junior (Hepatitis a virus antigen) - Suspect (2 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Typhim VI (Salmonella typhi Vi polysaccharide) - Suspect (2 days)	Hypoglycaemic seizure
295460	6/02/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13	Petechiae ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				(Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	
296244	20/02/2012	Male	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Febrile convulsion
296249	20/02/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Cough ; Diarrhoea ; Pyrexia ; Rash ; Vomiting
297048	7/03/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Irritability ; Opisthotonus ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
297318	14/03/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode
297676	20/03/2012	Female	1	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Injection site reaction
297786	23/03/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Rash
297933	26/03/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (16 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (16 days); Trade Name Not Specified (Product not Coded) - Suspect (16 days)	Diarrhoea haemorrhagic

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
298119	28/03/2012	Female	2	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days)	Seizure
298731	11/04/2012	Female	65	Fluvax (Influenza virus haemagglutinin) - Concomitant (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site pain
299096	17/04/2012	Male	63	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Vaxigrip (Influenza virus haemagglutinin) - Suspect (1 days)	Arthralgia ; Injection site reaction ; Pyrexia
300541	17/05/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (10 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (10 days); Trade Name Not Specified (Product not Coded) - Suspect (10 days)	Seizure
301620	5/06/2012	Male	72	Fluvax (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Chills ; Injection site reaction ; Lethargy ; Malaise ; Pyrexia
302116	14/06/2012	Male	<1	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days); Trade Name Not Specified (Product not Coded) - Suspect (1 days)	Pyrexia ; Rhinorrhoea ; Vomiting
302425	21/06/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (1	Blister ; Decreased appetite ; Pyrexia ; Sleep disorder ; Urticaria

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (1 days)	
302506	25/06/2012	Female	65	Fluvax (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Injection site abscess ; Injection site necrosis ; Injection site reaction ; Malaise ; Pyrexia ; Tremor
302783	27/06/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Diarrhoea ; Hypotonic-hyporesponsive episode ; Vomiting
302829	28/06/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypersensitivity ; Urticaria
303710	17/07/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Abdominal pain ; Diarrhoea ; Faeces discoloured ; Pyrexia ;

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Screaming
304607	2/08/2012	Unknown	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (6 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (6 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (6 days)	Intussusception
304714	3/08/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode ; Injection site reaction ; Purpura
305740	22/08/2012	Male	64	Fluvax (Influenza virus haemagglutinin) - Suspect (11 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) -	Rhinitis

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Suspect (11 days)	
307024	18/09/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Hypotonic-hypo-responsive episode
307114	19/09/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Hypotonic-hypo-responsive episode
308425	16/10/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (2 days); Rotarix (Rotavirus) - Concomitant (2 days)	Vaccination error
308575	18/10/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (0	No adverse event

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
308906	25/10/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Muscle twitching ; Pallor
309230	31/10/2012	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Diarrhoea
309857	13/11/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (5 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (5 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2	Diarrhoea ; Mucous stools ; Pyrexia ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (5 days)	
309926	14/11/2012	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (1 days)	Injection site reaction
311451	17/12/2012	Unknown	-	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Anaphylactic reaction ; Back pain ; Dizziness ; Dyspnoea ; Loss of consciousness ; Nausea ; Swelling
312699	21/01/2013	Female	60	Lipitor (Atorvastatin calcium) - Concomitant (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Trade Name Not Specified (Ranitidine) - Concomitant (-)	Anaphylactic reaction
313182	31/01/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Diarrhoea ; Injection site reaction ; Pyrexia ; Somnolence ; Swelling

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
314194	19/02/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (24 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (24 days); Trade Name Not Specified (Product not Coded) - Suspect (24 days)	Crying ; Screaming
315274	8/03/2013	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Pyrexia ; Swelling face
315931	20/03/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Trade Name Not Specified (Product not Coded) - Suspect (0 days)	Rash papular
317422	9/04/2013	Female	67	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Cellulitis ; Pyrexia ; Sepsis
317424	9/04/2013	Female	28	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Cellulitis ; Pyrexia ; Sepsis
317456	10/04/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Hypotonic-hyporesponsive

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Trade Name Not Specified (Product not Coded) - Suspect (0 days)	episode
317536	10/04/2013	Male	89	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
317579	11/04/2013	Female	65	Fluvax (Influenza virus haemagglutinin) - Concomitant (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb
317779	15/04/2013	Female	28	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Cellulitis
317873	16/04/2013	Female	73	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Extensive swelling of vaccinated limb
317876	16/04/2013	Female	70	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Myalgia
317977	16/04/2013	Female	67	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Vaxigrip (Influenza virus haemagglutinin) - Concomitant (2 days)	Extensive swelling of vaccinated limb
318010	17/04/2013	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
318021	17/04/2013	Female	51	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction
318143	18/04/2013	Unknown	66	Boostrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Concomitant (1	Decreased appetite ; Herpes zoster ; Injection site reaction ;

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				days); Fluvax (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Malaise ; Nausea
318259	19/04/2013	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site erythema
318342	22/04/2013	Female	72	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (2 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Extensive swelling of vaccinated limb
318378	22/04/2013	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction
318388	22/04/2013	Male	66	Fluvax (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Erythema ; Myalgia
318480	23/04/2013	Female	75	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Vaxigrip (Influenza virus haemagglutinin) - Concomitant (0 days)	Extensive swelling of vaccinated limb
318577	26/04/2013	Female	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Cellulitis ; Sepsis
318934	2/05/2013	Male	66	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Arthralgia ; Injection site reaction ; Pyrexia
318942	2/05/2013	Female	2	Hepatitis A Vaccine (Hepatitis a virus antigen) - Concomitant (2 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Vaxigrip Junior (Influenza virus haemagglutinin) - Concomitant (2 days)	Extensive swelling of vaccinated limb
319131	6/05/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Abdominal pain ; Crying ; Haematochezia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
319135	6/05/2013	Male	69	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
319141	6/05/2013	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Trade Name Not Specified (Product not Coded) - Suspect (0 days)	Apnoeic attack
322011	24/06/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Apnoeic attack ; Hypotonia
322260	27/06/2013	Female	2	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (14 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) -	Cardiac arrest ; Pharyngitis ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Suspect (14 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (14 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (14 days)	
323229	16/07/2013	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (8 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (8 days)	Viral infection
324271	31/07/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Apnoea
325916	29/08/2013	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Hypotonia ; Lethargy ; Pallor ; Vomiting
327610	23/09/2013	Female	61	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) -	Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Suspect (1 days)	
328026	3/10/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Unresponsive to stimuli
328330	9/10/2013	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
328355	9/10/2013	Female	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Urinary tract infection
328411	10/10/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Erythema ; Swelling

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	
328541	14/10/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (0 days); M-M-R II (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days)	Vaccination error
330364	7/11/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Erythema
331361	20/11/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Choking ; Cough ; Dysphagia ; Pallor ; Salivary hypersecretion ; Unresponsive to stimuli ; Vomiting
331412	21/11/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Diarrhoea ; Irritability ; Pyrexia ; Rash generalised

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
332899	23/12/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Apnoeic attack
332911	23/12/2013	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Oxygen saturation decreased ; Vaccination error
334015	23/01/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Diarrhoea ; Haematochezia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	
334026	24/01/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Concomitant (-); Rotarix (Rotavirus) - Suspect (-)	No adverse event ; Wrong drug administered
334290	19/12/2013	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (2 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (2 days)	Blister ; Injection site reaction ; Rash
334333	31/01/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2	Seizure

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
334446	4/02/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Hypotonia ; Pallor ; Pyrexia ; Unresponsive to stimuli
334549	5/02/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Apnoeic attack
335347	20/02/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2	Apnoeic attack ; Unresponsive to stimuli

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	
335476	25/02/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (9 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (9 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (9 days)	Febrile convulsion
337050	24/03/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Rotavirus infection ; Vaccination failure
338234	9/04/2014	Female	43	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (1 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Vaxigrip (Influenza virus haemagglutinin) - Suspect (1 days)	Pain in extremity ; Pyrexia ; Rash erythematous ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
339138	24/04/2014	Male	75	Fluvax (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Chills ; Confusional state ; Delirium ; Injection site cellulitis ; Pyrexia ; Syncope
339545	1/05/2014	Male	76	Fluvax (Influenza virus haemagglutinin) - Suspect (-); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Chills ; Delirium ; Diarrhoea ; Headache ; Injection site cellulitis ; Nausea ; Pyrexia ; Vomiting
340338	13/05/2014	Female	66	Fluvax (Influenza virus haemagglutinin) - Concomitant (3 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days)	Musculoskeletal stiffness ; Pain in extremity
340889	21/05/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
342296	19/06/2014	Female	-	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Vaxigrip (Influenza virus haemagglutinin) - Suspect (-)	Feeling hot ; Injection site cellulitis ; Injection site necrosis
342367	23/06/2014	Female	-	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Vaxigrip (Influenza virus haemagglutinin) - Suspect (-)	Cellulitis ; Feeling hot
342382	23/06/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days);	Rash generalised

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
342782	30/06/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
345449	6/08/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
346719	29/08/2014	Female	68	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Erythema ; Influenza like illness
346733	29/08/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Seizure

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (4 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (4 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (4 days)	
347841	23/09/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (8 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (8 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (8 days)	Rash
347970	26/09/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hyporesponsive episode
348800	16/10/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Hypotonic-hyporesponsive episode

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
349131	22/10/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Febrile convulsion ; Lethargy
349290	27/10/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (3 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (3 days)	Sudden infant death syndrome
349321	28/10/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ;	Sepsis

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	
349811	4/11/2014	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (3 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (3 days)	Death
350326	17/11/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Anaphylactic reaction
350605	21/11/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-	Anaphylactic reaction ; Dyspnoea ; Eye swelling ; Foaming at mouth ; Lip swelling ; Rash erythematous ; Wheezing

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				bovine reassortant) - Suspect (0 days)	
350613	21/11/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Death
350626	21/11/2014	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Anaphylactic reaction
354087	9/02/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (7 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (7 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (7 days)	Death

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
354781	19/02/2015	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); M-M-R II (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days)	Contusion
356584	24/03/2015	Male	14	Boostrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (1 days); Gardasil (HPV Type 11 L1 Protein ; HPV Type 16 L1 Protein ; HPV Type 18 L1 Protein ; HPV Type 6 L1 Protein) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Varilrix (live varicella vaccine) - Suspect (1 days)	Headache ; Hypoaesthesia ; Pain in extremity
356643	25/03/2015	Female	1	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Anaphylactic reaction
356644	25/03/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Botulism ; Irritability ; Paralysis ; Poor feeding infant
356645	25/03/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-);	Anaphylactic reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Concomitant (-)	
356652	25/03/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-)	Anaphylactic reaction
356735	27/03/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Anaphylactic reaction
357794	17/04/2015	Male	75	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Arthralgia ; Chills ; Pruritus ; Rash erythematous
359454	15/05/2015	Male	33	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Trade Name Not Specified (Product not Coded) - Suspect (0 days)	Pain in extremity ; Peripheral swelling ; Pyrexia
359813	20/05/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13	Lethargy ; Pallor ; Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				(Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
360102	26/05/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Death
360543	1/06/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Death
360625	1/06/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days);	Hypotonic-hyporesponsive episode ; Petechiae

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotarix (Rotavirus) - Suspect (1 days)	
360752	2/06/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Death
360991	5/06/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Arthralgia ; Joint swelling ; Lip swelling ; Wheezing
361214	10/06/2015	Female	72	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction ; Rash
361247	11/06/2015	Female	80	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
361405	12/06/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (8 days); Prevenar 13	Abnormal behaviour

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				(Pneumococcal purified capsular polysaccharides) - Suspect (8 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (8 days)	
362116	22/06/2015	Male	65	Agrippal (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction ; Pain ; Vomiting
362374	25/06/2015	Male	73	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb
363955	16/07/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Irritability ; Lethargy ; Pyrexia ; Rash macular
364234	20/07/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (10 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (10 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-	Rash generalised

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				bovine reassortant) - Suspect (10 days)	
365170	6/08/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Rash
365902	18/08/2015	Male	77	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction ; Syncope
366318	25/08/2015	Female	77	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (3 days)	Atelectasis ; Metastases to breast ; Pleural effusion
366552	28/08/2015	Female	65	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Chills ; Injection site erythema ; Malaise ; Pyrexia ; Vomiting
366847	3/09/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotarix (Rotavirus) - Suspect (1 days)	Death
366865	4/09/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-	Diarrhoea

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				bovine reassortant) - Suspect (1 days)	
367814	23/09/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Urticaria
370839	17/11/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Tachycardia
370842	17/11/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-	Death

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				bovine reassortant) - Suspect (1 days)	
371341	25/11/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Death
371457	26/11/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
371681	1/12/2015	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-	Sudden infant death syndrome

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				bovine reassortant) - Suspect (1 days)	
373253	16/12/2015	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site nodule ; Pyrexia ; Somnolence
375757	12/02/2016	Male	3	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); M-M-R II (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Body temperature increased ; Flushing ; Rash ; Syncope
376609	1/03/2016	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Rash
376984	7/03/2016	Female	76	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Blood pressure decreased ; Choking sensation ; Dyspnoea ; Injection site reaction
377175	10/03/2016	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Rash erythematous ; Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	maculo-papular
385852	5/04/2016	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (4 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (4 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (4 days)	Death neonatal
388018	13/05/2016	Male	74	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
388625	24/05/2016	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-	Abdominal pain ; Irritability

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				bovine reassortant) - Suspect (1 days)	
390180	16/06/2016	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Abdominal pain ; Crying
390230	17/06/2016	Male	65	Fluarix Tetra Vaccine (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Chills ; Extensive swelling of vaccinated limb ; Pain in extremity ; Pyrexia
390544	23/06/2016	Male	60	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injected limb mobility decreased ; Injection site bruising ; Injection site pain ; Musculoskeletal pain
391186	4/07/2016	Female	28	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injection site reaction ; Pyrexia
391824	18/07/2016	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	Bradycardia ; Infantile apnoea ; Lethargy ; Oxygen saturation decreased

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
394539	5/09/2016	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (2 days)	Angioedema ; Pruritus
395007	12/09/2016	Female	50	Bexsero (Neisseria meningitidis Group B Factor H Binding Protein fusion protein ; Neisseria meningitidis Group B Neisseria Adhesin A protein ; Neisseria meningitidis Group B Neisseria Heparin Binding Antigen fusion protein ; Neisseria meningitidis serogroup B outer membrane vesicles) - Suspect (0 days); Crestor (Rosuvastatin calcium) - Concomitant (-); Duromine (phentermine) - Concomitant (-); Fluvax (Influenza virus haemagglutinin) - Concomitant (-); Hepatitis B Vaccine (Hepatitis B surface antigen recombinant) - Concomitant (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (-); Vivaxim (Hepatitis a virus antigen ; Salmonella typhi Vi polysaccharide) - Concomitant (-)	Posterior reversible encephalopathy syndrome
395248	15/09/2016	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Apnoea
395273	15/09/2016	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B	Hypotonic-hyporesponsive

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	episode
398700	10/11/2016	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Injection site reaction
400137	5/12/2016	Female	4	Menveo (Diphtheria CRM197 protein ; Meningococcal oligosaccharide group A ; Meningococcal oligosaccharide group C ; Meningococcal oligosaccharide group W135 ; Meningococcal oligosaccharide group Y) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Pyrexia
401119	21/12/2016	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (2 days);	Irritability ; Pain

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (2 days)	
401897	10/01/2017	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Febrile convulsion
402027	12/01/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Pallor
402940	31/01/2017	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days);	Flushing ; Rash macular

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
402987	1/02/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Injection site reaction
403538	13/02/2017	Male	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Concomitant (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (159 days)	Injection site infection ; Injection site vesicles
404128	23/02/2017	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (5 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (5 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ;	Sudden infant death syndrome

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (5 days)	
405113	10/03/2017	Male	17	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Anaphylactic reaction
405859	24/03/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
406839	10/04/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Seizure
406925	10/04/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2	Cardiac disorder ; Hypotension ; Hypoxia ; Seizure

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (1 days)	
406952	11/04/2017	Female	77	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
407737	24/04/2017	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (15 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (15 days); Rotarix (Rotavirus) - Suspect (15 days)	Concomitant disease progression
407769	24/04/2017	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	Hypotonic-hypo-responsive episode
407796	22/04/2017	Female	25	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Injected limb mobility decreased ; Myalgia ; Pain in extremity ; Pyrexia
408199	28/04/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Irritability ; Nystagmus ; Poor feeding infant

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (13 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (13 days); Rotarix (Rotavirus) - Suspect (13 days)	
408651	9/05/2017	Female	36	Fluarix Tetra Vaccine (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Injected limb mobility decreased ; Injection site cellulitis ; Nausea ; Pyrexia
410280	23/05/2017	Female	65	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Injection site reaction
411501	8/06/2017	Female	66	FluQuadri Vaccine (Influenza virus haemagglutinin) - Suspect (0 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Chills ; Feeling abnormal ; Lethargy ; Pain in extremity ; Rash
415455	4/08/2017	Female	37	FluQuadri Vaccine (Influenza virus haemagglutinin) - Suspect (1 days); Havrix 1440 (Hepatitis a virus antigen) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Pruritus ; Rash
416648	22/08/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Rash maculo-papular
418942	27/09/2017	Unknown	-	Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	No adverse event
419105	29/09/2017	Female	70	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Radiculitis brachial
422365	21/11/2017	Unknown	-	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant	Anaphylactic reaction ; Crying ; Dyspnoea ; Epistaxis

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	
422821	28/11/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Sudden death
423112	30/11/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Pallor
423141	30/11/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotarix (Rotavirus) - Suspect (1 days)	Sudden infant death syndrome
423177	1/12/2017	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	Sudden death ; Unresponsive to stimuli

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
425781	22/01/2018	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (3653 days); Rotarix (Rotavirus) - Suspect (0 days)	Dyskinesia
425959	23/01/2018	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (0 days); Rotarix (Rotavirus) - Concomitant (0 days)	Movement disorder
426990	7/02/2018	Female	1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (-)	Rash ; Screaming
427237	12/02/2018	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ;	Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (0 days)	
427618	19/02/2018	Female	1	Menveo (Diphtheria CRM197 protein ; Meningococcal oligosaccharide group A ; Meningococcal oligosaccharide group C ; Meningococcal oligosaccharide group W135 ; Meningococcal oligosaccharide group Y) - Concomitant (7 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (7 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (7 days)	Morbillivirus test positive
432836	9/05/2018	Male	80	Fluad (Influenza virus haemagglutinin) - Suspect (1 days); Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days)	Decreased appetite ; Feeling cold ; Injection site reaction ; Malaise ; Myalgia ; Pyrexia
436788	27/06/2018	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Hypotonia ; Pallor ; Respiratory distress ; Somnolence ; Unresponsive to stimuli ; Vomiting
438423	19/07/2018	Male	<1	FluQuadri Junior (Influenza virus haemagglutinin) - Suspect (6 days); Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (6 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (6 days)	Sudden infant death syndrome
446169	12/10/2018	Female	32	Pneumovax 23 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days)	Chills ; Injection site reaction ; Pyrexia
454336	7/01/2019	Female	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Periorbital swelling ; Pyrexia ; Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (0 days)	
459173	8/03/2019	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (9 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (12 days); Rotateq (Rotavirus G1 human-bovine reassortant ; Rotavirus G2 human-bovine reassortant ; Rotavirus G3 human-bovine reassortant ; Rotavirus G4 human-bovine reassortant ; Rotavirus P1 [8] human-bovine reassortant) - Suspect (9 days)	Dehydration ; Diarrhoea
463814	30/04/2019	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (1 days); Rotarix (Rotavirus) - Suspect (1 days)	Death
464371	6/05/2019	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (-); Rotarix (Rotavirus) - Suspect (-)	Sudden infant death syndrome
464393	6/05/2019	Male	<1	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ;	Decreased appetite ; Moaning ; Pyrexia ; Sudden infant death syndrome

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN and/or was reported as part of a clinical trial or individual patient access.

Case Number	Report Entry Date	Gender	Age	Medicine (Onset Time)	Reaction
				Poliovirus ; Tetanus toxoid) - Suspect (-); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Rotarix (Rotavirus) - Suspect (-)	