

Public Summary

Summary for ARTG Entry:	91189	Tranqn
ARTG entry for	Medicine Listed	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia	
ARTG Start Date	2/10/2002	
Product category	Medicine	
Status	Revoked	
Approval area	Listed Medicines	

Conditions

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.,

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Office of Complementary Medicines, Therapeutic Goods Administration, upon request.,

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.,

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.,

The sponsor shall not supply the listed medicine after the expiry date of the goods.,

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1. Tranqn

Product Type	Single Medicine Product	Effective date	4/10/2007 11:00:00 PM
---------------------	-------------------------	-----------------------	-----------------------

Warnings

If symptoms persist consult your healthcare practitioner (or words to that effect).

Standard Indications

Helps relieve nervous tension, stress and mild anxiety. [Warning S required],
 Helps relieve nervous unrest. [Warning S required],
 Help reduce effects of mild anxiety and nervous tension. [Warning S required],
 For the symptomatic relief of stress disorders. [Warning S required],
 May assist in the management of stress disorders. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Non-vitamin active ingredients may improve stress adaptation.,
 Herbal blend which helps relieve stress of study or work. [Warning S required],
 Beneficial during times of stress. [Warning S required]

Specific Indications

CLINICALS TRANQN by Swisse has been developed by a professor and contains scientifically validated ingredients. TRANQN is a combination of sedative herbs with synergistically acting magnesium to help relieve nervous tension, stress, mild anxiety and help promote normal restful sleep. It contains Valerian, one of the most studied herbs to have sedative effects and which has been shown to decrease sleep latency (the time needed to fall asleep) thus promoting relaxation and sleep. May help relieve the symptoms of nervous tension, stress, mild anxiety and insomnia associated with PMT. Used as directed, TRANQN may deliver positive results relatively quickly. For better results: TRANQN may be effective when used on it's own, however better and quicker results may be achieved when used in conjunction with SWISSE WOMEN'S OR MEN'S ULTIVITE FORMULA 1 (however these products are to be taken in the morning and TRANQN at night before retiring).

Additional Product Information

Pack Size/Poison information

Pack Size

Poison Schedule

Components

1. Medicine Component

Dosage Form

Tablet, film coated

Route of Administration

Oral

Visual Identification

Active Ingredients

Anemarrhena asphodeloides

10 mg

Equivalent: Anemarrhena asphodeloides (Dry)

50 mg

Glycyrrhiza glabra

12.5 mg

Equivalent: Glycyrrhiza glabra (Dry)

50 mg

Humulus lupulus

26.67 mg

Equivalent: Humulus lupulus (Dry)

200 mg

Magnesium orotate

100 mg

Poria cocos

10 mg

Equivalent: Poria cocos (Dry)

50 mg

Valeriana officinalis

325 mg

Equivalent: Valeriana officinalis (Dry)

1.3 g

Zizyphus jujuba

12.5 mg

Equivalent: Zizyphus jujuba (Dry)

50 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website/copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry:	91187	Prosqn
ARTG entry for	Medicine Listed	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia	
ARTG Start Date	2/10/2002	
Product category	Medicine	
Status	Revoked	
Approval area	Listed Medicines	

Conditions

The listing of this medicine is subject to statutory conditions of listing and additional conditions of listing imposed by the Secretary under the provisions of subsection 28(3) of the Therapeutic Goods Act 1989 by notice in writing.

Products**1. Prosqn**

Product Type	Single Medicine Product	Effective date	5/12/2005
---------------------	-------------------------	-----------------------	-----------

Warnings

No Warnings included on Record

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.,
For the symptomatic relief of medically diagnosed benign prostatic hypertrophy.
May assist in the management of medically diagnosed benign prostatic hypertrophy

Specific Indications

CLINICALS PROSQN by Swisse has been developed by a professor and contains scientifically validated ingredients, to assist in normal prostate function. PROSQN is based on the assessment of clinical studies, which showed certain ingredients in PROSQN to provide relief from the symptoms of medically diagnosed benign prostatic hypertrophy (or hyperplasia commonly known as prostate enlargement) such as difficulties in micturition, a hesitant interrupted weak stream, urinary frequency, urgency and dribbling or leaking. PROSQN is based on natural herbal ingredients. Used as directed, PROSQN may deliver positive results relatively quickly. For better results, PROSQN may be effective when used on it's own, however we recommend you use this product in conjunction with CLINICALS CEREXL and SWISSE MEN'S ULTIVITE FORMULA 1, which act as a "foundation" to provide the body with the important nutrients necessary for general wellbeing.

Additional Product Information**Container Information**

Type	Material	Life Time	Temperature	Closure	Conditions
SIMELOAD - missing code value	Not recorded	0 Unknown	SIMELOAD - missing code value	Not recorded	Not recorded

Pack Size/Poison Information**Pack Size**

Not Applicable

Poison Schedule

Not scheduled. Not considered by committee

Components**1. Medicine Component****Dosage Form**

Tablet, film coated

Route of Administration

Oral

Visual Identification

Information Not Provided

Active Ingredients

Cholecalciferol	1.25 microgram
Cucurbita pepo	25 mg
Equivalent: Cucurbita pepo (Dry)	500 mg
Curcuma longa	4 mg
Equivalent: Curcuma longa (Dry)	100 mg
Folic acid	250 microgram
Ganoderma lucidum	2.75 mg
Equivalent: Ganoderma lucidum (Dry)	55 mg
Glycyrrhiza glabra	13.75 mg
Equivalent: Glycyrrhiza glabra (Dry)	55 mg

Isatis tinctoria	11 mg
Equivalent: Isatis tinctoria (Dry)	55 mg
Lycopersicon esculentum	10 mg
Equivalent: Lycopersicon esculentum (Fresh)	3.5 g
Panax ginseng	5.5 mg
Equivalent: Panax ginseng (Dry)	55 mg
Selenomethionine	16.25 microgram
Serenoa repens	160 mg
Equivalent: Serenoa repens (Dry)	1.6 g
Urtica dioica	200 mg
Equivalent: Urtica dioica (Dry)	1 g
Zinc amino acid chelate	30 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 91185 Cerexl

ARTG entry for Medicine Listed

Sponsor Swisse Wellness Pty Ltd

Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
Australia

ARTG Start Date 2/10/2002

Product category Medicine

Status Revoked

Approval area Listed Medicines

Conditions

The listing of this medicine is subject to statutory conditions of listing and additional conditions of listing imposed by the Secretary under the provisions of subsection 28(3) of the Therapeutic Goods Act 1989 by notice in writing.

Products**1. Cerexl**

Product Type	Single Medicine Product	Effective date	5/12/2005
--------------	-------------------------	----------------	-----------

Warnings

No Warnings included on Record

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.

Specific Indications

- Support of Memory & Stamina CLINICALS CEREXL by Swisse has been developed by a professor and contains scientifically validated ingredients that help maintain memory function and stamina. CEREXL is based on the assessment of clinical studies, which showed certain ingredients in CEREXL can improve short-term memory and enhance mental alertness. CEREXL helps improve brain function such as learning or concentration as well as helping relieve the symptoms of absentmindedness. Used as directed, CEREXL may deliver positive results relatively quickly. For better results: CEREXL may be effective when used on its own, however we recommend you use this product in conjunction with Swisse Women's or Men's Ultivite, which act as a foundation to provide the body with the important nutrients necessary for general well-being.

Additional Product information**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
SIMELOAD - missing code value	Not recorded	0 Unknown	SIMELOAD - missing code value	Not recorded	Not recorded

Pack Size/Poison information**Pack Size**

Not Applicable

Poison Schedule

Not scheduled. Not considered by committee

Components**1. Medicine Component****Dosage Form**

Tablet, film coated

Route of Administration

Oral

Visual Identification

Information Not Provided

Active Ingredients

Bioflavonoids	20 mg
Calcium ascorbate dihydrate	60 mg
Cyanocobalamin	25 microgram
Folic acid	250 microgram
Ginkgo biloba	30 mg
Equivalent: Ginkgo biloba (Dry)	1.5 g
Glutamine	125 mg
Lecithin liquid - soy phosphatidylserine-enriched soy	75 mg
Levocarnitine	50 mg
Magnesium aspartate	250 mg
R,S-alpha Lipoic acid	75 mg
Thiamine hydrochloride	50 mg

Tyrosine
Zinc amino acid chelate

50 mg
12.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

CANCELLED

Public Summary

Public Summary

Summary for ARTG Entry:	91186	Imunxl
ARTG entry for	Medicine Listed	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia	
ARTG Start Date	2/10/2002	
Product category	Medicine	
Status	Revoked	
Approval area	Listed Medicines	

Conditions

The listing of this medicine is subject to statutory conditions of listing and additional conditions of listing imposed by the Secretary under the provisions of subsection 28(3) of the Therapeutic Goods Act 1989 by notice in writing.

Products

1. Imunxl

Product Type	Single Medicine Product	Effective date	5/12/2005
---------------------	-------------------------	-----------------------	-----------

Warnings

No Warnings included on Record

Standard Indications

May reduce the severity of colds. [Warning COLD required],
 For relief of mucous congestion. [Warnings S and COLD required],
 May assist in the management of recurrent upper respiratory tract infections. [Warnings S and COLD required],
 Helps fight mild upper respiratory complaints. [Warnings S and COLD required],
 Relief of symptoms of mild upper respiratory infections. [Warnings S and COLD required],
 Relief of mucous congestion. [Warnings S and COLD required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Temporary relief of coughs. [Warnings COU1 and COU2 required],
 May reduce the duration of colds. [Warning COLD required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 May assist in the management of upper respiratory tract infections. [Warnings S and COLD required],
 Relief of the symptoms of colds. [Warnings S and COLD required],
 Relief of coughs. [Warnings COU1 and COU2 required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 For the symptomatic relief of recurrent upper respiratory tract infections. [Warnings S and COLD required],
 For the symptomatic relief of upper respiratory tract infections. [Warnings S and COLD required],
 May reduce the severity and duration of colds. [Warning COLD required],
 Aids, assists or helps in the maintenance or improvement of general well-being.

Specific Indications

CLINICALS IMUNXL by Swisse has been developed by a professor and contains ingredients traditionally used and supported by clinical studies to assist in immune-challenging conditions such as colds or flu. IMUNXL is based on the assessment of traditional use and clinical studies, which showed that certain ingredients in IMUNXL provide relief from the symptoms associated with colds and flu such as a blocked or runny nose, dry cough, and mucous congestion. Used as directed, IMUNXL may deliver positive results relatively quickly. Best used when first symptoms occur or when your body is most vulnerable such as prior to winter or contact with sick people. For better results: IMUNXL may be effective when used on its own, however we recommend you use this product in conjunction with Swisse Women's or Men's Ultivite, which act as a "foundation" to provide the body with the important nutrients necessary for general well-being.

Additional Product Information

Container information

Type	Material	Life Time	Temperature	Closure	Conditions
SIMELOAD - missing code value	Not recorded	0 Unknown	SIMELOAD - missing code value	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

Not Applicable

Poison Schedule

Not scheduled. Not considered by committee

Components

1. Medicine Component

Dosage Form

Tablet, film coated

Route of Administration

Oral

Visual Identification

Information Not Provided

Active Ingredients

Bioflavonoids	20 mg
Calcium ascorbate	605.34 mg
Cupric sulfate pentahydrate	3.93 mg
Magnesium aspartate	250 mg
Olea europaea	55.56 mg
Equivalent: Olea europaea (Dry)	250 mg
Zinc sulfate monohydrate	68.61 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 79767 SWISSE MEN'S ULTIBOOST MINERAL & HERBAL PRE-EVENT FORMULA Tablet - film coated bottle

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 7/08/2001
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE MEN'S ULTIBOOST MINERAL & HERBAL PRE-EVENT FORMULA

Product Type	Single Medicine Product	Effective date	4/02/2003
--------------	-------------------------	----------------	-----------

Warnings

If symptoms persist, seek medical advice (or words to that effect).,

Adults only (or words to that effect).

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.,

Beneficial during times of stress. [Warning S required],

To help maintain blood circulation to the peripheral areas of the body such as the legs, hands and feet.,

Aids or assists in the maintenance of peripheral circulation.,

Assisting in the maintenance of blood flow in the hands, feet and legs.,

Aids or assists in the maintenance of peripheral circulation to relieve cold hands and feet. [Warning S required],

May assist in maintaining peripheral circulation and promoting general health.,

May assist blood circulation.

Specific Indications

Swisse Men's UltiBoost to boost stamina and memory for peak performance, has been designed by a professor to be used as a companion with Swisse Men's Ultivite Formula 1 when an extra boost is required. Swisse Men's UltiBoost can prepare you for periods in your life where you will be demanding more of your body and faculties such as working overtime, travelling, or giving presentations. It's all about assisting you to perform in peak condition and enhancing mental alertness, so Swisse Men's UltiBoost should be taken before and during any physical or mental exertion. The difference is that unlike Swisse Men's Ultivite Formula 1 that is used daily throughout the year for the maintenance of wellbeing, you only need to use Swisse Men's UltiBoost when you feel you need that 'extra boost'.

Additional Product information

Container information

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

N/A

Poison Schedule

Not scheduled. Not considered by committee

Components**1. COMPONENT ONE****Dosage Form**

Tablet, film coated

Route of Administration

Oral

Visual Identification

Extra large oval light yellow film coated tablet Length 23.20 mm Width 10.50 mm

Active Ingredients**Ginkgo biloba****Ginkgo biloba**

Equivalent: Ginkgo biloba (Dry)

60 mg

3 g

Glutamine

250 mg

Magnesium aspartate

500 mg

Panax ginseng**Panax ginseng**

100 mg

Equivalent: Panax ginseng (Dry)

1 g

Schizandra chinensis

40 mg

Equivalent: Schizandra chinensis (Dry)

400 mg

Schizandra chinensis**Tyrosine**

250 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry:	91184	Venaxl
ARTG entry for	Medicine Listed	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia	
ARTG Start Date	2/10/2002	
Product category	Medicine	
Status	Revoked	
Approval area	Listed Medicines	

Conditions

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relating to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Office of Complementary Medicines, Therapeutic Goods Administration, upon request.

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.

The sponsor shall not supply the listed medicine after the expiry date of the goods.

Where a listed medicine is distributed overseas as well as in Australia product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Where the medicine is a conventional release folic acid supplement preparation in tablet form, of strength of 100 micrograms or more per dosage unit, the additional conditions are as follows: Where the medicine contains folic acid as a single active ingredient, the dissolution characteristics for folic acid in this medicine must comply with the dissolution requirements in the United States Pharmacopoeia 24th Edition (USP24) monograph for Folic Acid Tablets. Where the medicine contains multiple active ingredients, the dissolution characteristics for folic acid in this medicine must comply with the dissolution requirements in the United States Pharmacopoeia 24th Edition (USP24) monograph for Nutritional Supplements, as amended by its First Supplement. The dissolution characteristics for this medicine must comply with the dissolution requirements of the relevant USP24 monograph over the shelf life of the product when stored under the conditions included on the product label. It is the responsibility of the sponsor to ensure that the product complies with these requirements.

Products

1. Venaxl

Product Type	Single Medicine Product	Effective date	5/12/2005
---------------------	-------------------------	-----------------------	-----------

Warnings

Do not take while on warfarin therapy without medical advice.

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.

This product contains selenium which is toxic in high doses. A daily dose of 150 micrograms for adults of selenium from dietary supplements should not be exceeded.

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.

Protects capillaries.

May assist blood circulation.

Liver tonic.

Maintain health of capillaries.

Formula to support the liver.

Specific Indications

- Support for Healthy Heart & Cholesterol CLINICALS VENAXL by Swisse has been developed by a professor and contains scientifically validated ingredients that help maintain a healthy cardiovascular system. VENAXL assists in the maintenance of healthy heart tissue and function as well as protecting capillaries and helping maintain normal blood circulation. VENAXL also assists in the maintenance of healthy cholesterol level, which is so important for the overall wellbeing of the cardiovascular system. The liver plays a key role in the detoxification process and fat metabolism which assists in promoting healthy heart function. Therefore, VENAXL has been designed so that it also provides support for healthy liver function. VENAXL may deliver positive results relatively quickly. For better results: VENAXL may be effective when used on its own, however we recommend you use this product in conjunction with Swisse Women's or Men's Ultivite which act as a "foundation" to provide the body with the important nutrients necessary for general wellbeing. Has antioxidant action via its free radical scavenging properties.

Additional Product information

Pack Size/Poison information**Pack Size****Components****1. Medicine Component****Dosage Form****Route of Administration****Visual Identification****Active Ingredients**

Calcium ascorbate

Citrus bioflavonoids extract

Commiphora molmol

Equivalent: Commiphora molmol (Dry)

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

Cyanocobalamin

Cynara scolymus

Equivalent: Cynara scolymus (Fresh)

Folic acid

Levocarnitine

Magnesium amino acid chelate

Nicotinic acid

Pyridoxine hydrochloride

Selenomethionine

Ubidecarenone

Poison Schedule

Tablet, film coated

Oral

50 mg

20 mg

35.71 mg

250 mg

150 mg

600 mg

25 microgram

16.67 mg

500 mg

250 microgram

50 mg

250 mg

25 mg

10 mg

16.25 microgram

25 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 72521 WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY SUPPLEMENT tablet jar

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 5/01/2000
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products**1. WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY**

Product Type Single Medicine Product **Effective date** 13/11/2008

Warnings

No Warnings included on Record

Standard Indications**Specific Indications**

Designed to meet women's nutritional needs and help in the maintenance or improvement of general well-being.

Additional Product information**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
Jar/Can	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information**Pack Size**

60 tablets,

30 tablets

Components

1. Tablet, film coated

Dosage Form**Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee,

Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval pinkish brown film coated tablets. Length: 23.20 / Width: 10.5

Active Ingredients

Angelica polymorpha	7.14 mg
Equivalent: Angelica polymorpha (Dry)	50 mg
Apium graveolens	2 mg
Equivalent: Apium graveolens (Dry)	20 mg
Arctostaphylos uva-ursi	6.25 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	25 mg
Astragalus membranaceus	5 mg

Equivalent: Astragalus membranaceus (Dry)	50 mg
Avena sativa	50 mg
Equivalent: Avena sativa (Fresh)	500 mg
Bioflavonoids	40 mg
Biotin	50 microgram
Calcium ascorbate dihydrate	200 mg
Calcium citrate	200 mg
Calcium pantothenate	75 mg
Camellia sinensis	3.34 mg
Equivalent: Camellia sinensis (Dry)	20 mg
Carica papaya	10 mg
Centella asiatica	2.5 mg
Equivalent: Centella asiatica (Dry)	10 mg
Cholecalciferol	5 mg
Choline bitartrate	25 mg
Chromium picolinate	50 microgram
Cimicifuga racemosa	12.5 mg
Equivalent: Cimicifuga racemosa (Dry)	50 mg
Copper gluconate	417 microgram
Crataegus monogyna	7.5 mg
Equivalent: Crataegus monogyna (Dry)	30 mg
Cyanocobalamin	50 microgram
d-alpha-Tocopheryl acid succinate	41.33 mg
Dunaliella salina	66.67 mg
Equivalent: Dunaliella salina (Fresh)	120 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Ferrous fumarate	15.21 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	300 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	105 mg
Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	85 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavin	50 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Spearmint Oil	1.7 mg
Tagetes erecta	1 mg

Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	50 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 70337 SWISSE MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS) Tablet - film coated jar/can

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 27/07/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods;

The conditions applying to these goods when they are exported from Australia are given below;

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS)

Product Type	Single Medicine Product	Effective date	19/01/2001
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Liver tonic. Aids digestion.,
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Relief of the symptoms of allergies. [Warning S required],
 Temporary relief of the pain of arthritis (or) Temporary relief of arthritic pain. [Warning S required],
 Relief of the symptoms of eczema. [Warning S required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. (Old code),
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 May help increase joint mobility associated with arthritis.,
 May assist blood circulation.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of cold sores. [Warning S required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Source of iron. Can assist in maintaining normal blood.,
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Aids digestion.

Specific Indications

Designed to meet men's nutritional needs and [WELL]. The herbal ingredients in this formulation may help men perform in peak condition and improve stress adaptation.

Additional Product information**Container information**

Type	Material	Life Time
Jar/Can	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information**Pack Size**

n/a

Components**1. COMPONENT ONE****Dosage Form****Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval green film-coated tablets Length: 23.20 mm Width: 10.50 mm

Active Ingredients**Apium graveolens**

Equivalent: Apium graveolens (Dry)

2 mg

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

20 mg

5 mg

Avena sativa

Equivalent: Avena sativa (Fresh)

50 mg

50 mg

Barosma betulina

Equivalent: Barosma betulina (Dry)

500 mg

2.5 mg

Berberis vulgaris

Equivalent: Berberis vulgaris (Dry)

10 mg

2.5 mg

Bioflavonoids

15 mg

40 mg

Biotin

50 microgram

Calcium ascorbate dihydrate

200 mg

Calcium citrate

100 mg

Calcium pantothenate

70 mg

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

3.34 mg

20 mg

Carica papaya

10 mg

Centella asiatica

Equivalent: Centella asiatica (Dry)

12.5 mg

50 mg

Cholecalciferol

5 microgram

Choline bitartrate

25 mg

Chromium picolinate

50 microgram

Copper gluconate

200 microgram

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

25 mg

100 mg

Cyanocobalamin

30 microgram

d-alpha-Tocopheryl acid succinate

41.33 mg

Dunaliella salina

Equivalent: Dunaliella salina (Fresh)

66.66 mg

120 mg

Equisetum arvense

Equivalent: Equisetum arvense (Dry)

7.5 mg

30 mg

Ferrous fumarate

9.13 mg

Foeniculum vulgare

Equivalent: Foeniculum vulgare (Dry)

3.41 mg

15 mg

Folic acid

500 microgram

Ginkgo biloba

2 mg

Equivalent: Ginkgo biloba (Dry)

100 mg

Public Summary

Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	100 mg
Manganese amino acid chelate	12 mg
Nicotinamide	30 mg
Panax ginseng	16.67 mg
Equivalent: Panax ginseng (Dry)	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	8.92 mg
Pyridoxine hydrochloride	30 mg
Riboflavine	30 mg
Serenoa repens	20 mg
Equivalent: Serenoa repens (Dry)	200 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Smilax officinalis	12.5 mg
Equivalent: Smilax officinalis (Dry)	50 mg
Spearmint Oil	1.694 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	30 mg
Turnera diffusa	24 mg
Equivalent: Turnera diffusa (Dry)	120 mg
Tyrosine	1 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	30 mg
Zingiber officinale	1 mg
Equivalent: Zingiber officinale (Dry)	5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 76207 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE (TABLET) Tablet - film coated jar/can

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 22/09/2000
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below:

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE (TABLET)

Product Type	Single Medicine Product	Effective date	13/11/2008
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Relief of the effects of psoriasis on the skin. [Warning S required],
 Relief of pre-menstrual symptoms/syndrome. [Warning S required],
 Relief of muscular cramps and spasms. [Warning S required],
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 May assist blood circulation.,
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Relief of the symptoms of allergies. [Warning S required],
 May help increase joint mobility associated with arthritis.,
 Source of calcium. Women's calcium requirements are increased after menopause.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of cold sores. [Warning S required],
 Aids digestion.,
 Liver tonic. Aids digestion.,
 Relief of the symptoms of eczema. [Warning S required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. [Warning S required],
 Relief of menopausal symptoms. [Warning S required],

Relief of hot flushes associated with menopause. [Warning S required],

Relief of menstrual pain. [Warning S required],

Relief of menstrual cramps. [Warning S required],

Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],

Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required].

Relief of sinusitis. [Warning S required]

Specific Indications

Designed to meet the nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take iodine. The herbal ingredients may [PMS], [MENO1], [MENO2] and improve stress adaptation. . Note:- The claims [MENS1], [MENS2], [DIG1] and [DIG4] are associated with the herbal ingredients only.

Additional Product information

Container information

Type	Material	Life Time
Jar/Can	Not recorded	2 Years

Temperature
Store below 30
degrees Celsius

Closure
Not recorded

Conditions
Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Tablet, film coated

Route of Administration

Oral

Visual Identification

Extra large oval light red film coated tablets Length: 23.20 mm Width: 10.50 mm

Active Ingredients

Apium graveolens

2 mg

Equivalent: Apium graveolens (Dry)

20 mg

Arctostaphylos uva-ursi

6.25 mg

Equivalent: Arctostaphylos uva-ursi (Dry)

25 mg

Astragalus membranaceus

5 mg

Equivalent: Astragalus membranaceus (Dry)

50 mg

Avena sativa

50 mg

Equivalent: Avena sativa (Fresh)

500 mg

Bioflavonoids

40 mg

Biotin

50 microgram

Calcium ascorbate dihydrate

50 mg

Calcium citrate

200 mg

Calcium pantothenate

75 mg

Camellia sinensis

3.34 mg

Equivalent: Camellia sinensis (Dry)

20 mg

Carica papaya

5 mg

Centella asiatica

2.5 mg

Equivalent: Centella asiatica (Dry)

10 mg

Cholecalciferol

5 microgram

Choline bitartrate

25 mg

Chromium picolinate

50 microgram

Copper gluconate

417 microgram

Crataegus monogyna

7.5 mg

Equivalent: Crataegus monogyna (Dry)

30 mg

Cyanocobalamin

50 microgram

Cynara scolymus

12.5 mg

Equivalent: Cynara scolymus (Fresh)

50 mg

d-alpha-Tocopheryl acid succinate

37.19 mg

Public Summary

Dunaliella salina	66.66 mg
Equivalent: Dunaliella salina (Fresh)	120 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	500 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Magnesium oxide - heavy	92 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	5 mg
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavine	50 mg
Selenomethionine	65 microgram
Silybum marianum	14.29 mg
Equivalent: Silybum marianum (Dry)	1 g
Spearmint Oil	1.5 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	50 mg
Tocopherols concentrate - mixed (low-alpha type)	3.36 mg
Ubidecarenone	1 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 76206 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE CAPSULE Capsule, hard bottle

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 22/09/2000
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.,

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE CAPSULE

Product Type Single Medicine Product **Effective date** 5/10/2007

Warnings

No Warnings included on Record

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.,
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of cold sores. [Warning S required],
 Relief of menstrual pain. [Warning S required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Relief of muscular cramps and spasms. [Warning S required],
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Relief of the symptoms of allergies. [Warning S required],
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 May help increase joint mobility associated with arthritis.,
 May assist blood circulation.,
 Source of calcium: Women's calcium requirements are increased after menopause.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 Aids digestion.,
 Liver tonic. Aids digestion.,
 Relief of the symptoms of eczema. [Warning S required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. [Warning S required],
 Relief of menopausal symptoms. [Warning S required],

Relief of hot flushes associated with menopause. [Warning S required],

Relief of menstrual cramps. [Warning S required],

Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required],

Relief of pre-menstrual symptoms/syndrome. [Warning S required],

Relief of the effects of psoriasis on the skin. [Warning S required],

Relief of sinusitis. [Warning S required]

Specific Indications

Designed to meet the nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take iodine. The herbal ingredients may [PMS], [MENO1], [MENO2] and improve stress adaptation. . Note:- The indications [MENS1], [MENS2], [DIG2] and [DIG3] are associated with herbal ingredients only.

Additional Product information

Container information

Type	Material	Life Time
Bottle	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Capsule, hard

Route of Administration

Oral

Visual Identification

Amber coloured powder in a clear hard gelatin capsule size o. Length: 21.40 mm, Width: 6.64 mm

Active Ingredients

Apium graveolens

1 mg

Equivalent: Apium graveolens (Dry)

10 mg

Arctostaphylos uva-ursi

3.12 mg

Equivalent: Arctostaphylos uva-ursi (Dry)

12.5 mg

Astragalus membranaceus

2.5 mg

Equivalent: Astragalus membranaceus (Dry)

25 mg

Avena sativa

25 mg

Equivalent: Avena sativa (Fresh)

250 mg

Bioflavonoids

20 mg

Biotin

25 microgram

Calcium ascorbate dihydrate

25 mg

Calcium carbonate

55.55 mg

Calcium pantothenate

37.5 mg

Camellia sinensis

1.67 mg

Equivalent: Camellia sinensis (Dry)

10 mg

Carica papaya

2.5 mg

Centella asiatica

1.25 mg

Equivalent: Centella asiatica (Dry)

5 mg

Cholecalciferol

2.5 microgram

Choline bitartrate

12.5 mg

Chromium picolinate

25 microgram

Copper gluconate

209 microgram

Crataegus monogyna

3.75 mg

Equivalent: Crataegus monogyna (Dry)

15 mg

Cyanocobalamin

25 microgram

Cynara scolymus

6.25 mg

Equivalent: Cynara scolymus (Fresh)

25 mg

d-alpha-Tocopheryl acid succinate

18.6 mg

Public Summary

Dunaliella salina	33.33 mg
Equivalent: Dunaliella salina (Fresh)	60 mg
Eleutherococcus senticosus	1.25 mg
Equivalent: Eleutherococcus senticosus (Dry)	12.5 mg
Equisetum arvense	3.75 mg
Equivalent: Equisetum arvense (Dry)	15 mg
Foeniculum vulgare	1.7 mg
Equivalent: Foeniculum vulgare (Dry)	7.5 mg
Folic acid	250 microgram
Ginkgo biloba	50 microgram
Equivalent: Ginkgo biloba (Dry)	2.5 mg
Glycyrrhiza glabra	1.25 mg
Equivalent: Glycyrrhiza glabra (Dry)	5 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Magnesium oxide - heavy	46 mg
Manganese amino acid chelate	8 mg
Matricaria recutita	1.88 mg
Equivalent: Matricaria recutita (Dry)	7.5 mg
Nicotinamide	25 mg
Petroselinum crispum	2.5 mg
Potassium sulfate	2.23 mg
Pyridoxine hydrochloride	25 mg
Riboflavine	25 mg
Selenomethionine	32.5 microgram
Silybum marianum	7.14 mg
Equivalent: Silybum marianum (Dry)	500 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	25 mg
Tocopherols concentrate - mixed (low-alpha type)	1.68 mg
Ubidecarenone	500 microgram
Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	12.5 mg
Zingiber officinale	1.5 mg
Equivalent: Zingiber officinale (Dry)	7.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 76205 SWISSE MEN'S ULTIVITE MULTIVITAMIN, MINERAL AND ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE) Capsule, hard bottle

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 22/09/2000
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE MEN'S ULTIVITE MULTIVITAMIN, MINERAL AND ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE)

Product Type Single Medicine Product **Effective date** 5/10/2007

Warnings

No Warnings included on Record

Standard Indications

Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. [Warning S required],
 Liver tonic. Aids digestion.,
 Relief of the symptoms of cold sores. [Warning S required],
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May help increase joint mobility associated with arthritis.,
 Relief of the symptoms of allergies. [Warning S required],
 May assist blood circulation.,
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Aids digestion.,
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Source of iron. Can assist in maintaining normal blood.,
 Relief of the symptoms of eczema. [Warning S required],
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Source of folic acid. Can assist in maintaining normal blood.

Specific Indications

Designed to meet men's nutritional needs and [WELL]. The herbal ingredients in this formulation may help men perform in peak condition and improve stress adaptation.

Additional Product Information

Container Information

Type	Material	Life Time
Bottle	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison Information

Pack Size

n/a

Components

1. COMPONENT ONE

Dosage Form

Route of Administration

Visual Identification

Poison Schedule

Not scheduled. Not considered by committee

Capsule, hard

Oral

Amber coloured powder in a clear hard gelatin capsule size 0. Length: 21.4 mm Width: 7.64 mm

Active Ingredients

Apium graveolens

Equivalent: Apium graveolens (Dry)

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

Avena sativa

Equivalent: Avena sativa (Fresh)

Barosma betulina

Equivalent: Barosma betulina (Dry)

Berberis vulgaris

Equivalent: Berberis vulgaris (Dry)

Bioflavonoids

Biotin

Calcium ascorbate dihydrate

Calcium citrate

Calcium pantothenate

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

Carica papaya

Centella asiatica

Equivalent: Centella asiatica (Dry)

Cholecalciferol

Choline bitartrate

Chromium picolinate

Copper gluconate

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

Cyanocobalamin

Cynara scolymus

Equivalent: Cynara scolymus (Fresh)

d-alpha-Tocopheryl acid succinate

Dunaliella salina

Equivalent: Dunaliella salina (Fresh)

Equisetum arvense

Equivalent: Equisetum arvense (Dry)

Ferrous fumarate

Foeniculum vulgare

Equivalent: Foeniculum vulgare (Dry)

Folic acid

1 mg
10 mg
2.5 mg
25 mg
250 mg
1.25 mg
5 mg
1.25 mg
7.5 mg
20 mg
25 microgram
100 mg
50 mg
35 mg
1.67 mg
10 mg
5 mg
6.25 mg
25 mg
2.5 microgram
12.5 mg
25 microgram
100 microgram
12.5 mg
50 mg
15 microgram
6.25 mg
25 mg
20.66 mg
33.33 mg
60 mg
3.75 mg
15 mg
4.56 mg
1.7 mg
7.5 mg
250 microgram

Public Summary

Ginkgo biloba	1 mg
Equivalent: Ginkgo biloba (Dry)	50 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Lysine hydrochloride	25 mg
Magnesium oxide - heavy	50 mg
Manganese amino acid chelate	6 mg
Nicotinamide	15 mg
Panax ginseng	8.33 mg
Equivalent: Panax ginseng (Dry)	25 mg
Petroselinum crispum	5 mg
Potassium iodide	33 microgram
Potassium sulfate	4.46 mg
Pyridoxine hydrochloride	15 mg
Riboflavine	15 mg
Selenomethionine	32.5 microgram
Serenoa repens	10 mg
Equivalent: Serenoa repens (Dry)	100 mg
Silybum marianum	357 microgram
Equivalent: Silybum marianum (Dry)	25 mg
Smilax officinalis	6.25 mg
Equivalent: Smilax officinalis (Dry)	25 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	15 mg
Turnera diffusa	12 mg
Equivalent: Turnera diffusa (Dry)	60 mg
Tyrosine	500 microgram
Ubidecarenone	500 microgram
Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	15 mg
Zingiber officinale	500 microgram
Equivalent: Zingiber officinale (Dry)	2.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 76204 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE) Capsule, hard bottle

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 22/09/2000
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below:

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE)

Product Type Single Medicine Product **Effective date** 5/10/2007

Warnings

No Warnings included on Record

Standard Indications

May help increase joint mobility associated with arthritis.

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required].

Source of iron. Can assist in maintaining normal blood. Blood tonic.,

Source of iron. Can assist in maintaining normal blood.,

Relief of muscular cramps and spasms. [Warning S required].

Relief of pre-menstrual symptoms/syndrome. [Warning S required].

Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],

Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,

Relief of sinusitis. [Warning S required].

May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],

Relief of the symptoms of cold sores. [Warning S required],

Aids digestion.,

Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],

Relief of the symptoms of influenza/flu. [Warnings S and COLD required],

Relief of the symptoms of eczema. [Warning S required],

Liver tonic. Aids digestion.,

Relief of menstrual cramps. [Warning S required],

Relief of the effects of psoriasis on the skin. [Warning S required],

Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],

Relief of menstrual pain. [Warning S required],

Relief of hot flushes associated with menopause. [Warning S required],
 Temporary relief of headaches. [Warning S required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May assist blood circulation.,
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 Relief of the symptoms of allergies. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Relief of menopausal symptoms. [Warning S required],
 Source of calcium. Women's calcium requirements are increased after menopause.

Specific Indications

Designed to meet women's nutritional needs. The herbal ingredients may help [PMS] and [MENO1], [MENO2] and improve stress adaptation. Note to the evaluator:- The claims [MENS1], [MENS2], [DIG1], [DIG3] are associated with the herbal ingredients only.

Additional Product Information

Container Information

Type	Material	Life Time
Bottle	Not recorded	2 Years

Temperature
Store below 30 degrees Celsius

Closure
Not recorded

Conditions
Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Capsule, hard

Route of Administration

Oral

Visual Identification

Amber coloured powder in a clear hard gelatin capsule size 0 Length 21.4 mm Width 7.64 mm

Active Ingredients

Apium graveolens

Equivalent: Apium graveolens (Dry)

1 mg

Arctostaphylos uva-ursi

Equivalent: Arctostaphylos uva-ursi (Dry)

10 mg

3.12 mg

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

12.5 mg

2.5 mg

Avena sativa

Equivalent: Avena sativa (Fresh)

25 mg

25 mg

Bioflavonoids

250 mg

20 mg

Biotin

25 microgram

Calcium ascorbate dihydrate

100 mg

Calcium citrate

50 mg

Calcium pantothenate

37.5 mg

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

1.67 mg

10 mg

Carica papaya

5 mg

Centella asiatica

Equivalent: Centella asiatica (Dry)

1.25 mg

5 mg

Cholecalciferol

2.5 microgram

Choline bitartrate

12.5 mg

Chromium picolinate

25 microgram

Copper gluconate

208.5 microgram

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

3.75 mg

15 mg

Cyanocobalamin

25 microgram

Cynara scolymus

6.25 mg

Equivalent: Cynara scolymus (Fresh)

25 mg

d-alpha-Tocopheryl acid succinate	20.66 mg
Dunaliella salina	33.33 mg
Equivalent: <i>Dunaliella salina</i> (Fresh)	60 mg
Eleutherococcus senticosus	1.25 mg
Equivalent: <i>Eleutherococcus senticosus</i> (Dry)	12.5 mg
Equisetum arvense	3.75 mg
Equivalent: <i>Equisetum arvense</i> (Dry)	15 mg
Ferrous fumarate	7.55 mg
Foeniculum vulgare	1.7 mg
Equivalent: <i>Foeniculum vulgare</i> (Dry)	7.5 mg
Folic acid	250 microgram
Ginkgo biloba	50 microgram
Equivalent: <i>Ginkgo biloba</i> (Dry)	2.5 mg
Glycyrrhiza glabra	1.25 mg
Equivalent: <i>Glycyrrhiza glabra</i> (Dry)	5 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: <i>Lycopersicon esculentum</i> (Dry)	20 mg
Lysine hydrochloride	25 mg
Magnesium oxide - heavy	42.5 mg
Manganese amino acid chelate	8 mg
Matricaria recutita	1.88 mg
Equivalent: <i>Matricaria recutita</i> (Dry)	7.5 mg
Nicotinamide	25 mg
Petroselinum crispum	5 mg
Potassium iodide	32.7 microgram
Potassium sulfate	2.23 mg
Pyridoxine hydrochloride	25 mg
Riboflavine	25 mg
Selenomethionine	32.5 microgram
Silybum marianum	357 microgram
Equivalent: <i>Silybum marianum</i> (Dry)	25 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: <i>Tagetes erecta</i> (Dry)	10 mg
Thiamine hydrochloride	25 mg
Ubidecarenone	500 microgram
Vaccinium myrtillus	125 microgram
Equivalent: <i>Vaccinium myrtillus</i> (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: <i>Vitis vinifera</i> (Dry)	500 mg
Zinc amino acid chelate	12.5 mg
Zingiber officinale	1.5 mg
Equivalent: <i>Zingiber officinale</i> (Dry)	7.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 76156 Swisse Men's Ultivite Multi-Vitamin Mineral & Anti-oxidant Formula 1 with herbs (tablets)

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 18/09/2000
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. Swisse Men's Ultivite Multi-Vitamin Mineral & Anti-oxidant Formula 1 with herbs (tablets)

Product Type	Single Medicine Product	Effective date	4/06/2008
---------------------	-------------------------	-----------------------	-----------

Warnings

No Warnings included on Record

Standard Indications

Aids digestion.,
 Source of iron. Can assist in maintaining normal blood.,
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Relief of the symptoms of eczema. [Warning S required],
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. [Warning S required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Liver tonic. Aids digestion.,
 Relief of the symptoms of cold sores. [Warning S required],
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May assist blood circulation.,
 May help increase joint mobility associated with arthritis.,
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 Relief of the symptoms of allergies. [Warning S required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required]

Specific Indications

Designed to meet men's nutritional needs and [WELL]. The herbal ingredients in this formulation may help men perform in peak condition and improve

stress adaptation.

Additional Product Information

Container Information

Type	Material	Life Time
Jar/Can	Not recorded	0 Unknown

Temperature	Closure	Conditions
SIMELOAD - missing code value	Not recorded	Not recorded

Pack Size/Poison Information

Pack Size

60 Tablets,
30 Tablets

Components

1. COMPONENT ONE

Dosage Form

Route of Administration

Visual Identification

Active Ingredients

Apium graveolens

Equivalent: Apium graveolens (Dry)

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

Avena sativa

Equivalent: Avena sativa (Fresh)

Barosma betulina

Equivalent: Barosma betulina (Dry)

Berberis vulgaris

Equivalent: Berberis vulgaris (Dry)

Bioflavonoids

Biotin

Calcium ascorbate dihydrate

Calcium citrate

Calcium pantothenate

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

Carica papaya

Centella asiatica

Equivalent: Centella asiatica (Dry)

Cholecalciferol

Choline bitartrate

Chromium picolinate

Copper gluconate

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

Cyanocobalamin

Cynara scolymus

Equivalent: Cynara scolymus (Fresh)

d-alpha-Tocopheryl acid succinate

Dunaliella salina

Equivalent: Dunaliella salina (Fresh)

Equisetum arvense

Equivalent: Equisetum arvense (Dry)

Ferrous fumarate

Foeniculum vulgare

Equivalent: Foeniculum vulgare (Dry)

Folic acid

Poison Schedule

Not scheduled. Not considered by committee,
Not scheduled. Not considered by committee

Tablet, film coated

Oral

Information Not Provided

2 mg
20 mg
5 mg
50 mg
50 mg
500 mg
2.5 mg
10 mg
2.5 mg
15 mg
40 mg
50 microgram
200 mg
100 mg
70 mg
3.34 mg
20 mg
10 mg
12.5 mg
50 mg
5 microgram
25 mg
50 microgram
200 microgram
25 mg
100 mg
30 microgram
12.5 mg
50 mg
41.33 mg
66.66 mg
120 mg
7.5 mg
30 mg
9.13 mg
3.41 mg
15 mg
500 microgram

Public Summary

Ginkgo biloba	2 mg
Equivalent: Ginkgo biloba (Dry)	100 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	100 mg
Manganese amino acid chelate	12 mg
Nicotinamide	30 mg
Panax ginseng	16.67 mg
Equivalent: Panax ginseng (Dry)	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	8.92 mg
Pyridoxine hydrochloride	30 mg
Riboflavine	30 mg
Selenomethionine	65 microgram
Serenoa repens	20 mg
Equivalent: Serenoa repens (Dry)	200 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Smilax officinalis	12.5 mg
Equivalent: Smilax officinalis (Dry)	50 mg
Spearmint Oil	1.5 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	30 mg
Turnera diffusa	24 mg
Equivalent: Turnera diffusa (Dry)	120 mg
Tyrosine	1 mg
Ubidecarenone	1 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	30 mg
Zingiber officinale	1 mg
Equivalent: Zingiber officinale (Dry)	5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry: 72522 MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY SUPPLEMENT tablet jar/can

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 5/01/2000
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

1. MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI- OXIDANT WITH HERBS FORMULA 1 DIETARY SUPPLEMENT

Product Type Single Medicine Product **Effective date** 13/11/2008

Warnings

No Warnings included on Record

Standard Indications**Specific Indications**

Designed to meet men's nutritional needs and help in the maintenance or improvement of general well-being.

Additional Product Information**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
Jar/Can	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information**Pack Size**

30 tablets

60 tablets

Components**1. Medicine Component****Dosage Form****Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee,

Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval green film coated tablets. Length: 23.20mm, Width: 10.50mm

Active Ingredients**Apium graveolens**

2 mg

Equivalent: Apium graveolens (Dry)

20 mg

Astragalus membranaceus

5 mg

Equivalent: Astragalus membranaceus (Dry)

50 mg

Avena sativa

50 mg

Equivalent: Avena sativa (Fresh)

500 mg

Barosma betulina	2.5 mg
Equivalent: Barosma betulina (Dry)	10 mg
Berberis vulgaris	2.5 mg
Equivalent: Berberis vulgaris (Dry)	15 mg
Bioflavonoids	40 mg
Biotin	50 microgram
Calcium ascorbate dihydrate	200 mg
Calcium citrate	100 mg
Calcium pantothenate	70 mg
Camellia sinensis	3.34 mg
Equivalent: Camellia sinensis (Dry)	20 mg
Carica papaya	10 mg
Centella asiatica	12.5 mg
Equivalent: Centella asiatica (Dry)	50 mg
Cholecalciferol	5 microgram
Choline bitartrate	25 mg
Chromium picolinate	50 microgram
Copper gluconate	200 microgram
Crataegus monogyna	25 mg
Equivalent: Crataegus monogyna (Dry)	100 mg
Cyanocobalamin	30 microgram
d-alpha-Tocopheryl acid succinate	41.33 mg
Dunaliella salina	66.67 mg
Equivalent: Dunaliella salina (Fresh)	120 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Ferrous fumarate	9.13 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	300 microgram
Ginkgo biloba	2 mg
Equivalent: Ginkgo biloba (Dry)	100 mg
Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lysine hydrochloride	50 mg
Magnesium oxide	100 mg
Manganese amino acid chelate	12 mg
Nicotinamide	30 mg
Panax ginseng	16.67 mg
Equivalent: Panax ginseng (Dry)	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	8.92 mg
Pyridoxine hydrochloride	30 mg
Riboflavin	30 mg
Serenoa repens	20 mg
Equivalent: Serenoa repens (Dry)	200 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Smilax officinalis	12.5 mg
Equivalent: Smilax officinalis (Dry)	50 mg
Spearmint Oil	1.7 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg

Thiamine hydrochloride	33 mg
Turnera diffusa	24 mg
Equivalent: Turnera diffusa (Dry)	120 mg
Tyrosine	1 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	30 mg
Zingiber officinale	1 mg
Equivalent: Zingiber officinale (Dry)	5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 72579 WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE
DIETARY SUPPLEMENT capsule bottle

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 6/01/2000
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

**1. WOMEN'S MULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE
DIETARY SUPPLEM.**

Product Type Single Medicine Product **Effective date** 13/11/2008

Warnings

No Warnings included on Record

Standard Indications**Specific Indications**

Designed to meet nutritional needs of women who have been diagnosed with iron overload (hemochromatosis) or should not take Iodine.

Additional Product information**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison Information**Pack Size**

120
60

Poison Schedule

Not scheduled. Not considered by committee,
 Not scheduled. Not considered by committee

Components**1. Medicine Component****Dosage Form**

Capsule, hard

Route of Administration

Oral

Visual Identification

Amber coloured powder in a clear hard gelatin capsule size 0. Length: 21.40mm. Width: 7.64mm

Active Ingredients

Angelica polymorpha	3.57 mg
Equivalent: Angelica polymorpha (Dry)	25 mg
Apium graveolens	1 mg
Equivalent: Apium graveolens (Dry)	10 mg
Arctostaphylos uva-ursi	3.12 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	12.5 mg

Astragalus membranaceus	2.5 mg
Equivalent: Astragalus membranaceus (Dry)	25 mg
Avena sativa	25 mg
Equivalent: Avena sativa (Fresh)	250 mg
Bioflavonoids	20 mg
Biotin	25 microgram
Calcium ascorbate dihydrate	25 mg
Calcium carbonate	55.55 mg
Calcium pantothenate	37.5 mg
Camellia sinensis	1.67 mg
Equivalent: Camellia sinensis (Dry)	10 mg
Carica papaya	2.5 mg
Centella asiatica	1.25 mg
Equivalent: Centella asiatica (Dry)	5 mg
Cholecalciferol	2.5 microgram
Choline bitartrate	12.5 mg
Chromium picolinate	25 microgram
Cimicifuga racemosa	6.25 mg
Equivalent: Cimicifuga racemosa (Dry)	25 mg
Copper gluconate	209 microgram
Crataegus monogyna	3.75 mg
Equivalent: Crataegus monogyna (Dry)	15 mg
Cyanocobalamin	25 microgram
d-alpha-Tocopheryl acid succinate	18.6 mg
Dunaliella salina	33.33 mg
Equivalent: Dunaliella salina (Fresh)	60 mg
Eleutherococcus senticosus	1.25 mg
Equivalent: Eleutherococcus senticosus (Dry)	12.5 mg
Equisetum arvense	3.75 mg
Equivalent: Equisetum arvense (Dry)	15 mg
Foeniculum vulgare	1.7 mg
Equivalent: Foeniculum vulgare (Dry)	7.5 mg
Folic acid	150 microgram
Ginkgo biloba	50 microgram
Glycyrrhiza glabra	1.25 mg
Equivalent: Glycyrrhiza glabra (Dry)	5 mg
Hypericum perforatum	4.17 mg
Equivalent: Hypericum perforatum (Dry)	25 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Magnesium oxide - heavy	46 mg
Manganese amino acid chelate	8 mg
Matricaria recutita	1.88 mg
Equivalent: Matricaria recutita (Dry)	7.5 mg
Nicotinamide	25 mg
Petroselinum crispum	2.5 mg
Potassium sulfate	2.23 mg
Pyridoxine hydrochloride	25 mg
Riboflavin	25 mg
Silybum marianum	7.14 mg
Equivalent: Silybum marianum (Dry)	500 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	25 mg
Tocopherols concentrate - mixed (low-alpha type)	1.68 mg

Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	12.5 mg
Zingiber officinale	1.5 mg
Equivalent: Zingiber officinale (Dry)	7.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

CANCELLED

Public Summary

Public Summary

Summary for ARTG Entry: 72520 WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE
DIETARY SUPPLEMENT tablet jar

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 5/01/2000
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

1. WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE DIETARY

Product Type Single Medicine Product **Effective date** 13/11/2008

Warnings

No Warnings included on Record

Standard Indications**Specific Indications**

Designed to meet nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take Iodine.

Additional Product Information**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
Jar/Can	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information**Pack Size**

60 tablets,

30 tablets

Components

1 Tablet, film coated

Dosage Form**Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee,

Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval light red film coated tablets. Length: 23.20mm x Width: 10.50mm

Active Ingredients

Angelica polymorpha	7.15 mg
Equivalent: Angelica polymorpha (Dry)	50 mg
Apium graveolens	2 mg
Equivalent: Apium graveolens (Dry)	20 mg
Arctostaphylos uva-ursi	25 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	25 mg

Astragalus membranaceus	5 mg
Equivalent: Astragalus membranaceus (Dry)	50 mg
Avena sativa	50 mg
Equivalent: Avena sativa (Fresh)	500 mg
Bioflavonoids	40 mg
Biotin	50 microgram
Calcium ascorbate dihydrate	50 mg
Calcium citrate	200 mg
Calcium pantothenate	75 mg
Camellia sinensis	3.34 mg
Equivalent: Camellia sinensis (Dry)	3.34 mg
Carica papaya	5 mg
Centella asiatica	2.5 mg
Equivalent: Centella asiatica (Dry)	10 mg
Cholecalciferol	5 microgram
Choline bitartrate	25 mg
Chromium picolinate	50 microgram
Cimicifuga racemosa	12.5 mg
Equivalent: Cimicifuga racemosa (Dry)	50 mg
Copper gluconate	417 microgram
Crataegus monogyna	7.5 mg
Equivalent: Crataegus monogyna (Dry)	30 mg
Cyanocobalamin	50 microgram
d-alpha-Tocopheryl acid succinate	37.19 mg
Dunaliella salina	66.67 mg
Equivalent: Dunaliella salina (Fresh)	120 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	300 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Magnesium oxide - heavy	92 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	5 mg
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavine	50 mg
Silybum marianum	14.29 mg
Equivalent: Silybum marianum (Dry)	1 g
Spearmint Oil	1.7 mg
Tagetes erecta	1 mg
Thiamine hydrochloride	50 mg
Tocopherols concentrate - mixed (low-alpha type)	3.36 mg

Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

CANCELLED

Public Summary

Public Summary

Summary for ARTG Entry:	72581	WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY SUPPLEMENT capsule bottle
ARTG entry for	Medicine Listed (Export Only)	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia	
ARTG Start Date	6/01/2000	
Product category	Medicine	
Status	Revoked	
Approval area	Export only Medicines	

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

1. WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY

Product Type	Single Medicine Product	Effective date	13/11/2008
---------------------	-------------------------	-----------------------	------------

Warnings

No Warnings included on Record

Standard Indications

Specific Indications

Designed to meet women's nutritional needs and help in the maintenance or improvement of general well-being.

Additional Product Information

Container information

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

120 capsules,
60 capsules

Poison Schedule

Not scheduled. Not considered by committee,
Not scheduled. Not considered by committee

Components

1. Medicine Component

Dosage Form

Capsule, hard

Route of Administration

Oral

Visual Identification

Amber coloured powder in a clear hard gelatin Capsule Size O. Length: 21.40mm. Width: 7.64mm

Active Ingredients

Angelica polymorpha	3.57 mg
Equivalent: Angelica polymorpha (Dry)	25 mg
Apium graveolens	1 mg
Equivalent: Apium graveolens (Dry)	10 mg
Arctostaphylos uva-ursi	3.12 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	12.5 mg
Astragalus membranaceus	2.5 mg

Equivalent: Astragalus membranaceus (Dry)	25 mg
Avena sativa	25 mg
Equivalent: Avena sativa (Fresh)	250 mg
Bioflavonoids	20 mg
Biotin	25 microgram
Calcium ascorbate dihydrate	100 mg
Calcium citrate	50 mg
Calcium pantothenate	37.5 mg
Camellia sinensis	1.67 mg
Equivalent: Camellia sinensis (Dry)	10 mg
Carica papaya	5 mg
Centella asiatica	1.25 mg
Equivalent: Centella asiatica (Dry)	5 mg
Cholecalciferol	2.5 microgram
Choline bitartrate	12.5 mg
Chromium picolinate	25 microgram
Cimicifuga racemosa	6.25 mg
Equivalent: Cimicifuga racemosa (Dry)	25 mg
Copper gluconate	208.5 microgram
Crataegus monogyna	3.75 mg
Equivalent: Crataegus monogyna (Dry)	15 mg
Cyanocobalamin	25 microgram
d-alpha-Tocopheryl acid succinate	20.66 mg
Dunaliella salina	33.33 mg
Equivalent: Dunaliella salina (Fresh)	60 mg
Eleutherococcus senticosus	1.25 mg
Equivalent: Eleutherococcus senticosus (Dry)	12.5 mg
Equisetum arvense	3.75 mg
Equivalent: Equisetum arvense (Dry)	15 mg
Ferrous fumarate	7.55 mg
Foeniculum vulgare	1.7 mg
Equivalent: Foeniculum vulgare (Dry)	7.5 mg
Folic acid	150 microgram
Ginkgo biloba	50 microgram
Equivalent: Ginkgo biloba (Dry)	2.5 mg
Glycyrrhiza glabra	1.25 mg
Equivalent: Glycyrrhiza glabra (Dry)	5 mg
Hypericum perforatum	4.17 mg
Equivalent: Hypericum perforatum (Dry)	25 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Lysine hydrochloride	25 mg
Magnesium oxide - heavy	42.5 mg
Manganese amino acid chelate	8 mg
Matricaria recutita	1.88 mg
Equivalent: Matricaria recutita (Dry)	7.5 mg
Nicotinamide	25 mg
Petroselinum crispum	5 mg
Potassium iodide	32.7 microgram
Potassium sulfate	2.23 mg
Pyridoxine hydrochloride	25 mg
Riboflavin	25 mg
Silybum marianum	357 microgram
Equivalent: Silybum marianum (Dry)	25 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram

Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	25 mg
Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	12.5 mg
Zingiber officinale	1.5 mg
Equivalent: Zingiber officinale (Dry)	7.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 76145 Swisse Women's Ultivite Multi-Vitamin Mineral & Anti-oxidant Formula 1 with herbs (tablets)

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 18/09/2000
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. Swisse Women's Ultivite Multi-Vitamin Mineral & Anti-oxidant Formula 1 with herbs (tablets)

Product Type	Single Medicine Product	Effective date	4/06/2008
---------------------	-------------------------	-----------------------	-----------

Warnings

No Warnings included on Record

Standard Indications

Relief of menopausal symptoms. [Warning S required],
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 Relief of hot flushes associated with menopause. [Warning S required],
 Relief of sinusitis. [Warning S required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Aids digestion.,
 Relief of the symptoms of cold sores. [Warning S required],
 Source of calcium. Women's calcium requirements are increased after menopause.,
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Source of iron. Can assist in maintaining normal blood.,
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Relief of pre-menstrual symptoms/syndrome. [Warning S required],
 Temporary relief of headaches. [Warning S required],
 Relief of the symptoms of eczema. [Warning S required],
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 May help increase joint mobility associated with arthritis.,
 Relief of the symptoms of allergies. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Treatment of the effects of psoriasis on the skin. [Warning S required],
 Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required].,
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],

Relief of muscular cramps and spasms. [Warning S required],
 Relief of menstrual cramps. [Warning S required],
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Source of folic acid. Can assist in maintaining normal blood.,
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Liver tonic. Aids digestion.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May assist blood circulation.,
 Relief of menstrual pain. [Warning S required]

Specific Indications

Designed to meet Women's nutritional needs. The herbal ingredients in this formulation may help [PMS] and [MENO1], [MENO2] and improve stress adaptation. Note to evaluator:- The claims [MENS1], [MENS2], [DIG1], [DIG3] are related to the herbal ingredients only.

Additional Product Information

Container information

Type	Material	Life Time
Jar/Can	Not recorded	0 Unknown

Temperature	Closure	Conditions
SIMELOAD - missing code value	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

30 Tablets,

60 Tablets

Poison Schedule

Not scheduled. Not considered by committee,

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Tablet, film coated

Route of Administration

Oral

Visual Identification

Information Not Provided

Active Ingredients

Apium graveolens

2 mg

Equivalent: Apium graveolens (Dry)

20 mg

Apium graveolens

2 mg

Equivalent: Apium graveolens (Dry)

20 mg

Arctostaphylos uva-ursi

6.25 mg

Equivalent: Arctostaphylos uva-ursi (Dry)

25 mg

Arctostaphylos uva-ursi

6.25 mg

Equivalent: Arctostaphylos uva-ursi (Dry)

25 mg

Astragalus membranaceus

5 mg

Equivalent: Astragalus membranaceus (Dry)

50 mg

Astragalus membranaceus

5 mg

Equivalent: Astragalus membranaceus (Dry)

50 mg

Avena sativa

50 mg

Equivalent: Avena sativa (Fresh)

500 mg

Avena sativa

50 mg

Equivalent: Avena sativa (Fresh)

500 mg

Bioflavonoids

40 mg

Bioflavonoids

40 mg

Biotin

50 microgram

Biotin

50 microgram

Calcium ascorbate dihydrate

200 mg

Calcium ascorbate dihydrate

200 mg

Calcium citrate

200 mg

Calcium citrate

200 mg

Calcium pantothenate

75 mg

Calcium pantothenate

75 mg

Camellia sinensis

3.34 mg

Public Summary

Equivalent: <i>Camellia sinensis</i> (Dry)	20 mg
<i>Camellia sinensis</i>	3.34 mg
Equivalent: <i>Camellia sinensis</i> (Dry)	20 mg
<i>Carica papaya</i>	10 mg
<i>Carica papaya</i>	10 mg
<i>Centella asiatica</i>	2.5 mg
Equivalent: <i>Centella asiatica</i> (Dry)	10 mg
<i>Centella asiatica</i>	2.5 mg
Equivalent: <i>Centella asiatica</i> (Dry)	10 mg
Cholecalciferol	5 microgram
Cholecalciferol	5 microgram
Choline bitartrate	25 mg
Choline bitartrate	25 mg
Chromium picolinate	50 microgram
Chromium picolinate	50 microgram
Copper gluconate	417 microgram
Copper gluconate	417 microgram
<i>Crataegus monogyna</i>	7.5 mg
Equivalent: <i>Crataegus monogyna</i> (Dry)	30 mg
<i>Crataegus monogyna</i>	7.5 mg
Equivalent: <i>Crataegus monogyna</i> (Dry)	30 mg
Cyanocobalamin	50 microgram
Cyanocobalamin	50 microgram
<i>Cynara scolymus</i>	12.5 mg
Equivalent: <i>Cynara scolymus</i> (Fresh)	50 mg
<i>Cynara scolymus</i>	12.5 mg
Equivalent: <i>Cynara scolymus</i> (Fresh)	50 mg
d-alpha-Tocopheryl acid succinate	41.33 mg
d-alpha-Tocopheryl acid succinate	41.33 mg
<i>Dunaliella salina</i>	66.66 mg
Equivalent: <i>Dunaliella salina</i> (Fresh)	120 mg
<i>Dunaliella salina</i>	66.66 mg
Equivalent: <i>Dunaliella salina</i> (Fresh)	120 mg
<i>Eleutherococcus senticosus</i>	2.5 mg
Equivalent: <i>Eleutherococcus senticosus</i> (Dry)	25 mg
<i>Eleutherococcus senticosus</i>	2.5 mg
Equivalent: <i>Eleutherococcus senticosus</i> (Dry)	25 mg
<i>Equisetum arvense</i>	7.5 mg
Equivalent: <i>Equisetum arvense</i> (Dry)	30 mg
<i>Equisetum arvense</i>	7.5 mg
Equivalent: <i>Equisetum arvense</i> (Dry)	30 mg
Ferrous fumarate	15.21 mg
Ferrous fumarate	15.21 mg
<i>Foeniculum vulgare</i>	3.41 mg
Equivalent: <i>Foeniculum vulgare</i> (Dry)	15 mg
<i>Foeniculum vulgare</i>	3.41 mg
Equivalent: <i>Foeniculum vulgare</i> (Dry)	15 mg
Folic acid	500 microgram
Folic acid	500 microgram
<i>Ginkgo biloba</i>	100 microgram
Equivalent: <i>Ginkgo biloba</i> (Dry)	5 mg
<i>Ginkgo biloba</i>	100 microgram
Equivalent: <i>Ginkgo biloba</i> (Dry)	5 mg
<i>Glycyrrhiza glabra</i>	2.5 mg
Equivalent: <i>Glycyrrhiza glabra</i> (Dry)	10 mg
<i>Glycyrrhiza glabra</i>	2.5 mg
Equivalent: <i>Glycyrrhiza glabra</i> (Dry)	10 mg

Inositol	25 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lysine hydrochloride	50 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	85 mg
Magnesium oxide - heavy	85 mg
Manganese amino acid chelate	16 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Nicotinamide	50 mg
Petroselinum crispum	10 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium iodide	66 microgram
Potassium sulfate	4.45 mg
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Pyridoxine hydrochloride	50 mg
Riboflavine	50 mg
Riboflavine	50 mg
Selenomethionine	65 microgram
Selenomethionine	65 microgram
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Spearmint Oil	1.5 mg
Spearmint Oil	1.5 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	50 mg
Thiamine hydrochloride	50 mg
Ubidecarenone	1 mg
Ubidecarenone	1 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	25 mg
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg
Zingiber officinale	3 mg

Equivalent: Zingiber officinale (Dry)

15 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

CANCELLED

Public Summary

Public Summary

Summary for ARTG Entry: 72580 MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY SUPPLEMENT capsule bottle

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 6/01/2000
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

1. MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS FORMULA 1 DIETARY SUPPLEMENT capsule

Product Type Single Medicine Product **Effective date** 13/11/2008

Warnings

No Warnings included on Record

Standard Indications**Specific Indications**

Designed to meet men's nutritional needs and help in the maintenance or improvement of general well-being.

Additional Product Information**Container Information**

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison Information**Pack Size**

60 capsules,
120 capsules

Components**1. Medicine Component****Dosage Form****Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee,
Not scheduled. Not considered by committee

Capsule, hard

Oral

Amber coloured powder in a clear hard gelatin capsule Size 0. Length: 21.40mm. Width: 7.64mm

Active Ingredients

Apium graveolens	1 mg
Equivalent: Apium graveolens (Dry)	10 mg
Astragalus membranaceus	2.5 mg
Equivalent: Astragalus membranaceus (Dry)	25 mg
Avena sativa	25 mg
Equivalent: Avena sativa (Fresh)	250 mg

Barosma betulina	1.25 mg
Equivalent: Barosma betulina (Dry)	5 mg
Berberis vulgaris	1.25 mg
Equivalent: Berberis vulgaris (Dry)	7.5 mg
Bioflavonoids	20 mg
Biotin	25 microgram
Calcium ascorbate dihydrate	100 mg
Calcium citrate	50 mg
Calcium pantothenate	35 mg
Camellia sinensis	1.67 mg
Equivalent: Camellia sinensis (Dry)	10 mg
Carica papaya	5 mg
Centella asiatica	6.25 mg
Equivalent: Centella asiatica (Dry)	25 mg
Cholecalciferol	2.5 microgram
Choline bitartrate	12.5 mg
Chromium picolinate	25 microgram
Copper gluconate	100 microgram
Crataegus monogyna	12.5 mg
Equivalent: Crataegus monogyna (Dry)	50 mg
Cyanocobalamin	15 microgram
d-alpha-Tocopheryl acid succinate	20.66 mg
Dunaliella salina	33.33 mg
Equivalent: Dunaliella salina (Fresh)	60 mg
Equisetum arvense	3.75 mg
Equivalent: Equisetum arvense (Dry)	15 mg
Ferrous fumarate	4.56 mg
Foeniculum vulgare	1.7 mg
Equivalent: Foeniculum vulgare (Dry)	7.5 mg
Folic acid	150 microgram
Ginkgo biloba	1 mg
Hypericum perforatum	4.17 mg
Equivalent: Hypericum perforatum (Dry)	25 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Lysine hydrochloride	25 mg
Magnesium oxide - heavy	50 mg
Manganese amino acid chelate	6 mg
Nicotinamide	15 mg
Panax ginseng	8.33 mg
Equivalent: Panax ginseng (Dry)	25 mg
Petroselinum crispum	5 mg
Potassium iodide	33 microgram
Potassium sulfate	4.46 mg
Pyridoxine hydrochloride	15 mg
Riboflavin	15 mg
Serenoa repens	10 mg
Equivalent: Serenoa repens (Dry)	100 mg
Silybum marianum	357 microgram
Equivalent: Silybum marianum (Dry)	25 mg
Smilax officinalis	6.25 mg
Equivalent: Smilax officinalis (Dry)	25 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	15 mg

Turnera diffusa	12 mg
Equivalent: Turnera diffusa (Dry)	60 mg
Tyrosine	500 microgram
Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	15 mg
Zingiber officinale	500 microgram
Equivalent: Zingiber officinale (Dry)	2.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 67260 SWISSE WOMENS ULTIVITE MULTI-VITAMIN, MINERAL & ANTI-OXIDANTS FORMULA 1 DIETRY SUPPLEMENT tablet bottle

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 15/12/1998
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

1. SWISSE WOMENS ULTIVITE MULTI-VITAMIN, MINERAL & ANTI-OXIDANTS FORMULA 1 DIETRY SUPPLEMENT tablet

Product Type Single Medicine Product **Effective date** 13/11/2008

Warnings

No Warnings included on Record

Standard Indications**Specific Indications**

Swisse Women's multivitamin mineral and anti-oxidant formula 1 with herbs has been developed by a professor to meet women's nutritional needs and helps in the maintenance or improvement of general well being.

Additional Product information**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Not recorded	Not recorded	Not recorded

Pack Size/Poison Information**Pack Size**

60 TABLETS,
30 TABLETS

Components

1 Tablet

Dosage Form**Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee,
Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval pinkish-brown film coated tablets. Length: 23.20mm, width: 10.50mm, thickness: TBD

Active Ingredients

Angelica polymorpha	7.15 mg
Equivalent: Angelica polymorpha (Dry)	50 mg
Apium graveolens	2 mg
Equivalent: Apium graveolens (Dry)	20 mg
Arctostaphylos uva-ursi	6.25 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	25 mg

Berberis vulgaris	2.5 mg
Equivalent: Berberis vulgaris (Dry)	15 mg
Betacarotene	7 mg
Bioflavonoids	40 mg
Biotin	50 microgram
Calcium ascorbate dihydrate	200 mg
Calcium citrate	200 mg
Calcium pantothenate	75 mg
Camellia sinensis	3.34 mg
Carica papaya	5 mg
Centella asiatica	2.5 mg
Equivalent: Centella asiatica (Dry)	10 mg
Cholecalciferol	5 microgram
Choline bitartrate	25 mg
Chromic chloride	50 microgram
Cimicifuga racemosa	12.5 mg
Equivalent: Cimicifuga racemosa (Dry)	50 mg
Copper gluconate	417 microgram
Cyanocobalamin	50 microgram
d-alpha-Tocopheryl acid succinate	41.3 mg
Echinacea angustifolia	3.34 mg
Equivalent: Echinacea angustifolia (Dry)	20 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Ferrous fumarate	15.21 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	300 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Inositol	25 mg
Juniper Berry Oil	100 microgram
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	85 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	5 mg
Potassium iodide	66 microgram
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavin	50 mg
Silybum marianum	720 microgram
Equivalent: Silybum marianum (Dry)	50.4 mg
Spearmint Oil	1.5 mg
Thiamine hydrochloride	50 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg

Equivalent: Zingiber officinale (Dry)

15 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

CANCELLED

Public Summary

Public Summary

Summary for ARTG Entry: 70228 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE (CAPSUL) Capsule - hard bottle

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 19/07/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE (CAPSUL)

Product Type Single Medicine Product **Effective date** 19/01/2001

Warnings

No Warnings included on Record

Standard Indications

Relief of the symptoms of eczema. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Relief of the symptoms of allergies. [Warning S required],
 Relief of the symptoms of cold sores. [Warning S required],
 Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required],
 Aids digestion.,
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. (Old code),
 Relief of menstrual pain. [Warning S required],
 Relief of menstrual cramps. [Warning S required],
 Relief of menopausal symptoms. [Warning S required],
 May assist blood circulation.,
 Source of calcium. Women's calcium requirements are increased after the menopause.(Old code),
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Relief of the symptoms of colds. [Warnings S and COLD required],
 Liver tonic. Aids digestion.,
 Relief of sinusitis. [Warning S required],
 Relief of pre-menstrual symptoms/syndrome. [Warning S required],
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],

Relief of hot flushes associated with menopause. [Warning S required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 Relief of muscular cramps and spasms. [Warning S required],
 Relief of the effects of psoriasis on the skin. [Warning S required],
 May help increase joint mobility associated with arthritis.

Specific Indications

Designed to meet the nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take Iodine. The herbal ingredients may [PMS], [MENO1], [MENO2] and improve stress adaptation. . Note:- The indications [MENS1], [MENS2], [DIG2] and [DIG3] are associated with herbal ingredients only. Designed to meet the nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take Iodine. The herbal ingredients may [PMS], [MENO1], [MENO2] and improve stress adaptation. . Note:- The indications [MENS1], [MENS2], [DIG2] and [DIG3] are associated with herbal ingredients only.

Additional Product information

Container information

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Capsule, hard

Route of Administration

Oral

Visual Identification

Amber coloured powder in a clear hard gelatin capsule size o. Length: 21.40 mm, Width: 7.64 mm

Active Ingredients

Angelica polymorpha	3.57 mg
Equivalent: Angelica polymorpha (Dry)	25 mg
Apium graveolens	1 mg
Equivalent: Apium graveolens (Dry)	10 mg
Arctostaphylos uva-ursi	3.12 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	12.5 mg
Astragalus membranaceus	2.5 mg
Equivalent: Astragalus membranaceus (Dry)	25 mg
Avena sativa	25 mg
Equivalent: Avena sativa (Fresh)	250 mg
Bioflavonoids	20 mg
Biotin	25 microgram
Calcium ascorbate dihydrate	25 mg
Calcium carbonate	50 mg
Calcium pantothenate	37.5 mg
Camellia sinensis	1.67 mg
Equivalent: Camellia sinensis (Dry)	10 mg
Carica papaya	2.5 mg
Centella asiatica	1.25 mg
Equivalent: Centella asiatica (Dry)	5 mg
Cholecalciferol	2.5 microgram
Choline bitartrate	12.5 mg
Chromium picolinate	25 microgram
Cimicifuga racemosa	6.25 mg
Equivalent: Cimicifuga racemosa (Dry)	25 mg
Copper gluconate	209 microgram
Crataegus monogyna	3.75 mg

Equivalent: <i>Crataegus monogyna</i> (Dry)	15 mg
Cyanocobalamin	25 microgram
d-alpha-Tocopheryl acid succinate	18.6 mg
Dunaliella salina	33.33 mg
Equivalent: <i>Dunaliella salina</i> (Fresh)	60 mg
Eleutherococcus senticosus	1.25 mg
Equivalent: <i>Eleutherococcus senticosus</i> (Dry)	12.5 mg
Equisetum arvense	3.75 mg
Equivalent: <i>Equisetum arvense</i> (Dry)	15 mg
Foeniculum vulgare	1.7 mg
Equivalent: <i>Foeniculum vulgare</i> (Dry)	7.5 mg
Folic acid	250 microgram
Ginkgo biloba	50 microgram
Equivalent: <i>Ginkgo biloba</i> (Dry)	2.5 mg
Glycyrrhiza glabra	1.25 mg
Equivalent: <i>Glycyrrhiza glabra</i> (Dry)	5 mg
Hypericum perforatum	4.17 mg
Equivalent: <i>Hypericum perforatum</i> (Dry)	25 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: <i>Lycopersicon esculentum</i> (Dry)	20 mg
Magnesium oxide - heavy	46 mg
Manganese amino acid chelate	8 mg
Matricaria recutita	1.88 mg
Equivalent: <i>Matricaria recutita</i> (Dry)	7.5 mg
Nicotinamide	25 mg
Petroselinum crispum	2.5 mg
Potassium sulfate	2.23 mg
Pyridoxine hydrochloride	25 mg
Riboflavin	25 mg
Silybum marianum	7.14 mg
Equivalent: <i>Silybum marianum</i> (Dry)	500 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: <i>Tagetes erecta</i> (Dry)	10 mg
Thiamine hydrochloride	25 mg
Tocopherols concentrate - mixed (low-alpha type)	1.68 mg
Vaccinium myrtillus	125 microgram
Equivalent: <i>Vaccinium myrtillus</i> (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: <i>Vitis vinifera</i> (Dry)	500 mg
Zinc amino acid chelate	12.5 mg
Zingiber officinale	1.5 mg
Equivalent: <i>Zingiber officinale</i> (Dry)	7.5 mg

Public Summary

Summary for ARTG Entry: 69337 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS) Tablet - film coated bottle

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 27/05/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.,

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS)

Product Type	Single Medicine Product	Effective date	28/06/1999
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 May assist in the treatment of colds by reducing the severity and duration of symptoms. (Warning COLD required),
 Source of folic acid. Can assist in maintaining normal blood.,
 Relief of the fever of influenza/flu. [Warnings S and COLD required],
 Relief of menopausal symptoms. [Warning S required],
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Relief of pre-menstrual symptoms/syndrome. [Warning S required],
 Source of iron. Can assist in maintaining normal blood.,
 Relief of the pain of influenza/flu. [Warnings S and COLD required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 Relief of hot flushes associated with menopause. [Warning S required],
 Source of calcium. Women's calcium requirements are increased after the menopause. (Old code)

Specific Indications

Designed to meet Women's nutritional needs. The herbal ingredients in this formulation may help [PMS] and [MENO1], [MENO2] and [NERV3], [NERV4]

Additional Product Information

Container information

Type	Material	Life Time
Bottle	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison Information

Pack Size

n/a

Components

1. COMPONENT ONE

Dosage Form

Route of Administration

Visual Identification

Poison Schedule

Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval pinkish-brown film coated tablets Length: 23.20 mm Width: 10.50 mm

Active Ingredients

Angelica polymorpha

Equivalent: Angelica polymorpha (Dry)

7.14 mg

50 mg

Apium graveolens

Equivalent: Apium graveolens (Dry)

2 mg

20 mg

Arctostaphylos uva-ursi

Equivalent: Arctostaphylos uva-ursi (Dry)

6.25 mg

25 mg

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

5 mg

50 mg

Betacarotene

10 mg

Bioflavonoids

40 mg

Biotin

50 microgram

Calcium ascorbate dihydrate

200 mg

Calcium citrate

200 mg

Calcium pantothenate

75 mg

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

3.34 mg

20 mg

Carica papaya

10 mg

Centella asiatica

Equivalent: Centella asiatica (Dry)

2.5 mg

10 mg

Cholecalciferol

5 microgram

Choline bitartrate

25 mg

Chromium picolinate

50 microgram

Cimicifuga racemosa

Equivalent: Cimicifuga racemosa (Dry)

12.5 mg

50 mg

Copper gluconate

417 microgram

Cyanocobalamin

50 microgram

d-alpha-Tocopheryl acid succinate

41.33 mg

Dunaliella salina

Equivalent: Dunaliella salina (Fresh)

13.33 mg

24 mg

Eleutherococcus senticosus

Equivalent: Eleutherococcus senticosus (Dry)

2.5 mg

25 mg

Equisetum arvense

Equivalent: Equisetum arvense (Dry)

7.5 mg

30 mg

Ferrous fumarate

15.21 mg

Foeniculum vulgare

Equivalent: Foeniculum vulgare (Dry)

3.41 mg

15 mg

Folic acid

400 microgram

Ginkgo biloba

Equivalent: Ginkgo biloba (Dry)

100 microgram

5 mg

Glycyrrhiza glabra

2.5 mg

Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	85 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavine	50 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Spearmint Oil	1.5 mg
Thiamine hydrochloride	50 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	2.5 mg
Equivalent: Vitis vinifera (Dry)	300 mg
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 70229 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE (TABLET) Tablet - film coated jar/can

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 19/07/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below:

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT WITH HERBS NO IRON OR IODINE (TABLET)

Product Type	Single Medicine Product	Effective date	19/01/2001
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,

Source of folic acid. Can assist in maintaining normal blood.,

Relief of hot flushes associated with menopause. [Warning S required],

Relief of menstrual pain. [Warning S required],

Relief of menstrual cramps. [Warning S required],

Relief of muscular cramps and spasms. [Warning S required],

Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],

Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required].

Relief of pre-menstrual symptoms/syndrome. [Warning S required],

Relief of the effects of psoriasis on the skin. [Warning S required],

Relief of sinusitis. [Warning S required],

Aids, assists or helps in the maintenance or improvement of general well-being.,

Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],

May help increase joint mobility associated with arthritis.,

Relief of the symptoms of allergies. [Warning S required],

Relief of menopausal symptoms. [Warning S required],

May assist blood circulation.,

Source of calcium. Women's calcium requirements are increased after the menopause.(Old code),

Relief of the symptoms of colds. [Warnings S and COLD required],

May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of cold sores. [Warning S required],
 Aids digestion.,
 Liver tonic. Aids digestion.,
 Relief of the symptoms of eczema. [Warning S required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Temporary relief of headaches. (Old code)

Specific Indications

Designed to meet the nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take Iodine. The herbal ingredients may [PMS], [MENO1], [MENO2] and improve stress adaptation. . Note:- The claims [MENS1], [MENS2], [DIG1] and [DIG4] are associated with the herbal ingredients only. Designed to meet the nutritional needs of women who have been diagnosed with iron overload (hemochromatosis), or should not take Iodine. The herbal ingredients may [PMS], [MENO1], [MENO2] and improve stress adaptation. . Note:- The claims [MENS1], [MENS2], [DIG1] and [DIG4] are associated with the herbal ingredients only.

Additional Product information

Container information

Type	Material	Life Time
Jar/Can	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Tablet, film coated

Route of Administration

Oral

Visual Identification

Extra large oval light red film coated tablets Length: 23.20 mm Width: 10.50 mm

Active Ingredients

Angelica polymorpha

7.15 mg

Equivalent: Angelica polymorpha (Dry)

50 mg

Apium graveolens

2 mg

Equivalent: Apium graveolens (Dry)

20 mg

Arctostaphylos uva-ursi

6.25 mg

Equivalent: Arctostaphylos uva-ursi (Dry)

25 mg

Astragalus membranaceus

5 mg

Equivalent: Astragalus membranaceus (Dry)

50 mg

Avena sativa

50 mg

Equivalent: Avena sativa (Fresh)

500 mg

Bioflavonoids

40 mg

Biotin

50 microgram

Calcium ascorbate dihydrate

50 mg

Calcium citrate

200 mg

Calcium pantothenate

75 mg

Camellia sinensis

3.34 mg

Equivalent: Camellia sinensis (Dry)

20 mg

Carica papaya

5 mg

Centella asiatica

2.5 mg

Equivalent: Centella asiatica (Dry)

10 mg

Cholecalciferol

5 microgram

Choline bitartrate

25 mg

Chromium picolinate

50 microgram

Cimicifuga racemosa

12.5 mg

Equivalent: Cimicifuga racemosa (Dry)

50 mg

Copper gluconate

417 microgram

Crataegus monogyna

7.5 mg

Public Summary

Equivalent: Crataegus monogyna (Dry)	30 mg
Cyanocobalamin	50 microgram
d-alpha-Tocopheryl acid succinate	37.19 mg
Dunaliella salina	66.66 mg
Equivalent: Dunaliella salina (Fresh)	120 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	500 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Magnesium oxide - heavy	92 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	5 mg
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavin	50 mg
Silybum marianum	14.29 mg
Equivalent: Silybum marianum (Dry)	1 g
Spearmint Oil	1.7 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	50 mg
Tocopherols concentrate - mixed (low-alpha type)	3.36 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg

Public Summary

Summary for ARTG Entry: 70307 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS) Tablet - film coated jar/can

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 23/07/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below:

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS)

Product Type	Single Medicine Product	Effective date	19/01/2001
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Relief of the symptoms of allergies. [Warning S required],
 Relief of sinusitis. [Warning S required],
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 May help increase joint mobility associated with arthritis.,
 Source of calcium. Women's calcium requirements are increased after the menopause.(Old code),
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of cold sores. [Warning S required],
 Aids digestion.,
 Liver tonic. Aids digestion.,
 Relief of the symptoms of eczema. [Warning S required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood.,
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Temporary relief of headaches. (Old code),
 Source of iron. Can assist in maintaining normal blood.,
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Relief of menopausal symptoms. [Warning S required],
 Relief of hot flushes associated with menopause. [Warning S required],
 Relief of menstrual pain. [Warning S required],

Relief of menstrual cramps. [Warning S required],

Relief of muscular cramps and spasms. [Warning S required],

Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],

Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required],

Relief of pre-menstrual symptoms/syndrome. [Warning S required],

Treatment of the effects of psoriasis on the skin. [Warning S required],

Aids, assists or helps in the maintenance or improvement of general well-being.,

May assist blood circulation.

Specific Indications

Designed to meet Women's nutritional needs. The herbal ingredients in this formulation may help [PMS] and [MENO1], [MENO2] and improve stress adaptation. . Note to evaluator:- The claims [MENS1], [MENS2], [DIG1], [DIG3] are related to the herbal ingredients only.

Additional Product Information

Container information

Type	Material	Life Time
Jar/Can	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Tablet, film coated

Route of Administration

Oral

Visual Identification

Extra large oval pinkish-brown film coated tablets Length: 23.20 mm Width: 10.50 mm

Active Ingredients

Angelica polymorpha	7.14 mg
Equivalent: Angelica polymorpha (Dry)	50 mg
Apium graveolens	2 mg
Equivalent: Apium graveolens (Dry)	20 mg
Arctostaphylos uva-ursi	6.25 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	25 mg
Astragalus membranaceus	5 mg
Equivalent: Astragalus membranaceus (Dry)	50 mg
Avena sativa	50 mg
Equivalent: Avena sativa (Fresh)	500 mg
Bioflavonoids	40 mg
Biotin	50 microgram
Calcium ascorbate dihydrate	200 mg
Calcium citrate	200 mg
Calcium pantothenate	75 mg
Camellia sinensis	3.34 mg
Equivalent: Camellia sinensis (Dry)	20 mg
Carica papaya	10 mg
Centella asiatica	2.5 mg
Equivalent: Centella asiatica (Dry)	10 mg
Cholecalciferol	5 microgram
Choline bitartrate	25 mg
Chromium picolinate	50 microgram
Cimicifuga racemosa	12.5 mg
Equivalent: Cimicifuga racemosa (Dry)	50 mg
Copper gluconate	417 microgram

Public Summary

Crataegus monogyna	7.5 mg
Equivalent: Crataegus monogyna (Dry)	30 mg
Cyanocobalamin	50 microgram
d-alpha-Tocopheryl acid succinate	41.33 mg
Dunaliella salina	66.66 mg
Equivalent: Dunaliella salina (Fresh)	120 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Ferrous fumarate	15.21 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	500 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Hypericum perforatum	8.34 mg
Equivalent: Hypericum perforatum (Dry)	50 mg
Inositol	25 mg
Lycopersicon esculentum	2 mg
Equivalent: Lycopersicon esculentum (Dry)	40 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	85 mg
Manganese amino acid chelate	16 mg
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavin	50 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Spearmint Oil	1.694 mg
Tagetes erecta	1 mg
Equivalent: Tagetes erecta (Dry)	20 mg
Thiamine hydrochloride	50 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	8.34 mg
Equivalent: Vitis vinifera (Dry)	1 g
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg

Public Summary

Summary for ARTG Entry: 67261 SWISSE MENS ULTIVITE MULTI-VITAMIN, MINERAL & ANTI-OXIDANTS FORMULA 1 DIETARY SUPPLEMENT tablet bottle

ARTG entry for Medicine Listed (Export Only)
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 15/12/1998
Product category Medicine
Status Revoked
Approval area Export only Medicines

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 February 1992, other than condition No. 11.

Products

1. SWISSE MENS ULTIVITE MULTI-VITAMIN, MINERAL & ANTI-OXIDANTS FORMULA 1 DIETARY SUPPLEMENT tablet

Product Type	Single Medicine Product	Effective date	13/11/2008
No Warnings included on Record			
Standard Indications			
Specific Indications			
Swisse men's ultivite multivitamin mineral and anti-oxidants formula 1 with herbs including damiana & saw palmetto has been developed to meet men's nutritional needs and helps in the maintenance or improvement of general well-being.			
Additional Product information			
Container information			
Type	Material	Life Time	Temperature
Bottle	Not recorded	2 Years	Not recorded
Pack Size/Poison information			Closure
Pack Size			Conditions
60 TABLETS,			Not recorded
30 TABLETS			Not recorded
Components			Poison Schedule
1. Tablet			Not scheduled. Not considered by committee,
Dosage Form			Not scheduled. Not considered by committee
Route of Administration			Tablet, film coated
Visual Identification			Oral
Active Ingredients			Extra large oval green film coated tablets. Length: 23.20mm, Width: 10.50mm and Thickness TBD
Apium graveolens			2 mg
Ascorbic acid			160.24 mg

Standard Indications**Specific Indications**

Swisse men's ultivite multivitamin mineral and anti-oxidants formula 1 with herbs including damiana & saw palmetto has been developed to meet men's nutritional needs and helps in the maintenance or improvement of general well-being.

Additional Product information**Container information****Pack Size/Poison information****Pack Size**

60 TABLETS,

30 TABLETS

Components**1. Tablet****Dosage Form****Route of Administration****Visual Identification****Active Ingredients**

Apium graveolens

2 mg

Ascorbic acid

160.24 mg

Barosma betulina	10 mg
Barosma betulina	2.5 mg
Berberis vulgaris	2.5 mg
Equivalent: Berberis vulgaris (Dry)	15 mg
Betacarotene	7 mg
Bioflavonoids	40 mg
Biotin	50 microgram
Calcium ascorbate dihydrate	200 mg
Calcium citrate	100 mg
Calcium pantothenate	25 mg
Camellia sinensis	3.34 mg
Equivalent: Camellia sinensis (Dry)	20 mg
Carica papaya	5 mg
Centella asiatica	12.5 mg
Equivalent: Centella asiatica (Dry)	50 mg
Cholecalciferol	5 microgram
Choline bitartrate	25 mg
Chromic chloride	40 microgram
Copper gluconate	200 microgram
Cyanocobalamin	20 microgram
d-alpha-Tocopheryl acid succinate	41.3 mg
Echinacea angustifolia	3.34 mg
Equivalent: Echinacea angustifolia (Dry)	20 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Ferrous fumarate	9.13 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	300 microgram
Ginkgo biloba	2 mg
Equivalent: Ginkgo biloba (Dry)	100 mg
Inositol	25 mg
Lysine hydrochloride	50 mg
Magnesium oxide - heavy	100 mg
Manganese amino acid chelate	12 mg
Nicotinamide	20 mg
Panax ginseng	12.5 mg
Equivalent: Panax ginseng (Dry)	50 mg
Petroselinum crispum	5 mg
Potassium iodide	66 microgram
Potassium sulfate	8.92 mg
Pyridoxine hydrochloride	20 mg
Riboflavin	20 mg
Serenoa repens	50 mg
Equivalent: Serenoa repens (Dry)	200 mg
Silybum marianum	720 microgram
Equivalent: Silybum marianum (Dry)	50.4 mg
Smilax officinalis	12.5 mg
Equivalent: Smilax officinalis (Dry)	50 mg
Spearmint Oil	1.5 mg
Thiamine hydrochloride	20 mg
Turnera diffusa	24 mg
Equivalent: Turnera diffusa (Dry)	120 mg
Tyrosine	1 mg
Vaccinium myrtillus	250 microgram
Vaccinium myrtillus	25 mg
Vitis vinifera	4.17 mg

Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	30 mg
Zingiber officinale	1 mg
Zingiber officinale	5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

CANCELLED

Public Summary

Public Summary

Summary for ARTG Entry: 70306 SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE) Capsule - hard bottle

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 23/07/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director..

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below:

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE WOMEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE)

Product Type	Single Medicine Product	Effective date	19/01/2001
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Relief of menstrual pain. [Warning S required],
 Relief of the symptoms of colds. [Warnings S and COLD required],
 Relief of sinusitis. [Warning S required],
 Temporary relief of headaches. (Old code),
 May help increase joint mobility associated with arthritis.,
 May assist blood circulation.
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Relief of the symptoms of cold sores. [Warning S required],
 Relief of the symptoms of eczema. [Warning S required],
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Relief of menstrual cramps. [Warning S required],
 Relief of menopausal symptoms. [Warning S required],
 Relief of muscular cramps and spasms. [Warning S required],
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Relief of the symptoms of allergies. [Warning S required],
 Source of calcium. Women's calcium requirements are increased after the menopause.(Old code),
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Aids digestion.,
 Liver tonic. Aids digestion.,
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],

Source of folic acid. Can assist in maintaining normal blood.,

Source of iron. Can assist in maintaining normal blood. Blood tonic.,

Relief of hot flushes associated with menopause. [Warning S required],

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal cord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required],

Relief of pre-menstrual symptoms/syndrome. [Warning S required],

Relief of the effects of psoriasis on the skin. [Warning S required],

Aids, assists or helps in the maintenance or improvement of general well-being.,

Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],

Source of iron. Can assist in maintaining normal blood.

Specific Indications

Designed to meet women's nutritional needs. The herbal ingredients may help [PMS] and [MENO1], [MENO2] and improve stress adaptation. Note to the evaluator:- The claims [MENS1], [MENS2], [DIG1], [DIG3] are associated with the herbal ingredients only.

Additional Product information

Container information

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	2 Years	Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information

Pack Size

n/a

Poison Schedule

Not scheduled. Not considered by committee

Components

1. COMPONENT ONE

Dosage Form

Capsule, hard

Route of Administration

Oral

Visual Identification

Amber coloured powder in a clear hard gelatin capsule size 0 Length 21.4 mm Width 7.64 mm

Active Ingredients

Angelica polymorpha	3.57 mg
Equivalent: Angelica polymorpha (Dry)	25 mg
Apium graveolens	1 mg
Equivalent: Apium graveolens (Dry)	10 mg
Arctostaphylos uva-ursi	3.12 mg
Equivalent: Arctostaphylos uva-ursi (Dry)	12.5 mg
Astragalus membranaceus	2.5 mg
Equivalent: Astragalus membranaceus (Dry)	25 mg
Avena sativa	25 mg
Equivalent: Avena sativa (Fresh)	250 mg
Bioflavonoids	20 mg
Biotin	25 microgram
Calcium ascorbate dihydrate	100 mg
Calcium citrate	50 mg
Calcium pantothenate	37.5 mg
Camellia sinensis	1.67 mg
Equivalent: Camellia sinensis (Dry)	10 mg
Carica papaya	5 mg
Centella asiatica	1.25 mg
Equivalent: Centella asiatica (Dry)	5 mg
Cholecalciferol	2.5 microgram
Choline bitartrate	12.5 mg
Chromium picolinate	25 microgram
Cimicifuga racemosa	6.25 mg
Equivalent: Cimicifuga racemosa (Dry)	25 mg
Copper gluconate	208.5 microgram

Crataegus monogyna	3.75 mg
Equivalent: Crataegus monogyna (Dry)	15 mg
Cyanocobalamin	25 microgram
d-alpha-Tocopheryl acid succinate	20.66 mg
Dunaliella salina	33.33 mg
Equivalent: Dunaliella salina (Fresh)	60 mg
Eleutherococcus senticosus	1.25 mg
Equivalent: Eleutherococcus senticosus (Dry)	12.5 mg
Equisetum arvense	3.75 mg
Equivalent: Equisetum arvense (Dry)	15 mg
Ferrous fumarate	7.55 mg
Foeniculum vulgare	1.7 mg
Equivalent: Foeniculum vulgare (Dry)	7.5 mg
Folic acid	250 microgram
Ginkgo biloba	50 microgram
Equivalent: Ginkgo biloba (Dry)	2.5 mg
Glycyrrhiza glabra	1.25 mg
Equivalent: Glycyrrhiza glabra (Dry)	5 mg
Hypericum perforatum	4.17 mg
Equivalent: Hypericum perforatum (Dry)	25 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Lysine hydrochloride	25 mg
Magnesium oxide - heavy	42.5 mg
Manganese amino acid chelate	8 mg
Matricaria recutita	1.88 mg
Equivalent: Matricaria recutita (Dry)	7.5 mg
Nicotinamide	25 mg
Petroselinum crispum	5 mg
Potassium iodide	32.7 microgram
Potassium sulfate	2.23 mg
Pyridoxine hydrochloride	25 mg
Riboflavin	25 mg
Silybum marianum	357 microgram
Equivalent: Silybum marianum (Dry)	25 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	25 mg
Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	12.5 mg
Zingiber officinale	1.5 mg
Equivalent: Zingiber officinale (Dry)	7.5 mg

Public Summary

Summary for ARTG Entry: 70250 SWISSE MEN'S ULTIVITE MULTIVITAMIN, MINERAL AND ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE) Capsule - hard bottle

ARTG entry for Medicine
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 20/07/1999
Product category Medicine
Status Revoked
Approval area

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE MEN'S ULTIVITE MULTIVITAMIN, MINERAL AND ANTI-OXIDANT FORMULA 1 WITH HERBS (CAPSULE)

Product Type	Single Medicine Product	Effective date	19/01/2001
--------------	-------------------------	----------------	------------

Warnings

No Warnings included on Record

Standard Indications

Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Aids digestion.,
 Source of folic acid. Can assist in maintaining normal blood.,
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 Source of iron. Can assist in maintaining normal blood.,
 Temporary relief of headaches. (Old code),
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Relief of the symptoms of allergies. [Warning S required],
 Temporary relief of the pain of arthritis. (or) Temporary relief of arthritic pain. [Warning S required],
 May help increase joint mobility associated with arthritis.,
 May assist blood circulation.,
 Relief of the symptoms of colds. [Warnings S and COLD required],
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of cold sores. [Warning S required],
 Relief of the symptoms of eczema. [Warning S required],
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Aids, assists or helps in the maintenance or improvement of general well-being.,
 Liver tonic. Aids digestion.

Specific Indications

Designed to meet men's nutritional needs and [WELL]. The herbal ingredients in this formulation may help men perform in peak condition and improve stress adaptation. Designed to meet men's nutritional needs and [WELL]. The herbal ingredients in this formulation may help men perform in peak condition and improve stress adaptation.

Additional Product information**Container information**

Type	Material	Life Time
Bottle	Not recorded	2 Years

Temperature	Closure	Conditions
Store below 30 degrees Celsius	Not recorded	Not recorded

Pack Size/Poison information**Pack Size**

n/a

Components**1. COMPONENT ONE****Dosage Form****Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee

Capsule, hard

Oral

Amber coloured powder in a clear hard gelatin capsule size 0 Length: 21.4 mm Width: 7.64 mm

Active Ingredients**Apium graveolens**

Equivalent: Apium graveolens (Dry)

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

Avena sativa

Equivalent: Avena sativa (Fresh)

Barosma betulina

Equivalent: Barosma betulina (Dry)

Berberis vulgaris

Equivalent: Berberis vulgaris (Dry)

Bioflavonoids**Biotin****Calcium ascorbate dihydrate****Calcium citrate****Calcium pantothenate****Camellia sinensis**

Equivalent: Camellia sinensis (Dry)

Carica papaya**Centella asiatica**

Equivalent: Centella asiatica (Dry)

Cholecalciferol**Choline bitartrate****Chromium picolinate****Copper gluconate****Crataegus monogyna**

Equivalent: Crataegus monogyna (Dry)

Cyanocobalamin**d-alpha-Tocopheryl acid succinate****Dunaliella salina**

Equivalent: Dunaliella salina (Fresh)

Equisetum arvense

Equivalent: Equisetum arvense (Dry)

Ferrous fumarate**Foeniculum vulgare**

Equivalent: Foeniculum vulgare (Dry)

Folic acid**Ginkgo biloba**

1 mg
10 mg
2.5 mg
25 mg
250 mg
1.25 mg
5 mg
1.25 mg
7.5 mg
20 mg
25 microgram
100 mg
50 mg
35 mg
1.67 mg
10 mg
5 mg
6.25 mg
25 mg
2.5 microgram
12.5 mg
25 microgram
100 microgram
12.5 mg
50 mg
15 microgram
20.66 mg
33.33 mg
60 mg
3.75 mg
15 mg
4.56 mg
1.7 mg
7.5 mg
250 microgram
1 mg

Public Summary

Equivalent: Ginkgo biloba (Dry)	50 mg
Hypericum perforatum	4.17 mg
Equivalent: Hypericum perforatum (Dry)	25 mg
Inositol	12.5 mg
Lycopersicon esculentum	1 mg
Equivalent: Lycopersicon esculentum (Dry)	20 mg
Lysine hydrochloride	25 mg
Magnesium oxide - heavy	50 mg
Manganese amino acid chelate	6 mg
Nicotinamide	15 mg
Panax ginseng	8.33 mg
Equivalent: Panax ginseng (Dry)	25 mg
Petroselinum crispum	5 mg
Potassium iodide	33 microgram
Potassium sulfate	4.46 mg
Pyridoxine hydrochloride	15 mg
Riboflavin	15 mg
Serenoa repens	10 mg
Equivalent: Serenoa repens (Dry)	100 mg
Silybum marianum	357 microgram
Equivalent: Silybum marianum (Dry)	25 mg
Smilax officinalis	6.25 mg
Equivalent: Smilax officinalis (Dry)	25 mg
Spearmint Oil	750 microgram
Tagetes erecta	500 microgram
Equivalent: Tagetes erecta (Dry)	10 mg
Thiamine hydrochloride	15 mg
Turnera diffusa	12 mg
Equivalent: Turnera diffusa (Dry)	60 mg
Tyrosine	500 microgram
Vaccinium myrtillus	125 microgram
Equivalent: Vaccinium myrtillus (Fresh)	12.5 mg
Vitis vinifera	4.17 mg
Equivalent: Vitis vinifera (Dry)	500 mg
Zinc amino acid chelate	15 mg
Zingiber officinale	500 microgram
Equivalent: Zingiber officinale (Dry)	2.5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry:	69336	SWISSE MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS) Tablet - film coated bottle
ARTG entry for	Medicine	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066	
	Australia	
ARTG Start Date	27/05/1999	
Product category	Medicine	
Status	Revoked	
Approval area		

Conditions

Except where the sponsor has been contracted by an overseas party to manufacture the goods and that party will be responsible for placing the goods on the market in countries other than Australia, the sponsor must have and shall retain, while the goods remain listed, evidence necessary to substantiate and support the accuracy of the indications in relation to the listed goods and, upon the request of the Head, Office of Medicines Authorisation, Therapeutic Goods Administration, shall produce such evidence to the Director.,

A copy of a signed and dated certificate of analysis, which is not more than six months old, for the first batch of goods manufactured is to be provided to the Head, Listing Treaties & Export Section, Chemical & Non Prescription Drug Branch within six months of the date of supply of the goods.

The conditions applying to these goods when they are exported from Australia are given below.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No. 8 and condition No. 9.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995, other than condition No.11.,

Conditions applicable to all therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.,

Conditions applicable to the relevant category and class of therapeutic goods as specified in the document "Standard Conditions Applying to Registered or Listed Therapeutic Goods Under Section 28 of the Therapeutic Goods Act 1989" effective 1 July 1995.

Products

1. SWISSE MEN'S ULTIVITE MULTI-VITAMIN MINERAL & ANTI-OXIDANT FORMULA 1 WITH HERBS (TABLETS)

Product Type	Single Medicine Product	Effective date	28/06/1999
---------------------	-------------------------	-----------------------	------------

Warnings

No Warnings included on Record

Standard Indications

Source of folic acid. Can assist in maintaining normal blood.,
 Can assist in the treatment of flu by reducing the severity and duration of symptoms. [Warnings S and COLD required],
 Relief of the symptoms of influenza/flu. [Warnings S and COLD required],
 Source of folic acid. Can assist in maintaining normal blood. Blood tonic.,
 Relief of the fever of influenza/flu. [Warnings S and COLD required],
 Non-vitamin active ingredients in this product may be beneficial during times of stress. [Warning S required],
 Source of iron. Can assist in maintaining normal blood.,
 Non-vitamin active ingredients in this product help relieve nervous tension, stress and mild anxiety. [Warning S required],
 Relief of the pain of influenza/flu. [Warnings S and COLD required],
 Source of iron. Can assist in maintaining normal blood. Blood tonic.,
 May help reduce the severity of the symptoms of colds. [Warnings S and COLD required],
 Relief of the symptoms of colds. [Warnings S and COLD required],
 Aids, assists or helps in the maintenance or improvement of general well-being.

Specific Indications

Designed to meet men's nutritional needs and [WELL]. The herbal ingredients in this formulation may help men perform in peak condition and improve stress adaptation.

Additional Product Information

Container Information

Type	Material	Life Time	Temperature	Closure	Conditions
------	----------	-----------	-------------	---------	------------

Bottle

Not recorded

2 Years

Store below 30
degrees Celsius

Not recorded

Not recorded

Pack Size/Poison Information**Pack Size**

n/a

Components**1. COMPONENT ONE****Dosage Form****Route of Administration****Visual Identification****Poison Schedule**

Not scheduled. Not considered by committee

Tablet, film coated

Oral

Extra large oval green film coated tablets Length: 23.20 mm Width: 10.50 mm

Active Ingredients**Apium graveolens**

Equivalent: Apium graveolens (Dry)

2 mg

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

20 mg

5 mg

Barosma betulina

Equivalent: Barosma betulina (Dry)

50 mg

2.5 mg

Berberis vulgaris

Equivalent: Berberis vulgaris (Dry)

10 mg

2.5 mg

Betacarotene

15 mg

Bioflavonoids

10 mg

Biotin

40 mg

Calcium ascorbate dihydrate

50 microgram

Calcium citrate

200 mg

Calcium pantothenate

100 mg

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

70 mg

Carica papaya

3.34 mg

Centella asiatica

Equivalent: Centella asiatica (Dry)

20 mg

Cholecalciferol

10 mg

Choline bitartrate

12.5 mg

Chromium picolinate

50 mg

Copper gluconate

5 microgram

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

25 mg

Cyanocobalamin

50 microgram

d-alpha-Tocopheryl acid succinate

200 microgram

Dunaliella salina

Equivalent: Dunaliella salina (Fresh)

25 mg

Equisetum arvense

Equivalent: Equisetum arvense (Dry)

30 microgram

Ferrous fumarate

41.33 mg

Foeniculum vulgare

Equivalent: Foeniculum vulgare (Dry)

13.33 mg

Folic acid

24 mg

Ginkgo biloba

Equivalent: Ginkgo biloba (Dry)

7.5 mg

Hypericum perforatum

Equivalent: Hypericum perforatum (Dry)

30 mg

Inositol

9.13 mg

Lysine hydrochloride

3.41 mg

Magnesium oxide - heavy

15 mg

Manganese amino acid chelate

400 microgram

Nicotinamide

2 mg

100 mg

8.34 mg

50 mg

25 mg

50 mg

100 mg

12 mg

30 mg

Panax ginseng	16.67 mg
Equivalent: Panax ginseng (Dry)	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	8.92 mg
Pyridoxine hydrochloride	30 mg
Riboflavine	30 mg
Serenoa repens	20 mg
Equivalent: Serenoa repens (Dry)	200 mg
Silybum marianum	715 microgram
Equivalent: Silybum marianum (Dry)	50 mg
Smilax officinalis	12.5 mg
Equivalent: Smilax officinalis (Dry)	50 mg
Spearmint Oil	1.5 mg
Thiamine hydrochloride	30 mg
Turnera diffusa	24 mg
Equivalent: Turnera diffusa (Dry)	120 mg
Tyrosine	1 mg
Vaccinium myrtillus	250 microgram
Equivalent: Vaccinium myrtillus (Fresh)	25 mg
Vitis vinifera	2.5 mg
Equivalent: Vitis vinifera (Dry)	300 mg
Zinc amino acid chelate	30 mg
Zingiber officinale	1 mg
Equivalent: Zingiber officinale (Dry)	5 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 156394 Swisse Women's Ultivite Multi-Vitamin Mineral & Anti-Oxidant with Herbs Formula 1

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 29/10/2008
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.,

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Office of Complementary Medicines, Therapeutic Goods Administration, upon request.,

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.,

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.,

The sponsor shall not supply the listed medicine after the expiry date of the goods.,

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.,

The Ginkgo biloba leaf extract used in the manufacture of this medicine must comply with the requirement of Identification Test B of the monograph Powdered Ginkgo Extract in the United States Pharmacopoeia 32 - National Formulary 27 (USP32-NF27). This condition does not apply to powdered or dried leaf.,

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Therapeutic Goods Act 1989, shall be only those included in the list of 'Colourings permitted in medicines for oral use' available at <http://www.tga.gov.au/industry/cm-colourings-oral-use.htm>, as amended from time to time.,

Where the medicine is a conventional release folic acid supplement preparation, in tablet form, of strength of 100 micrograms or more per dosage unit, the additional conditions are as follows: Where the medicine contains folic acid as a single active ingredient, the dissolution characteristics for folic acid in this medicine must comply with the dissolution requirements in the United States Pharmacopoeia 24th Edition (USP24) monograph for Folic Acid Tablets. Where the medicine contains multiple active ingredients, the dissolution characteristics for folic acid in this medicine must comply with the dissolution requirements in the United States Pharmacopoeia 24th Edition (USP24) monograph for Nutritional Supplements, as amended by its First Supplement. The dissolution characteristics for this medicine must comply with the dissolution requirements of the relevant USP24 monograph over the shelf life of the product when stored under the conditions included on the product label. It is the responsibility of manufacturers to develop and validate the analytical methods for the determination of folic acid that should be used in conjunction with the USP24 dissolution criteria. This condition does not apply to chewable, effervescent or dispersible tablets or sustained release tablets.

Products

1. Swisse Women's Ultivite Multi-Vitamin Mineral & Anti-Oxidant with Herbs Formula 1

Product Type	Single Medicine Product	Effective date	29/06/2012
--------------	-------------------------	----------------	------------

Warnings

This product contains selenium which is toxic in high doses. A daily dose of 150 micrograms for adults of selenium from dietary supplements should not be exceeded.,

Do not take while on warfarin therapy without medical advice.,

Do not exceed the stated dose except on medical advice. If you have had a baby with a neural tube defect/spina bifida, seek specific medical advice (or words to that effect).,

Contains lactose (or words to that effect).,

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.,

The recommended dose of this medicine provides small amounts of caffeine,

Not for the treatment of iron deficiency conditions (or words to that effect).,

If symptoms persist consult your healthcare practitioner (or words to that effect).

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.,

May assist in the management of dietary folate deficiency.,

Prevention/treatment of vitamin [XX] and/or mineral [YY] and/or nutritional deficiencies (This indication is not to be used for the treatment of iron deficiency conditions).

For vitamin (may state the vitamin) supplementation.

For mineral (may state the mineral) supplementation.

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required].

Beneficial during times of stress. [Warning S required],

Helps relieve nervous tension, stress and mild anxiety. [Warning S required],

Source of folic acid. Can assist in maintaining normal blood.

Specific Indications

Swisse WOMEN'S ULTIVITE has been developed to assist women in meeting their nutritional needs and help in the maintenance of general well-being.

Swisse WOMEN'S ULTIVITE may assist in the relief of pre-menstrual symptoms and improve stress adaptation.

Relief from tiredness.

You'll Feel Better on Swisse.

Assists with energy production and stamina.

Assists maintenance of the immune system.

Assists with reducing homocysteine levels.

For the symptomatic relief of mood swings.

Clinically proven.

Based on over 25 years of research.

Assists in supporting general brain function, enhancing mental alertness and maintaining healthy looking hair, nails and skin.

Additional Product Information

Pack Size/Poison Information

Pack Size

Components

1. Formulation 1

Dosage Form

Route of Administration

Visual Identification

Active Ingredients

Apium graveolens

Equivalent: Apium graveolens (Dry)

Arctostaphylos uva-ursi

Equivalent: Arctostaphylos uva-ursi (Dry)

Astragalus membranaceus

Equivalent: Astragalus membranaceus (Dry)

Avena sativa

Equivalent: Avena sativa (Fresh)

Betacarotene

Biotin

Calcium ascorbate dihydrate

Calcium citrate

Calcium pantothenate

Camellia sinensis

Equivalent: Camellia sinensis (Dry)

Carica papaya

Centella asiatica

Equivalent: Centella asiatica (Dry)

Cholecalciferol

Choline bitartrate

Chromium picolinate

Citrus bioflavonoids extract

Copper gluconate

Crataegus monogyna

Equivalent: Crataegus monogyna (Dry)

Cyanocobalamin

Cynara scolymus

Equivalent: Cynara scolymus (Fresh)

Poison Schedule

Tablet, film coated

Oral

2 mg
20 mg
6.25 mg
25 mg
5 mg
50 mg
50 mg
500 mg
5.0002 mg
50 microgram
200 mg
200 mg
75 mg
3.34 mg
20 mg
10 mg
2.5 mg
10 mg
.005 mg
25 mg
50 microgram
40 mg
417 microgram
7.5 mg
30 mg
50 microgram
12.5 mg
50 mg

d-alpha-Tocopheryl acid succinate	41.33 mg
Eleutherococcus senticosus	2.5 mg
Equivalent: Eleutherococcus senticosus (Dry)	25 mg
Equisetum arvense	7.5 mg
Equivalent: Equisetum arvense (Dry)	30 mg
Ferrous fumarate	16.01 mg
Foeniculum vulgare	3.41 mg
Equivalent: Foeniculum vulgare (Dry)	15 mg
Folic acid	500 microgram
Ginkgo biloba	100 microgram
Equivalent: Ginkgo biloba (Dry)	5 mg
Glycyrrhiza glabra	2.5 mg
Equivalent: Glycyrrhiza glabra (Dry)	10 mg
Inositol	25 mg
Lutein	2 mg
Lycopersicon esculentum	2 mg
Lysine hydrochloride	50 mg
Magnesium oxide	81.46 mg
Manganese amino acid chelate	16 mg
Matricaria chamomilla	3.75 mg
Equivalent: Matricaria chamomilla (Dry)	15 mg
Nicotinamide	50 mg
Petroselinum crispum	10 mg
Potassium iodide	66 microgram
Potassium sulfate	4.45 mg
Pyridoxine hydrochloride	50 mg
Riboflavine	50 mg
Selenomethionine	65 microgram
Silybum marianum	715 microgram
Spearmint Oil	1.7 mg
Thiamine hydrochloride	50 mg
Ubidecarenone	1 mg
Vaccinium myrtillus	250 microgram
Vitis vinifera	8.34 mg
Zinc amino acid chelate	25 mg
Zingiber officinale	3 mg
Equivalent: Zingiber officinale (Dry)	15 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Summary for ARTG Entry:	156393	Swisse Children's Ultivite 2
ARTG entry for	Medicine Listed	
Sponsor	Swisse Wellness Pty Ltd	
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia	
ARTG Start Date	29/10/2008	
Product category	Medicine	
Status	Revoked	
Approval area	Listed Medicines	

Conditions

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.,

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Office of Complementary Medicines, Therapeutic Goods Administration, upon request.,

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.,

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.,

The sponsor shall not supply the listed medicine after the expiry date of the goods.,

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.,

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Therapeutic Goods Act 1989, shall be only those included in the list of 'Colourings permitted in medicines for oral use' available at <http://www.tga.gov.au/industry/cm-colourings-oral-use.htm> as amended from time to time.

Products

1. Swisse Children's Ultivite 2

Product Type	Single Medicine Product	Effective date	31/05/2011 12:08:48 PM
---------------------	-------------------------	-----------------------	------------------------

Warnings

Not for the treatment of iron deficiency conditions (or words to that effect),.

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.,

If symptoms persist consult your healthcare practitioner (or words to that effect).,

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.

Specific Indications

Childvite 2 is a children's multi-vitamin, mineral & anti-oxidant formula designed to assist in energy production, endurance and well-being, assisting children to perform in peak condition. Childvite 2 has been developed by the Swisse team of medical researchers in consultation with parents, to provide a pleasant tasting chewable tablet with natural colours and flavours, and no preservatives.
You'll Feel Better on Swisse.
Relief from tiredness.

Additional Product Information

Pack Size/Poison Information

Pack Size

Components

1. COMPONENT ONE

Dosage Form

Route of Administration

Visual Identification

Active Ingredients

Poison Schedule

Tablet, chewable

Oral

Ascorbic acid	50 mg
Betacarotene	.5003 mg
Betacarotene	.2 mg
Biotin	30 microgram
Calcium citrate	100 mg
Calcium pantothenate	2 mg
Cholecalciferol	.5 microgram
Citrus bioflavonoids extract	2 mg
Cyanocobalamin	3 microgram
d-alpha-Tocopheryl acid succinate	4.9632 mg
Eleutherococcus senticosus	650 microgram
Equivalent: Eleutherococcus senticosus (Dry)	6.5 mg
Ferrous fumarate	7.36 mg
Folic acid	15 microgram
Magnesium phosphate	8 mg
Manganese sulfate monohydrate	500 microgram
Nicotinamide	9.99 mg
Pyridoxine hydrochloride	1.998 mg
Riboflavine	1.002 mg
Rosa canina	2.5 mg
Equivalent: Rosa canina (Dry)	10 mg
Thiamine nitrate	.999 mg
Urtica dioica	2.5 mg
Equivalent: Urtica dioica (Dry)	10 mg
Zinc sulfate monohydrate	1 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 156238 Swisse Teenage Ultivite Multi-Vitamin, Mineral & Anti-Oxidant with Herbs Teenage Women's

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 24/10/2008
Product category Medicine
Status Revoked
Approval area Listed Medicines

Conditions

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.,

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Office of Complementary Medicines, Therapeutic Goods Administration, upon request.,

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.,

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.,

The sponsor shall not supply the listed medicine after the expiry date of the goods.,

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.,

The Ginkgo biloba leaf extract used in the manufacture of this medicine must comply with the requirement of Identification Test B of the monograph Powdered Ginkgo Extract in the United States Pharmacopoeia 32 - National Formulary 27 (USP32-NF27). This condition does not apply to powdered or dried leaf.,

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Therapeutic Goods Act 1989, shall be only those included in the list of 'Colourings permitted in medicines for oral use' available at <http://www.tga.gov.au/industry/cm-colourings-oral-use.htm>, as amended from time to time.,

Where the medicine is a conventional release folic acid supplement preparation, in tablet form, of strength of 100 micrograms or more per dosage unit, the additional conditions are as follows: Where the medicine contains folic acid as a single active ingredient, the dissolution characteristics for folic acid in this medicine must comply with the dissolution requirements in the United States Pharmacopoeia 24th Edition (USP24) monograph for Folic Acid Tablets. Where the medicine contains multiple active ingredients, the dissolution characteristics for folic acid in this medicine must comply with the dissolution requirements in the United States Pharmacopoeia 24th Edition (USP24) monograph for Nutritional Supplements, as amended by its First Supplement. The dissolution characteristics for this medicine must comply with the dissolution requirements of the relevant USP24 monograph over the shelf life of the product when stored under the conditions included on the product label. It is the responsibility of manufacturers to develop and validate the analytical methods for the determination of folic acid that should be used in conjunction with the USP24 dissolution criteria. This condition does not apply to chewable, effervescent or dispersible tablets or sustained release tablets.

Products**1. Swisse Teenage Ultivite Multi-Vitamin, Mineral & Anti-Oxidant with Herbs Teenage Women's**

Product Type Single Medicine Product **Effective date** 29/06/2012

Warnings

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.,

If symptoms persist consult your healthcare practitioner (or words to that effect).,

Not for the treatment of iron deficiency conditions (or words to that effect).,

Do not exceed the stated dose except on medical advice. If you have had a baby with a neural tube defect/spina bifida, seek specific medical advice (or words to that effect).

Standard Indications

Helps maintain normal blood/blood tonic (Note: These claims are appropriate for folic acid, vitamin B12 and iron, but must not imply anaemic conditions),

Beneficial during times of stress. [Warning S required],

Provides a daily dose of 400-500mcg of folic acid or folate. Contains folic acid which, if taken daily for one month before conception and during pregnancy, may reduce the risk of women having a child with birth defects of the brain and/or spinal chord such as the neural tube defects known as spina bifida and anencephaly. [Warning NEUR required].

Relief of pre-menstrual symptoms/syndrome. [Warning S required],

For mineral (may state the mineral) supplementation.,

Prevention/treatment of vitamin [XX] and/or mineral [YY] and/or nutritional deficiencies (This indication is not to be used for the treatment of iron deficiency conditions),.

Aids, assists or helps in the maintenance or improvement of general well-being.,

For vitamin (may state the vitamin) supplementation.

Specific Indications

Provides support for memory function and stamina

Assists in enhancing mental alertness and improving short term memory.

May assist in support of general healthy brain function

Provides support for the nervous system and is beneficial during times of stress.

Contains antioxidants to assist in decreasing the risk of cell damage from free radicals.

Assists in maintaining healthy looking skin.

You'll Feel Better on Swisse

Clinically Tested, Proven Relief. This product contains ingredients proven in clinical trials to support memory and general brain function and maintain healthy looking skin, whilst providing relief from tiredness, stress and supporting wellbeing. For more information on the Clinical Trials, please see our website.

Additional Product Information

Pack Size/Poison Information

Pack Size

Components

1. Formulation 1

Dosage Form

Route of Administration

Visual Identification

Active Ingredients

Arctostaphylos uva-ursi

Equivalent: Arctostaphylos uva-ursi (Dry)

Bacopa monnieri

Betacarotene

Biotin

Calcium ascorbate dihydrate

Calcium orotate

Calcium pantothenate

Cholecalciferol

Choline bitartrate

Chromium picolinate

Citrus bioflavonoids extract

Copper gluconate

Cyanocobalamin

d-alpha-Tocopheryl acid succinate

Ferrous fumarate

Folic acid

Ginkgo biloba

Equivalent: Ginkgo biloba (Dry)

Glycyrrhiza glabra

Inositol

Lemon Oil

Lutein

Magnesium aspartate dihydrate

Manganese amino acid chelate

Molybdenum trioxide

Nicotinamide

Olea europaea

Equivalent: Olea europaea (Dry)

Passiflora incarnata

Equivalent: Passiflora incarnata (Dry)

Phytomenadione

Potassium iodide

Poison Schedule

Tablet, film coated

Oral

12.5 mg

50 mg

10 mg

2.0002 mg

20 microgram

40 mg

70 mg

4 mg

.005 mg

120 mg

169 microgram

100 mg

7.86 mg

1.8 microgram

7.9968 mg

16.01 mg

400 microgram

3 mg

150 mg

6.25 mg

35 mg

2 mg

1.13 mg

70 mg

25 mg

67.5 microgram

14 mg

8.33 mg

50 mg

12.5 mg

50 mg

45 microgram

196 microgram

Public Summary

Pyridoxine hydrochloride	10 mg
Riboflavine	900 microgram
Silica - colloidal anhydrous	100 mg
Silybum marianum	8.57 mg
Equivalent: Silybum marianum (Dry)	600 mg
Thiamine hydrochloride	900 microgram
Vaccinium macrocarpon	10 mg
Vitex agnus-castus	5 mg
Equivalent: Vitex agnus-castus (Dry)	50 mg
Withania somnifera	10 mg
Equivalent: Withania somnifera (Dry)	100 mg
Zinc amino acid chelate	55 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry:	155931 Swisse Children's Ultivite 1
ARTG entry for	Medicine Listed
Sponsor	Swisse Wellness Pty Ltd
Postal Address	36-38 Gipps Street, COLLINGWOOD, VIC, 3066 Australia
ARTG Start Date	16/10/2008
Product category	Medicine
Status	Revoked
Approval area	Listed Medicines

Conditions

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.,

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Office of Complementary Medicines, Therapeutic Goods Administration, upon request.,

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.,

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.,

The sponsor shall not supply the listed medicine after the expiry date of the goods.,

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.,

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Therapeutic Goods Act 1989, shall be only those included in the list of 'Colourings permitted in medicines for oral use' available at <http://www.tga.gov.au/industry/cm-colourings-oral-use.htm> as amended from time to time.

Products

1. Swisse Children's Ultivite 1

Product Type	Single Medicine Product	Effective date	31/05/2011 12:08:48 PM
---------------------	-------------------------	-----------------------	------------------------

Warnings

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.,

If symptoms persist consult your healthcare practitioner (or words to that effect).,

Not for the treatment of iron deficiency conditions (or words to that effect).

Standard Indications

Aids, assists or helps in the maintenance or improvement of general well-being.

Specific Indications

A children's multivitamin, mineral and antioxidant formula, with selected herbs which helps to address the nutritional needs children, helping to support general wellbeing.

Additional Product information

Pack Size/Poison Information

Pack Size

Components

1. Formulation 1

Dosage Form

Tablet, chewable

Route of Administration

Oral

Visual Identification

Active Ingredients

Ascorbic acid

50 mg

Betacarotene

.5002 mg

Poison Schedule

Betacarotene	.2 mg
Biotin	30 microgram
Calcium citrate	100 mg
Calcium pantothenate	2 mg
Cholecalciferol	.5 microgram
Cholecalciferol	1.25 ng
Citrus bioflavonoids extract	2 mg
Cyanocobalamin	2 microgram
Ferrous fumarate	3.16 mg
Folic acid	10 microgram
Humulus lupulus	267 microgram
Equivalent: Humulus lupulus (Dry)	2 mg
Magnesium phosphate	8 mg
Manganese sulfate monohydrate	500 microgram
Matricaria recutita	3.75 mg
Equivalent: Matricaria recutita (Dry)	15 mg
Nicotinamide	9.99 mg
Pyridoxine hydrochloride	2.997 mg
Riboflavine	1.2024 mg
Thiamine nitrate	1.4985 mg
Zinc sulfate monohydrate	1 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary

Public Summary

Summary for ARTG Entry: 153779 Pregcel Benefishoil Omega 3 Softgel Capsule

ARTG entry for Medicine Listed
Sponsor Swisse Wellness Pty Ltd
Postal Address 36-38 Gipps Street, COLLINGWOOD, VIC, 3066
 Australia
ARTG Start Date 18/07/2008
Product category Medicine
Status Revoked
Approval area Listed Medicines

Products**1. Pregcel Benefishoil Omega 3 Softgel Capsule**

Product Type Single Medicine Product **Effective date** 28/08/2009 9:44:39 AM

Warnings

If symptoms persist consult your healthcare practitioner (or words to that effect),.

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.

Standard Indications**Specific Indications**

Rich source of Omega-3 fatty acids which assist in maintaining health skin.Helps to assist in the maintenance of normal eye and brain function.It is also high in DHA which is necessary for the normal function of the brain and nervous system.Assists in promoting the health of mother and baby.

Additional Product Information**Pack Size/Poison Information****Pack Size****Poison Schedule****Components**

1. Medicine component

Dosage Form

Capsule, soft

Route of Administration

Oral

Visual Identification**Active Ingredients**

d-alpha-Tocopherol

33.56 mg

Fish oil - natural

1000 mg

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary