

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
189224	6/08/2003	Unknown	7	Infanrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (1097 days); Menjugate (Corynebacterium diphtheriae ; Neisseria meningitidis group C oligosaccharide) - Concomitant (1097 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1097 days); Sabin Vaccine (Poliovirus) - Concomitant (1097 days)	Injection site reaction ; Peripheral swelling
195824	22/03/2004	Unknown	30	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Abdominal pain ; Diarrhoea ; Lymphadenopathy ; Pyrexia
198011	9/06/2004	Unknown	4	Infanrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (0 days); Sabin Vaccine (Poliovirus) - Concomitant (0 days)	Erythema ; Feeling hot ; Injection site reaction ; Swelling
214133	8/12/2005	Male	4	Infanrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Concomitant (-); Poliomyelitis Virus Vaccine Oral (Poliovirus) - Concomitant (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Injection site reaction
214629	5/01/2006	Female	1	Liquid Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Meningitec (Diphtheria CRM197 protein ; Meningococcal polysaccharide group C) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Unevaluable event
215722	10/02/2006	Male	6	Infanrix (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Tetanus toxoid) - Concomitant (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days); Sabin Vaccine (Poliovirus) - Concomitant (2 days)	Injection site reaction
216283	6/03/2006	Male	4	DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ;	Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				Tetanus toxoid) - Concomitant (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	
216284	6/03/2006	Female	3	Infanrix HEXA (Diphtheria toxoid ; Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (0 days)	Injection site reaction
217355	12/04/2006	Male	5	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Injection site reaction
220516	1/08/2006	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1 days)	Injection site reaction
221137	28/08/2006	Male	6	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1 days)	Injection site reaction
222950	7/11/2006	Male	1	Meningitec (Diphtheria CRM197 protein ; Meningococcal polysaccharide group C) - Suspect (0 days); Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Flushing ; Rash erythematous ; Urticaria
225961	20/02/2007	Male	45	Boostrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Dukoral (Vibrio cholerae) - Suspect (9 days); Fluvax (Influenza virus haemagglutinin) - Suspect (9 days); Hepatitis B Vaccine (Hepatitis B surface	Rash

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				antigen recombinant) - Suspect (2 days); Menomune (Meningococcal polysaccharide group A ; Meningococcal polysaccharide group C ; Meningococcal polysaccharide group W135 ; Meningococcal polysaccharide Group Y) - Suspect (9 days); Merieux Inactivated Rabies Vaccine (Rabies virus) - Suspect (9 days); Pneumovax (Pneumococcal purified capsular polysaccharides) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days); Stamaril (Yellow fever virus) - Suspect (2 days); Vivaxim (Hepatitis a virus antigen ; Salmonella typhi Vi polysaccharide) - Suspect (2 days)	
226005	22/02/2007	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1 days)	Injection site reaction
226851	22/03/2007	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (-)	Injection site reaction
226852	22/03/2007	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1 days)	Injection site reaction
233626	20/09/2007	Female	4	DTPa-IPV Vaccine (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (2 days)	Injection site reaction
234529	17/10/2007	Male	1	Menjugate (Corynebacterium diphtheriae ; Neisseria meningitidis group C oligosaccharide) - Suspect (10 days); Pedvaxhib (Haemophilus type B	Generalised oedema ; Rash generalised ; Tongue oedema

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (10 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (10 days); VAQTa Hepatitis A Vaccine Inactivated (Hepatitis a virus antigen) - Suspect (10 days)	
242379	30/06/2008	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Injection site reaction
242380	30/06/2008	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Extensive swelling of vaccinated limb ; Injection site reaction
244824	24/09/2008	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (-)	Extensive swelling of vaccinated limb ; Injection site reaction ; Pruritus
245756	23/10/2008	Female	4	Liquid Pedvaxhib (Haemophilus type B polysaccharide ; Neisseria meningitidis outer membrane protein complex) - Suspect (6 days); Meningitec (Diphtheria CRM197 protein ; Meningococcal polysaccharide group C) - Suspect (6 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (6 days)	Angioedema ; Pyrexia ; Rash
247121	12/12/2008	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (-); Meningococcal C Vaccine (Corynebacterium diphtheriae ; Neisseria meningitidis group C oligosaccharide) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Urticaria
254879	3/08/2009	Male	42	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (14 days)	Oedema ; Pain

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
254903	4/08/2009	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Extensive swelling of vaccinated limb ; Injection site reaction
258079	13/10/2009	Male	3	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (3 days); Prevenar (Corynebacterium diphtheriae ; Pneumococcal purified capsular polysaccharides) - Suspect (3 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (3 days)	Extensive swelling of vaccinated limb ; Pyrexia
259143	2/11/2009	Female	39	Panvax H1N1 influenza vaccine (Influenza virus haemagglutinin) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (-)	Abdominal pain upper ; Diarrhoea ; Nausea ; Rash
260047	18/11/2009	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	Extensive swelling of vaccinated limb ; Injection site reaction
261167	17/12/2009	Male	<1	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (31 days)	Asthenia ; Pyrexia ; Septic arthritis staphylococcal
261400	23/12/2009	Female	5	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Cyanosis ; Hypotension ; Hypotonia
262188	25/01/2010	Male	-	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Autism spectrum disorder
265769	27/04/2010	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous	Febrile convulsion

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	
266557	4/05/2010	Female	1	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Pyrexia
267497	17/05/2010	Male	1	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Trade Name Not Specified (Product not Coded) - Suspect (0 days)	Febrile convulsion
269658	23/06/2010	Female	1	Fluvax (Influenza virus haemagglutinin) - Suspect (0 days); Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Dyspnoea ; Pyrexia
269774	24/06/2010	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Crying ; Extensive swelling of vaccinated limb ; Injected limb mobility decreased
270425	7/07/2010	Male	1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Concomitant (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Injection site reaction ; Swelling face

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
271450	28/07/2010	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Unresponsive to stimuli
274696	20/10/2010	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (0 days)	Erythema ; Pain in extremity ; Paraesthesia ; Peripheral swelling ; Pyrexia
274917	26/10/2010	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Administration site reaction ; Headache
275218	4/11/2010	Female	3	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Hallucination ; Pyrexia
275241	5/11/2010	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Pyrexia ; Vaccination site erythema ; Vaccination site pain
276832	16/12/2010	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Extensive swelling of vaccinated limb ; Injection site reaction
277146	23/12/2010	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Febrile convulsion ; Vomiting

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
277787	19/01/2011	Male	6	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Injection site reaction
278159	28/01/2011	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Pyrexia
279109	23/02/2011	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Injection site reaction ; Injection site swelling
281948	28/04/2011	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (1 days); Meningococcal C Vaccine (Corynebacterium diphtheriae ; Neisseria meningitidis group C oligosaccharide) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days); VAQTA Hepatitis A Vaccine Inactivated (Hepatitis a virus antigen) - Suspect (1 days)	Diarrhoea ; Pyrexia ; Rash ; Vomiting
281991	28/04/2011	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	Extensive swelling of vaccinated limb ; Injected limb mobility decreased ; Injection site reaction
282069	29/04/2011	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (0 days)	Injection site cellulitis ; Injection site swelling ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
282462	6/05/2011	Female	35	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (5 days); Stamaril (Yellow fever virus) - Suspect (5 days); Twinrix Adult 720/20 Formulation (Hepatitis a virus antigen ; Hepatitis B surface antigen recombinant) - Suspect (5 days); Typhoid Vaccine (Salmonella typhi) - Suspect (5 days)	Influenza like illness
282512	9/05/2011	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Extensive swelling of vaccinated limb ; Injection site pain ; Injection site reaction
282676	12/05/2011	Male	35	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (5 days); Stamaril (Yellow fever virus) - Suspect (5 days); Twinrix Adult 720/20 Formulation (Hepatitis a virus antigen ; Hepatitis B surface antigen recombinant) - Suspect (5 days); Typhim VI (Salmonella typhi Vi polysaccharide) - Suspect (5 days)	Headache ; Influenza like illness ; Nausea
283733	3/06/2011	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Injection site reaction ; Injection site swelling ; Irritability ; Pyrexia
286361	25/07/2011	Female	5	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1285 days)	Febrile convulsion ; Urticaria
289925	5/10/2011	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Pruritus ; Rash erythematous ; Urticaria
291268	2/11/2011	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2	Fatigue ; Injection site reaction ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	
291383	4/11/2011	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (6 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (6 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (6 days)	Seizure
292368	25/11/2011	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (14 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (14 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (14 days)	Febrile convulsion
292520	29/11/2011	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Injection site reaction ; Pyrexia
294667	17/01/2012	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Crying ; Hypotonic-hyporesponsive episode
295001	25/01/2012	Male	3	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
296250	20/02/2012	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days)	Pyrexia ; Vomiting
300762	22/05/2012	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Cough ; Extensive swelling of vaccinated limb ; Injection site reaction ; Urticaria ; Wheezing
301328	30/05/2012	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Cough ; Injection site reaction ; Urticaria ; Wheezing
303034	2/07/2012	Female	3	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	Injection site reaction
303272	9/07/2012	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Concomitant (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (0 days); Varilrix (live varicella vaccine) - Suspect (0 days)	No adverse event ; Vaccination error
303596	13/07/2012	Male	1	Comvax (Haemophilus influenza type B polyribose ribitol phosphate ; Hepatitis B surface antigen recombinant ; Neisseria meningitidis outer membrane protein complex) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Vlth nerve disorder
307848	3/10/2012	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1	Extensive swelling of vaccinated limb ; Injection site reaction

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	
308628	19/10/2012	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Presyncope
310235	21/11/2012	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Serum sickness-like reaction
310286	21/11/2012	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Concomitant (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1 days)	Extensive swelling of vaccinated limb ; Injection site reaction
310674	29/11/2012	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Injection site reaction ; Oropharyngeal pain ; Rash maculo-papular ; Vomiting
310822	4/12/2012	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Meningitec (Diphtheria CRM197 protein ; Meningococcal polysaccharide group C) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Urticaria
310914	5/12/2012	Male	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Injection site reaction ; Pyrexia ; Rash ; Vomiting
311781	24/12/2012	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (2 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) -	Hypotonic-hyporesponsive episode ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	
312054	4/01/2013	Female	29	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Foetal exposure during pregnancy
315929	20/03/2013	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (3 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (3 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (3 days)	Rash generalised
316162	25/03/2013	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (1 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Decreased appetite ; Rash macular ; Rhinorrhoea
317438	9/04/2013	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Injection site reaction
317452	10/04/2013	Male	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (0 days); Meningitec (Diphtheria CRM197 protein ; Meningococcal polysaccharide group C) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Meningitis bacterial ; Seizure
318630	26/04/2013	Female	4	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Quadracel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days)	Syncope
318917	2/05/2013	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (2 days); Neisvac-C (aluminium hydroxide	Rash generalised

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	
321804	20/06/2013	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Concomitant (1 days)	Injection site swelling
322260	27/06/2013	Female	2	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (14 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (14 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Suspect (14 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (14 days)	Cardiac arrest ; Pharyngitis ; Pyrexia
325707	26/08/2013	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (1 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Pyrexia ; Rash maculo-papular ; Urticaria
326007	30/08/2013	Female	1	Menitorix (Haemophilus influenza type B polyribose ribitol phosphate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Urticaria
328280	8/10/2013	Female	24	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (25 days); Priorix-Tetra (live varicella vaccine ; Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days); Varilrix (live varicella vaccine) - Suspect (42 days)	No adverse event
328356	9/10/2013	Female	1	Hiberix (Haemophilus influenza type B polyribose ribitol phosphate ; Tetanus toxoid) - Suspect (-); Neisvac-C (aluminium hydroxide hydrate ;	Urinary tract infection

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
				Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	
328975	21/10/2013	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (91 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (91 days)	Vomiting
329887	4/11/2013	Female	7	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-); Varilrix (live varicella vaccine) - Suspect (-)	Vaccine breakthrough infection
330378	7/11/2013	Male	1	Menitorix (Haemophilus influenza type B polyribose ribitol phosphate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (2 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (2 days)	Rash
331409	21/11/2013	Female	24	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (4 days)	No adverse event
331740	27/11/2013	Male	1	Menitorix (Haemophilus influenza type B polyribose ribitol phosphate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Wrong drug administered
335474	25/02/2014	Female	1	Menitorix (Haemophilus influenza type B polyribose ribitol phosphate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (1 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (1 days)	Otitis media ; Pharyngitis
336842	19/03/2014	Female	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Cold sweat ; Nausea ; Pallor ; Staring
357619	15/04/2015	Male	4	Infanrix-IPV (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Erythema ; Peripheral swelling ; Pyrexia

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
359824	20/05/2015	Male	1	Menitorix (Haemophilus influenza type B polyribose ribitol phosphate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (6 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (6 days)	Decreased appetite ; Pyrexia ; Rash generalised ; Somnolence
423635	8/12/2017	Female	28	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (21 days)	Arthralgia ; Injection site mass ; Oropharyngeal pain
427618	19/02/2018	Female	1	Menveo (Diphtheria CRM197 protein ; Meningococcal oligosaccharide group A ; Meningococcal oligosaccharide group C ; Meningococcal oligosaccharide group W135 ; Meningococcal oligosaccharide group Y) - Concomitant (7 days); Prevenar 13 (Pneumococcal purified capsular polysaccharides) - Concomitant (7 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (7 days)	Morbillivirus test positive
427633	19/02/2018	Female	70	Adacel (Diphtheria toxoid ; Pertactin ; Pertussis filamentous haemagglutinin ; Pertussis fimbriae 2 + 3 ; Pertussis toxoid ; Poliovirus ; Tetanus toxoid) - Suspect (-); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Lethargy ; Myalgia
427634	19/02/2018	Female	2	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Gait disturbance
454988	15/01/2019	Unknown	-	Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (-)	Product quality issue
467088	31/05/2019	Female	<1	Influenza Vaccine (Influenza virus haemagglutinin) - Suspect (0 days); Neisvac-C (aluminium hydroxide hydrate ; Meningococcal polysaccharide group C ; Tetanus toxoid) - Suspect (0 days); Priorix (Measles virus ; Mumps virus ; Rubella virus) - Suspect (0 days)	Aphasia ; Bedridden ; Blood test abnormal ; Bone marrow failure ; Brain injury ; Cerebral ischaemia ; Computerised tomogram abnormal ; Crying ; Cyanosis ; Device dependence ; Diarrhoea ; Disability ; Dyspnoea ; Dystonia ;

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
					Epilepsy ; Febrile convulsion ; Feeding disorder ; Feeling abnormal ; Gait inability ; Heart rate increased ; Hepatic failure ; Human rhinovirus test positive ; Hypoglycaemia ; Hypokinesia ; Hypotonia ; Hypoxia ; Inability to crawl ; Infection ; Injury ; Lethargy ; Listless ; Liver injury ; Loss of personal independence in daily activities ; Malaise ; Metabolic acidosis ; Moaning ; Multiple organ dysfunction syndrome ; Muscle twitching ; Muscular weakness ; Nervous system disorder ; Pain ; Pallor ; Partial seizures ; Product administered to patient of inappropriate age ; Pyrexia ; Quadriplegia ; Quality of life decreased ; Renal failure ; Respiratory disorder ; Respiratory syncytial virus infection ; Restlessness ; Screaming ;

The information provided in the following table is from reports included in the Adverse Event Management System (TGA's internal adverse event database) but not included in the Database of Adverse Event Notifications (DAEN). The reports that do not appear in the DAEN may have insufficient information and/or no reasonable temporal association and/or the relationship between the medicine/vaccine and the adverse event appears to not be related as judged by a health professional and/or the report may have been received by the TGA within the last 90 days and/or the report may be a duplicate of a case included in the DAEN.

Case Number	Report Entry Date	Gender	Age	Medicine reported as being taken	MedDRA reaction terms
					Seizure ; Strabismus ; Tremor ; Unrespons