



Australian Government

Department of Health and Ageing
Therapeutic Goods Administration

ADRAC 293

Minutes of the

Adverse Drug Reactions

Advisory Committee

293rd meeting

23 June 2006

10.2 Vaccine reports

During the 6-week period from 1 April to 15 May 2006, 167 reports of vaccine adverse reactions were lodged. This represents 12.9% of the reports lodged for the period.

Of the 167 reports, 79 related to children and 85 to adults, with the age in 2 cases being unstated. The vaccines associated with five or more reports were:

[REDACTED] hepatitis B
(12), [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- 12 year old male given [REDACTED] and Hep B vaccines (218287).

[REDACTED]

About 45% of the reports were received from States, Territories or Local Government Shire Councils; 47% were received from health professionals; 14 reports were received from sponsors, and 2 were from the Australian Vaccination Network.

Table: Reactions (other than deaths, convulsions and anaphylaxis) associated with individual vaccines:

Vaccine	Inject. site reaction	Urticaria	Rash	Anorexia	Irritability	Fever/pyrexia	Dyspnoea/apnoea	Pallor	HHE	Others of potential interest
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	1	[REDACTED]	[REDACTED]	[REDACTED]	1	[REDACTED]	[REDACTED]	Dizziness, myalgia, arthralgia – see Rpt 217859
/Hepatitis B	[REDACTED]	[REDACTED]	2	2	1	1	[REDACTED]	1	[REDACTED]	2 x vomiting/nausea, generalised pain, loss of consciousness, hyperhidrosis, schizoaffective disorder
Hepatitis B	3	[REDACTED]	2	2	1	1	[REDACTED]	1	[REDACTED]	2 x vomiting/nausea, generalised pain, loss of consciousness, hyperhidrosis, schizoaffective disorder
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

