

294th ADRAC Meeting


Minutes of the


Adverse Drug Reactions


Advisory Committee


294th meeting


18 August 2006























































































































































10 Vaccines

10.1 Vaccine issues and published articles

10.2 Vaccine reports

hepatitis B (8),

During the 6-week period from 16 May to 30 June 2006, 139 reports of vaccine adverse reactions were lodged. This represents 13% of the reports lodged for the period.

Of the 139 reports, 89 related to children and 45 to adults, with the age in 5 cases being unstated. The vaccines associated with five or more reports were:

About 52% of the reports describe injection site reactions and another 17% described rash, urticaria or pruritus. Details of reactions associated with individual vaccines are shown in the Table, below. There were no deaths and no reports of anaphylaxis, but there were 2 reports of

convulsions – 218819 and 219130, both associated with Hepatitis B vaccine - and 1 of seizure - report 219597, involving a male baby given Infanrix Penta,

About 55% of the reports were received from States, Territories or Local Government Shire Councils; 35% were received from health professionals; 10% of the reports were received from sponsors, and none were from the Australian Vaccination Network.

ers of potential interest	нне	Pallor	Dyspnoea/ apnoea	Fever/ pyrexia	Irrit- ability malaise	Anorexia	Urticaria / rash /pruritus	Inject. site reaction	Vaccine
aargy, muscle weakness, arthralgia, eczema	$\begin{vmatrix} 0 & 1 \end{vmatrix}$	0	0	0	0	0	0	1	/Hepatitis B
convulsions; 4 x syncope; 2 x dizziness; 1 ss of consciousness; 2 x paresthesia; 1 x nosis; 3 x muscular disorder	2	2	0	0	0	0	1	3	Hepatitis B

